INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1898. Parts I. & II.

(Marked A. i and A. ii respectively); and also to Transactions, 1898 (marked T.); and to Proceedings of the Session 1897—1898, Nos. 183 to 197, Nov., 1897—June, 1898 (marked P.).

A.

Aarland, Georg, behaviour of sodium thiosulphate solutions with acids, A., ii, 216.

Abati, Gino, refractive and dispersive power of combined silicon, A., ii, 274.

Abderhalden, Emil, analyses of blood, A., ii, 35.

- estimation of hæmoglobin in cat's blood, A., ii, 415.

-comparative composition of the blood, A., ii, 442.

Abegg, Richard, determination of the freezing point reductions of dilute solutions and their relations to the

theories of solutions, A., ii, 368. - demonstration of the Ludwig phenomenon, A., ii, 422.

Abeles, Hans, alcoholic fermentation without yeast cells, A., ii, 621.

Abelous, J. E., and G. Biarnès, mechanism of organic oxidation, A., ii, 36.

Aberson, J. H., malic acid from Crassulaceæ, A., i, 513.

Abt, Antal, resistance and specific heat of some oxides and sulphides of iron, A., ii, 106.

Ach, Friedrich. See Emil Fischer.

Ach, Lorenz. See Emil Fischer. See George M. Adams, Maxwell.

Richardson, Stewart W. Young. Adelphe. See A. Gonnard.

Adeney, Walter Ernest, nature of fermentative changes in natural and polluted waters, and in artificial solutions, as indicated by the composition of the dissolved gases, IV., humus, its formation and influence in nitrification, A., ii, 86.

Adrian, and Auguste Trillat, action of phosphoric acid on glycerol, A.,

i, 459.

VOL. LXXIV. ii.

Adrian, and Auguste Trillat, acid glycerophosphates, A., i, 550.

- volumetric estimation of glycerophosphates, A., ii, 462.

Ahrens, Felix B., syntheses in the piperidine series, II. and III., A., i, 686.

Aignan, A., and E. Dugas, solubilities of liquids, A., ii, 62.

Aisinmann, Semjon, estimation of paraffin in crude oil distillates, A., ii, 261.

Alberda van Ekenstein, W., caroubinose and d-mannose, A., i, 118.

Alberda van Ekenstein, W. See also Cornelis Adriaan Lobry de Bruyn.

Albro, Alice H. See Russell H. Chittenden.

Alexander, Franz, gastric digestion of caseinogen, A., ii, 615.

Alfa, J. See Rudolph F. Weinland. Allen, Alfred Henry, chemistry of whiskey, A., i, 221.

 assay of electro-plating and gilding solutions, A., ii, 146.

Allen, Alfred Henry, and A. B. Searle, improved method of estimating proteids and gelatinous substances, A., ii, 320.

Allen, Eugene T. native iron in the coal measures of Missouri, A., ii, 120. Allendorf, Paul. See August Klages.

Altschul, Julius, parahydroxyphenyl-hydrazine, A., i, 366.

Alvisi, Ugo, relation between the molecular weights and densities of liquids and solids, A., ii, 209.

Amann, estimation of indican in urine.

A., ii, 659.

Ambühl, Gottwalt, gravimetric estimation of sugars by Fehling-Allihn's process, A., ii, 98.

Amort, E. See Alfred Partheil.

Ampola, G., and E. Garino, denitrification, A., ii, 177.

Ampola, G., and C. Rimatori, use of methylic oxalate in cryoscopy, A., ii, 209.

Ampola, G., and C. Ulpiani, denitrification, A., ii, 622. Andrä, G. See Oscar Kellner.

André, Gustave, some bases derived from piperidine, A., i, 685.

combination of pyridine and tri-methylamine with formic and acetic acids, A., ii, 501.

Andreasch, Rudolf, thiocarbamide derivatives, A., i, 243.

Andreocci, Americo, action of nitric acid on desmotroposantonin, A., i. 266.

-action of phosphorus chlorides on oxygenated derivatives of 2: 4-pyrrodi-

azoles, A., i, 277.

1-phenyl-3-methylpyrro-2: 4-diazole and its ethiodide and ethobromide, A., i, 278.

-constitution of the pyrrodiazolones, A., i, 278.

Andreocci, Americo, and Nicola Castoro, reduction of 2:4-pyrrodiazoles, A.,

Andrews, W. W., self-regulating gasgenerating apparatus, A., ii, 290.

Andrlik, Karl, estimation of invert-sugar by Peška's method, A., ii, 355.

Anelli, G. See Attilio Purgotti.

Angeli, Angelo, V. Meyer's etherifica-tion law, A., i, 234.

—action of nitrous acid on camphor-

oxime, A., i, 596.

- nitrohydroxylamic acid, A., ii, 216. Annable, Henry. See George Young.

Anschütz, Richard, law of etherification of unsymmetrical aliphatic dicarboxylic acids, A., i. 127.

Anschütz, Richard, and Julien Drugman, preparation of ethereal salts, A., i, 128.

Anton, estimation of hydrogen cyanide in ethereal oil of bitter almonds, A.,

Antony, Ubaldo, and Guido Gigli, hydrolytic decomposition of bismuth nitrate, A., ii, 598.

Apéry, Pierre, detection of aloes, A., ii, 468.

Arbuckle, H. B. See Harmon Northrup Morse.

Leonard, Hehner's bromine Archbutt, thermal test for oils, A., ii, 316.

Archibald, E. H., See James G. Mac-Gregor.

Armitage, F. P., the atomic weight of boron, P., 1898, 22; discussion, P., 23.

Arnaud, Albert, onabain, A., i, 377.

- products obtained by the hydrolysis of ouabain, A., i, 597.

- action of alkalis on ouabain, A., i, 597.

 a crystalline heptacetin derived from ouabain, A., i, 677.

Arndt. Kurt. See Georg W.A. Kahlbaum. Arth, Georges, apparatus for the estimation of free nitrogen in purified coal gas, A., ii, 535.

Arthus, Maurice, application of dialysis to certain questions in chemical physi-

ology, A., ii, 174.

Aschan, [Adolf] Ossian, the naphthenes of Russian petroleum, A., i, 407.

-di-isopropyl in light petroleum from Baku, A., i, 545.

- occurrence of methylpentamethylene in light petroleum from the Caucasus, A., i, 565.

Asher, Léon, and A. G. Barbera, origin and formation of lymph, A., ii, 239.

Aston, Emily [Alicia]. See Philippe A. Guye.

Astruc, A., volumetric estimation of glycerophosphates, A., ii, 462. Astruc, A., See also H. Imbert.

Auchy, George, the moist combustion method of determining carbon in steel, A., ii, 484.

- the errors in estimations of carbon where weighed potash bulbs are employed, A., ii, 534.

- Drown's method of estimating sili-

con in steel, A., ii, 539.

See James Locke, Austell, Alfred. See Edgar Francis Smith.

Austin, A. E., estimation of glycogen in the liver, A., ii, 265.

Austin, Martha, estimation of manganese separated as carbonate, A., ii, 646. Austin, Martha. See also Frank Austin

Gooch. Autenrieth, Wilhelm, phosphates derived

from the phenols, A., i, 14. Autenrieth, Wilhelm, and Otto Hildebrand, action of phosphorus thiochloride on solutions of phenols in aqueous alkali, A., i, 419.

- synthesis of a phosphazine, A., i, 476.

Autenrieth, Wilhelm, and Zoltán von Vamóssy, phenylic phosphates in the animal body, A., ii, 617.

Autenrieth, Wilhelm, and AdolfWindaus, detection and estimation of sulphurous and thiosulphuric acids, A., ii, 452.

Auwers, Karl, formation of anhydrides of aliphatic dicarboxylic acids, A., i, 630.

Auwers, Karl, derivatives of aromatic

\$\beta\$- and \$\delta\$-oxides, \$A.\$, i, 646. **Auwers**, \$Karl\$ [and in part \$F\$. **Betteridge**, \$R\$. **Fritzweiler**, and \$F\$. **Mayer**], substituted succinic acids, A., i, 125.

Auwers, Karl, and Norman L. Sheldon. new derivatives of dibromanhydroparahydroxy-ψ-cumylic alcohol, A., i, 646.

Avery, Samuel, and Rosa Bouton, phenylglutaric acid and its derivatives, A., i, 526.

Avery, Samuel, and Benton Dales, electrolytic estimation of cadmium, A., ii, 49.

Avery, Samuel, and Mary L. Fossler, β-phenyl-α-methylglutaric acid, A., i, 527.

Aykroyd, Henry E. See Fred. William Richardson.

B.

Babcock, S. C. See Edward D. Camp-

Bach, A., action of formaldehyde on albumin, A., i, 287.

- reduction, electrolysis, and photolysis of carbonic anhydride, A., ii, 332.

Backe, A. See H. Weigmann. Baer, S. H., and Albert B. Prescott, methylenedipyridine iodide, i, 42.

Baeyer, Adolf von, and Hans von Liebig, dialdehyde of adipic acid, A., i, 638.

Baeyer, Adolf von, and Victor Villiger, orientation in the terpene series: Conversion of monocyclic terpenes into the corresponding derivatives benzene, A., i, 442, 675.

Edgar Henry Summerfield, composition of the Louisville mineral

water, A., ii, 33.

Bailey, Henry, estimation of unsaponifiable oil in greases with a lime base, A., ii, 198.

Baird, W. H. See Winthrop E. Stone. Baker, H. Brereton, the drying of-ammonia and hydrogen chloride, T., 422; P., 1898, 99; discussion, P., 100.

Baker, T. J., estimation of silver in silver-plating solutions, A., ii, 93.

Balbiano, Luigi, pyrazolecarboxylic acids, A., i, 691.

Balke, Paul, decomposition products of carniferrin, A., i, 100.

Ball, John, serpentines of Davos, A., ii, 125.

Balland, composition of potatoes, A., ii, 43.

composition of oats, A., ii, 132.

--- composition of buckwheat, A., ii, 182.

--- composition of the straw of wheat, oats, and rye, A., ii, 304.

composition of fish, crustaceæ, and

molluscs, A., ii, 618.

Ballard, Edward George, volumetric estimation of zinc, A., ii, 311.

Balló, Mathias, detection of tallow in lard, A., ii, 359.

amberger, Eugen, nit. hydroxylamines, A., i, 366. Bamberger. nitrosoalphyl-

Bamberger, Eugen, Hans Büsdorf, and H. Sand, reactions of the nitrosoalphyls with concentrated sulphuric acid, A., i, 521.

Bamberger, Eugen, and Jac. Kunz, intramolecular rearrangement of sulphonic acids, II., A., i, 31.

Bamberger, Eugen, and Jan Lagutt, reaction of phenylhydroxylamine with alcoholic sulphuric acid and with aniline, A., i, 520.

Bamberger, Eugen, and Edmond Renauld, alphyl and alkyl hydroxylamines, A., i, 20.

Bamberger, Eugen, and Fred. Tschirner, the oxidation of aniline, A., i, 518.

Bamberger Heinrich, formation of metallic sodium from sodium peroxide, A., ii, 291.

- analysis of calcium carbide, A., ii, 408.

Bamberger, Max, and Anton Landsiedl. natural resins (überwallungsharze), A., i, 88.

- argon in the Vöslau springs, Vienna, A., ii, 478.

Bancroft, Wilder Dwight, quintuple points, A., ii, 64.

- solids and vapours, A., ii, 64.

— a triangular diagram [to represent composition—temperature changes], A., ii, 65.

--- two liquid phases, A., ii, 65, 212.

--- nascent hydrogen, A., ii, 69. — ternary mixtures, A., ii, 212.

- correction [lead iodide], A., ii, 220. Bandow, Erich, and Richard Wolffen-

stein, electrolytic preparation of hydrocotarnine, A., i, 702.

Bang, Ivar, detection of albumoses in urine, A., ii, 657.

Barbera, A. G. See Léon Asher.

Barbet, E., estimation of aldehydes in spirit by means of phenols, A., ii, 464.

Barbet, E., and Jandrier, detection of aldehydes and phenols, A., ii, 265.

Barbier, Phillipe, dimethylheptenol, a new unsaturated tertiary alcohol, A., i, 617.

Bardach, Bruno, influence of certain drugs on the analysis of urine, A., ii, 268.

Barnes, Bayard. See Henry Lord Wheeler.

Barnes, H. T. See Hugh L. Callendar. Barnes, Joseph, estimation of organic matter by chromic acid, A., ii, 97.

preparation of water free from ammonia, A., ii, 146. Barnstein, F. See Oscar Kellner.

Barral, Etienne, chlorine derivatives of phenylic carbonate, A., i, 575.

Barratt, Wakelin, excretion of water and carbonic anhydride from inflamed skin, A., ii, 38.

Barrow, George, chloritoid from Kin-

cardineshire, A., ii, 389.

Bartels, A. See Paul [Ehrhardt] Jannasch.

Barth, Georg, and Carl Joseph Lintner, lupulinic acid, A, i, 678.

Barthe, Léonce, syntheses by the aid of ethylic cyanosuccinate, A., i, 406.

Bartley, E. H., rapid estimation of uric

acid in urine, A., ii, 196.

Bartolotti, Pietro, laboratory apparatus for preparing gas from light petroleum, A., i, 218.

Baselli, Anton. See Alfred Werner.

Baskerville, Charles, reduction of concentrated sulphuric acid by copper, A., ii. 22.

Baskerville, Charles, and F. W. Miller, reactions between mercury and concentrated sulphuric acid, A., ii, 586.

Baskerville, Charles. See also Francis Preston Venable.

Basse, Aug., and Heinrich [Conr.] Klinger, the butyroins and isovaleroin, A., i, 462.

Battandier, J. A., and Th. Malosse, retamine, a new alkaloid from Retama sphærocarpa, A., i, 52, 215.

Bau, A., melibiose, A., i, 396.

Baubigny, Henri, detection of traces of bromine by means of fluorescein, A., ii 138.

Baubigny, Henri, and Paul Rivals, separation of bromine from mixtures of alkali bromides and chlorides, A., ii, 90.

- separation and estimation of chlorine, and bromine in a mixture of

alkali salts, A., ii, 137.

Bauduer, L. See Maurice Nicloux.

Bauer, Alexander. See Fritz Fichter. Baugé, Georges, chromous sodium car-

bonate, A., ii, 294.

— action of some carbonates on chromous acetate, A., ii, 592.

Baumeister, Eduard. See Alfred Einhorn.

Baur-Thurgau, Albert, ketone musks, A., i, 523.

Baxter, Gregory Paul. See Theodore William Richards.

Bayerlein, H. See Heinrich Fresenius. Beatty, W. A. See J. H. Kastle.

Beaudet, L., action of sulphurous and hyposulphurous acids on pure and impure solutions of sugar, A., i, 618.

Beck, Adolf, the poisonous action of urine, A., ii, 620.

Beckh, Walter, syntheses with ethylic chlorofumarate, A., i, 242.

Beckmann, Ernst Otto [and in part B. Goetze, Heinrich König, and F. Schönermark], N-alkylhydroxylamines, A., i, 22.

Beckmann, Ernst Otto [and in part H. Scharfenberger gen. Sertz, and O. Elsner], behaviour of proteids with aldehydes, A., i, 55.

Beckurts, Heinrich, and G. Frerichs, estimation of ethereal oils in aromatic waters, A., ii, 410.

Beckurts, Heinrich, and Julius Troeger, ethereal oil of Angostura bark, A., i, 37, 202.

Becquerel, Henri, and Henri Deslandres. Zeeman's phenomenon: variations of spectra in magnetic fields, A., ii, 493.

Beddow, Frederick. See Alfred Werner. Beers, F. T. See F. J. Pond.

Beeson, Jasper L., physical effects of various salts and manure constituents on a soil as modifying the factors which control its supply of moisture, A., ii, 450.

Beglarian, D. Melik, feeding experiments on milch cows with linseed oil and crushed linseed, A., ii, 402.

Béhal, Auguste, a new cyclic ketone, Δ^6 -methylcyclohexenone-3, A., i, 403.

Bein, Willi, determination of transference ratios by electrolysis of dilute salt solutions, A., ii, 553.

Beitler, C., chloroproteinochrome, A., i, 600.

Belden, A. W. See Francis Preston Venable.

Belugou, G., heat of neutralisation of ethylphosphoric acid. A., ii, 498.

- action of strontium chromate on mercuric chloride, A., ii, 511.

heat of neutralisation of phenyl-

phosphoric acid, A., ii, 558. Belugou, G. See also H. Imbert.

Bemmelen, Jacobus Martinus van, colloidal and crystalline copper hydroxide. A., ii, 220.

Benda, Louis. See Robert Gnehm. Benedicenti, A., combustion in rarefied air, A., ii, 215.

Benedict, C. H., distillation with vapour, A., ii, 62.

Benedict, C. H. See also Louis Monroe

Benedict, Francis G., and R. S. Norris, estimation of small quantities of alcohol, A., ii, 489.

Benneville, James S. de, separation of silicic and tungstic acids, A., ii, 49.

Bentley, William B., action of nitric acid on tribromacetanilide, A., i, 519. Bentley, William B. See also Albert E. Menke.

Bentley, William Henry, and William Henry Perkin, jun., experiments on the synthesis of camphoric acid. Part I., T., 45; P., 1897, 218.

Bentley, William Henry. See also R. Herz.

Berchelmann, W. See Ludwig Gattermann.

Berg, Armand, diagnosis of secondary aliphatic amines containing monatomic alkyl groups, A., i, 553.

- mode of formation of elaterin in Ecballium elaterium, A., ii, 447.

Berg, Georg, compound of titanic acid with malic acid, A., i, 66.

Bergé, A., conversion of starch by means of sulphurous anhydride and sulphurous acid, A., i, 229.

Bergé, A., and Albert Reychler, purification of acetylene, A., i, 546.

Bergeat, Alfred, [cubic ferric oxide] from Stromboli, A., ii, 78.

Bergh, Ebbe, decomposition of elastin by hydrochloric acid, A., i, 608.

Berkey, Charles P., [ferric sulphate from Minnesota], A., ii, 605.

Bernard, R. See Rudolf Nietzki.

Bernfield, Isidor, metallic sulphide electrodes, A., ii, 150.

Berntrop, J. C., detection and estimation of traces of lead in waters, A., ii, 51.

Bersch, Wilhelm, sugar and starch in resting potatoes, A., ii, 41.

Berthelot, Daniel, melting points of silver and gold, A., ii, 341.

- atomic weights by physical and

chemical methods, A., ii, 502. molecular weights of gases, A.,

ii. 502. Marcellin Pierre Eugène, Berthelot, chemical effects of the silent electric

discharge, A., i, 393.

action of the silent electric discharge on nitrogenous compounds in presence of free nitrogen, A., i, 551.

Berthelot, Marcellin Pierre Eugène, action of the silent electric discharge on aldehydes and nitrogen, A., i, 554. action of silent electric discharge on

organic acids and nitrogen, A., i, 558. - action of the silent electric dis-

charge on liquid dielectrics, A., i, 594. - oxidation of pyrogallol in presence of alkalis, A., i, 645.

- influence of hygroscopic substances on the combination of hydrogen and

oxygen, A., ii, 113.

action of hydrogen on sulphuric

acid, A., ii, 160.

action of hydracids and oxygen on and other metals, A., mercury ii, 163.

 action of sulphuric acid on mercury at the ordinary temperature, A., ii, 164.

 rotatory power of polymerised compounds, A., ii, 361.

action of oxygen on carbon bisulphide under the influence of light, A., ii, 508.

- absorption of oxygen by potassium pyrogallol, A., ii, 534.

Bertolio, Solimann, composition comendite, A., ii, 81.

- minerals of the island San Pietro, Sardinia, A., ii, 603.

Bertram, Julius, and Eduard Gildemeister, constituents of oil of roses and allied ethereal oils, A., i, 263.

- the rhodinol question, A., i. 443.

Bertrand, Gabriel, intervention of manganese in oxidations produced by laccase, A., i, 53.

- action of the sorbose bacterium on polyhydric alcohols, A., i, 550.

 product of the oxidation of glycerol by the sorbose bacterium, A., i, 556. - biochemical production of dihydr-

oxyacetone, i, 556.

- oxidising ferments (oxydases), A., ii, 128.

- action of "flower of wine" on sorbitol, A., ii, 397.

Besseler, Heinrich. See Adolph Claus. Besson, [Jules] Adolphe, phosphorus oxychloride, A., ii, 160.

phosphorus oxide, A., ii, 216.

Besthorn, Emil, and Hendrik Byvanck, amido-2-hydroxylepidine and lepidinic

acid, A., i, 450.

Betsch, G. See Friedrich Kehrmann.
Betteridge, F. See Karl Auwers.

Betti, Mario, the oxime of ethylic diethylacetoacetate, A., i, 629.

- derivatives of amidoazobenzene, A., i, 656.

Bevan, Edward John. See Charles Frederick Cross.

Beyerinck, F., specific gravity of iodoform, A., i, 458.

Bhaduri, Chandrabhushan, and Iyotibhushan Bhaduri, double thiosulphates of copper and sodium, A., ii, 428.

Bialobrzeski, M., application of acid solutions of arsenious acid in volumetric analysis, A., ii, 184. Biarnes, G. See J. E. Abelous.

Wilhelm, comparative Biedermann, physiology of digestion. I, Digestion of the larva of, Tenebrio molitor (mealworm), A., ii, 614.

Bieler, Kurt, investigation of the soil for the purpose of judging its mechanical and chemical properties, A., ii, 629.

Bielfeld, P., sulphuric acid in bone ash, A., ii, 529.

Biffi, Ugo, digestion of caseinogen by gas-

tric juice, A., ii, 615.

Bigelow, Samuel Lawrence, effect of catalytic action on the velocity of oxidation of sodium sulphite by atmospheric oxygen, A., ii, 506.

Bigelow, W. D. See Harvey Washing-

ton Wiley.
Biginelli, Pietro, influence of methoxyl groups in diazotising aromatic compounds, A., i, 250.

Binns, George J., and George Harrow, minerals from Netherseal Colliery,

Leicestershire, A., ii, 76.

Binz, A., and F. Rung, estimation of indigotin on the fibre, A., ii, 659.

Binz, B., reduction of arsenic acid by juices of organs, A., ii, 240.

Bischoff, Carl Adam, formation of chains. XIV., Aniline and ethylic salts of fatty

brominated acids, A., i, 10. - formation of chains. XV., Aniline and fatty brominated acid amides, A., i, 10.

formation of chains. XVI., Formation of acid anilides, A., i, 10.

- formation of chains. FXVII., Orthotoluidine and metatoluidine; XVIII., paratoluidine; XIX., metaxylidine, A., i, 73.

formation of chains. XX., Chloranilines; XXI., nitranilines; XXII.,

nitrotoluidines, A., i, 131.

- formation of chains. XXIV., Ben-XXV., methylaniline; zylamine; XXVI., ethylaniline, A., i, 182.

formation of chains. XXIII., Orth-

amidophenol and paramidophenol, A., i, 183.

Bistrzycki, Augustin, and Edward Fink, condensation products from the amides of two orthaldehydo-acids, A., i, 427.

Bistrzycki, Augustin, and Enrique Fynn, amides of two substituted orthoaldehydo-acids, A., i, 426.

Blaise, Edmond E., unsymmetrical dimethylsuccinic acid and its alkylic

salts, A., i, 560.

 new synthesis of ββ-dimethylglutaric acid, A., i, 561.

synthesis of symmetrical \$\beta\$-hydroxytetramethylglutaric acid, A., i, 631.

Blank, Rubin, synthesis of indigo colouring matters, A., i, 589.

Bleier, Otto, four new methods of measuring gases, A., ii, 136.

- gasometric apparatus, VII., A new method for the absolute measurement of gases (measurement of the reduced gas volume), A., ii, 183.

- apparatus for gas analysis, VIII.,

A., ii, 252.

Blount, Bertram, estimation of acetic acid in the presence of inorganic salts, A., ii, 266.

Blum, F., halogen derivatives of proteids, and their physiological relationships, A., i, 287.

Blum, F., and Wilhelm Vaubel, halogen derivatives of albumin, A., i, 287,

Blumenfeld, Siegfried, and Paul Friedländer, a general reaction of aromatic

quinones. II., A., i, 145. Blumenthal, Ferdinand, the sugar-yielding substances of the body, A., ii, 239. Blumenthal, Paul. See Edgar Wedekind.

Bocchi, Icaro, detection of filicic acid in cases of poisoning by fern extract, A., ii, 58.

Bode, G., chemistry of chlorophyll, A.,

Bodländer, Guido, relation between solubility and the heat of formation of electrolytes, A., ii, 554.

Bodman, Göste, isomorphism between salts of bismuth and of the rare earths, A., ii, 435.

Bodroux, F., alkyl derivatives of β -naphthol, A., i, 592.

- action of bromine on phenols in presence of aluminium bromide, A., i, 641.

Boehm, Rudolf, filicic acid, A., i, 40. — curara and curara alkaloids, A., i, 283.

Boelling, G. See Hermann Thoms. Boeris, Giovanni, epidote from Piedmont, A., ii, 609.

Boeseken, J., action of dilute and concentrated alkalis on d-tartaric acid, A., i, 561.

– action of primary amines on dinitrosacyls, A., i, 696.

Boeseken, J. See also Arnold Frederik Holleman.

Böttcher, O., estimation of citratesoluble phosphoric acid in basic slag, A., ii, 92, 308.

A., ii, 92, 308.
Böttger, Wilhelm, use of the electrometer as indicator in the titration of acids and bases, A., ii, 89.

Boettinger, Carl, action of Hübl's reagent on gallic acid and tannic acid and tannin extracts, A., i, 30, 199.

----- behaviour of acetylgallic acid and acetyltannin with Hübl's reagent, A., i, 87.

estimation of glycerol in wines, A., ii, 314.

Boeuf, F. See F. Villard.

Bogdahn, Franz. See Wilhelm Lossen.
Bogdanow, Elly, fat of muscle: estimation of fat in animal substances,
A., ii, 84.

Boggs, T. R. See Charles H. Herty. Bogorodsky, Alexis, trihydric alcohol obtained from dipropylallylcarbinol, A., i, 291.

Bogorodsky, Alexis, and J. Ljubarsky, phenylethylallylcarbinol, A., i, 303.

Bohlig, E., new method of estimating nitric acid, A., ii, 638.

Bohr, Christian, absorption of gases in liquids at various temperatures, A., ii, 211.

Boinet, Ed., physiological action of nicouline, A., ii, 37.

Bokorny, Thomas, toxicity of aqueous solutions of phosphorus, A., ii, 38.

nitroglycerol as a poison, A., ii, 39.

— nitrated carbohydrates as food material for moulds, A., ii, 39.
— formation of starch, A., ii, 41.

Bolam, Herbert W. See Max Guthzeit. Boltwood, Bertram B., new form of water blast, A., ii. 569.

Bonavia, L. See Antonio Longi.

Bondzyński, Stanislas, behaviour of compounds of salicylic acid in the organism, A., ii, 37.

Bondzyński, Stanislas, and Rudolf Gottlieb, oxyproteic acid, a new constituent of urine, A., i, 501.

Bondzyński, Stanislas, and V. Humnicki, stercorin, A., ii, 345.

Bone, William Arthur, an improved form of gas analysis apparatus, P., 1898, 154; discussion, P., 155.

Bone, William Arthur, and John Wilson, preliminary note on the action of light on acetylene, P., 1898, 155.

Bonjean, Edmond, alkali chlorides in the grapes and wines of the province of Oran, A., ii, 630. Bonney, Thomas George, talcose-schist from Canton Valais, A., ii, 235.

Bonomi da Monte, P., and A. Zoso, energy of some toluenesulphonic and xylenesulphonic acids, A., ii, 277.

Boos, W. F. See Charles Loring Jackson. Bordas, Fred., Joulin, and Sig. de Raczkowski, estimation of succinic acid in the presence of tartaric and lactic acids, A., ii, 545.

Borel, Arn. See Charles Soret.

Bornträger, Arthur, detection and estimation of saccharose in wine, A., ii, 264.

estimation of sugar and the polarimetric examination of sweet wines,
 A., ii, 356.

- estimation of tartaric acid in presence of citric acid, A., ii, 652.

presence of citric acid, A., ii, 652. **Bornträger**, *Arthur*, and G. **Paris**, some soils rich in potash, A., ii, 531.

Bornträger, Hugo, estimation of technically available molybdenum in molybdenite, A., ii, 649.

--- Patera's method of estimating uranium, A., ii, 649.

Borsche, Walther. See Otto Wallach. Bossi, Arnold. See Wyndham Rowland Dunstan.

Bouchardat, Gustave, and J. Lafont, action of sulphuric acid on l-terebenthene, A., i, 442.

Boucher, Gethen G., possible new element or elements in cast iron and blast furnace boiler dust, A., ii, 73.

Boucheron, uric acid in the saliva in the uric acid diathesis, A., ii, 38.

Boudouard, O., cerium, A., ii, 164, 294. —— neodymium, A., ii, 518.

earths of the yttria group in monazite sands, A., ii, 587.

Boudouard, O. See also Henri Le Chatelier.

Bouffard, A., and L. Semichon, oxydase of grapes; its utility in wine making, A., ii, 347.

Bouilhac, Raoul, fixation of atmospheric nitrogen by the association of algæ and bacteria, A., ii, 39.

Boulez, estimation of glycerol, A., ii, 194.
Bourcet, Paul, parabenzoyltoluene derivatives, A., i, 480.

Bourgeois, Léon, yield of carbamide obtained from ammonium carbonates, A., i, 564.

Bourgerel, G. L., constitution and formation of bauxite, A., ii, 524.

Bourquelot, Émile [Elie], action of soluble ferments on gentianose, A., i, 597.

Bourquelot, Émile and Henri Hérissey, gelatinous matter (pectin) in gentian root, A., i, 607. Bourquelot, Emile, and L. Nardin, gentianose, A., i, 349.

Bouton, Rosa. See Samuel Avery.

Boutroux, Léon, and P. Genvresse, double chlorides of cinchonamine, A., i, 52. Bouveault, Louis, aromatic glyoxylic

acids, A., i, 585.

Boyd, Francis D. See Diarmid Noel-Paton.

Brame, J. S. Strafford. See James Wyllie Rodger.

Brandt, C_{\cdot} , analysis of commercial indigo, A., ii, 468. Branner, John Casper, bauxite deposits

of Arkansas, A., ii, 168. Brantl, Josef. See Alfred Einhorn.

Brauchbar, Maximilian, and Leopold Kohn, condensation products of aldehydes, Part III, octoglycol isobutyrate from isobutaldehyde, A., i, 353.

Brauner, Bohuslav, contributions to the chemistry of thorium; comparative researches on the oxalates of the rare earth, T., 951; P., 1898, 67.

- on the atomic weight of thorium, P., 1898, 68.

— on the compound nature of cerium, P., 1898, 69.

- on praseodidymium and neodidymium, P., **1898**, 70; discussion, P., 72.

Brearley, Harry, separations with alkali acetates; II, nickel from iron; III, cobalt and manganese from iron, A., ii, 96.

- cyanide titration of copper, A., ii, 140.

separations with alkali acetates; IV, chromium from iron; V, aluminium and copper from iron; VI, zinc from iron, A., ii, 143.

 estimation of copper in the presence of other elements, A., ii, 258.

- separations from chromic acid; I, separation of iron; II, separation of manganese, A., ii, 409.

- separations from chromic acid; III, separation of aluminium, A., ii, 460.

- separation from chromic acid; IV, chromium, separation \mathbf{of} ii, 488.

- separation with alkali chromates, A., ii, 648.

Brearley, Harry, and Horace Jervis, cyanometric estimation of some metals, A., ii, 642.

Bredig, Georg, electrical conductivity of potassium permanganate solutions, A., ii, 552.

Bredt, Julius, camphoronic acid, camphoranic acid, and B-hydroxycamphoronic acid, A., i, 263.

Bredt, Julius, and Reinhard Rübel, isoacetophorone and camphorone, A., i, 264.

Bregowsky, I. M. See Allen P. Ford. Bremer, Hermann, detection of margarine, A., ii, 266.

 detection of horseflesh in sausages, A., ii, 320.

Brenneisen, Mordko. See Roland Scholl. Brenner, A. See Jos. Spüller.

Bretschneider, Wilhelm. See Reinhold Walther.

Breuer, Robert, chitosamine (glucosamine), A., i, 620.

Breukeleveen, M. van, microchemical detection of perchlorates in Chili saltpetre, A., ii, 482.

Briand, L., estimation of tartaric acid, A., ii, 465.

Briant, Lawrence, and Charles S. Meacham, estimation of resin in hops, A.,

Briggs, T. Lynton, preparation of phenvlamidoazobenzene and azophenine, A., i, 656.

Brion, Albert, oxidation of the stereoisomeric tartaric acids in the animal organism, A., ii, 618.

Brittain, Charles Edward. See Julius Berend Cohen.

Brochet, André, action of chlorine on ethylic alcohol, A., i, 549.

Brociner, Alphonse L., reagents for the detection of certain alkaloids, A., ii, 269.

Brodie, W. B., physiological action of hydroxylamine hydrochloride, ii, 395.

Brögger, Waldemar Christofer, mossite and the crystalline form of skogbölite, A., ii, 387.

Brook, Francis W. See F. Gowland Hopkins.

Brooks, Frederick C. Huxley, double iodide of lead and potassium, A., ii, 429.

Brown, Ernest W., Iceland moss, A., ii, 448.

Brown, Oliver W., solubility and boiling point, A., ii, 207.

Browning, K. C. See Siegfried Ruhe-

mann.

Bruce, James. See William Palmer Wynne.

Brühl, Julius Wilhelm, spectrochemistry of nitrogen, VI and VII, oxygen compounds of nitrogen, A., ii, 362, 417.

Bruhns, Willy, sodalite-trachyte from the Siebengebirge, A., ii, 82.

- rocks [and felspar] from the volcano, Osorne, Chili, A., ii, 235.

Bruner, Ludwik, solubility of iodine in mixed solvents, A., ii, 422.

Bruni, Giuseppe, solid solutions of benezene in phenol, A., ii, 561.

— solid solutions of pyridine and piperidine in benzene, A., ii, 562.

—— solid solutions of open chain compounds, A., ii, 562.

Brunner, Heinrich, estimation of carbon, nitrogen, and halogens by means of alkali persulphates, A., ii, 350.

Brunner, Heinrich and Karl Eiermann, action of halogen substituted derivatives of aliphatic compounds on phenylhydrazine, A., i, 414.

Brunner, Heinrich and Heinrich Leius, derivatives of theobromine: action of chloroform on phenylhydrazine, A., i, 158.

Brunner, Karl, indolinones, III, A., i, 90.
— the base prepared by E. Fischer from methylketol and methylic iodide, A., i, 384, 682.

Bruylants, Gustave, detection of opium

alkaloids, A., ii, 270.

Bruyn, Cornelis Adriaan Lobry de, and W. Alberda van Ekenstein, action of boiling water on fructose [levulose], A., i, 225.

IV, A, i, 225.

the tagatoses and galtose, A., i, 225.

 $\frac{-1}{\text{VI, glutose}}$ action of alkalis on sugars, VI, glutose and ψ -fructose, A., i, 227.

Bryan, G. B., determination of the conductivity of liquids in thin layers, A., ii, 366.

Brylinski, Albert, testing of indigo, A., ii, 492.

Bucher, John E. See Arthur Michael. Buchner, Eduard, fermentation without ceils, A., ii, 346.

— pseudophenylacetic acid, A., i, 639.
Buchner, Eduard, and Andreas Jacobi, derivatives of cycloheptane, A., i, 301,

Buchner, Eduard, and Ferdinand Lingg,

β-isophenylacetic acid (β-cyclohepta-

trienecarboxylic acid), A., i, 314, 640. **Buchner**, *Eduard*, and *Rudolf* **Rapp**, alcoholic fermentation without yeast cells, A., ii, 127, 246, 396.

— alcoholic fermentation without yeast cells, VII, preparation of dried yeast juice, A., ii, 480.

Budgett, Sidney P., similarity of structual changes produced by want of oxygen and by certain poisons, A., ii, 240.

Bülow, Carl, and Hans Wolfs, new primary diazo-dyes of the benzene series, A., i, 308.

Büsdorf, Hans. See Eugen Bamberger. Büttgenbach, estimation of manganese in iron ores by the dry way, A., ii, 52.

Bugarszky, Stefan, and Leo Liebermann, compounds of proteids with hydrochloric acid, sodium hydroxide, and sodium chloride, A., i, 716.

Buisine, A., and P. Buisine, volatile acids of the acetic series from the

suint of wool, A., i, 175.

— preparation of acetone oil and methyl ethyl ketone from suint, A., i, 352.

Bulatoff, Miss H. See Gabriel Gustav-

Bullnheimer, Friedrich, glycerol compounds of copper with alkali metals, A., i, 509.

behaviour of glycerol towards metallic oxides with a view to its estimation, A., ii, 262.

- silver plumbite, A., ii, 428.

Bulnheim, Gotthard, bile acids, A., i, 710.

Bunge, Gustav von, assimilation of iron from cereals, A., ii, 446.

Bunte, Hans, recent developments in gas lighting, A., i, 218.

Burian, Richard, sitosterol, A., i, 72. Burrell, B. Arthur, composition of spar

from Knaresborough, A., ii, 524.

Burwell, A. W. See R. A. Worstall.

Buss, Fritz. See Heinrich Goldschmidt.

Butte, L., glucose in the blood and muscle after intravenous injection of that substance, A., ii, 35.

Buxhoevden, [Baron] Hellmuth and Gustav Tammann, hydrates of magnesium platinocyanide and their solubility, A., i, 59.

Byvanck, Hendrik, derivatives of 3'-ethyllepidine (4'-methyl-3'-ethylquino-line), A., i, 689.

Byvanck, Hendrik. See also Emil Besthorn.

C.

Cady, Hamilton P., electrolysis and electrolytic conductivity of certain substances dissolved in liquid ammonia, A., ii, 203.

Cady, Hamilton P., and Alfred P. Ruediger, modification of the permanganate method for the estimation of iron, A., ii, 191.

Calker, F. J. P. van, pseudogaylussite from Holland, A., ii, 80.

Callaway, Charles, chemical evidence for the existence of organisms in the oldest rocks, A., ii, 236.

Callendar, Hugh L., and H. T. Barnes, variation in the E. M. F. of different forms of the Clark standard cell with temperature and with strength of solution, A., ii, 276.

Calvert, Harry Thornton. See Julius Berend Cohen.

Camerer, William, and Friedrich Söldner, composition of human and of cow's milk, A., ii, 394.

Cameron, Alexander, comparative experiments on the estimation of phosphoric acid, A., ii, 308.

Cameron, Frank Kenneth, decomposition of diazo-compounds: reaction of diazophenols and of the salts of chloro- and bromo-diazobenzene with ethylic and methylic alcohols, A., i, 364.

Campbell, Edward D., and S. C. Babcock, influence of heat treatment, and of carbon, on the solubility of phosphorus in steel, A., ii, 590.

Campbell, Edward D., and Firman Thompson, preliminary thermochemical study of iron and steel, A., ii, 323.

Campbell, Edward D. See also James Lewis Howe.

Campbell, George F. See Thomas Burr Osborne.

Campredon, Louis, estimation of sulphur in iron, A., ii, 350.

Canzoneri, Francesco, cadmium compounds, A., ii, 293.

Card, George William, [cupro-scheelite from New South Wales], A., ii, 124.

— [bismuth telluride, apatite and minervite from New South Wales], A., ii, 385.

Carell, H. G. See William Ridgely Orndorff.

Carles, P., estimation of gelatin, A., ii, 658.

Carlinfanta, E., derivatives of pinacolin, A., i, 234.

Carnot, Adolphe, separation and estimation of bromine, chlorine, and iodine, A., ii, 349.

Carnot, Adolphe, and Goutal, condition of silicon and chromium in irons and steels, A., ii, 590.

Carr, Francis Howard. See Hooper Albert Dickinson Jowett.

Carrara, Giacomo, mineral water from S. Omobono in the Imagna valley, A., ii, 297.

Carrara, Giacomo, and A. Minozzi, coloration of the ions, A., ii, 286.

Carrara, Giacomo, and U. Rossi, energy of some bases of mixed function, A., ii, 278.

Carter, Alfred H., and Henry Droop Richmond, composition of human milk, A., ii, 175.

Castellaneta, E., action of tetrazodiphenyl chloride on benzene, A., i, 142.

Castoro, Nicola. See Americo Andreocci. Catani, Ghero. See Fausto Sestini.

Cattaneo, Carlo, influence of the solvent on ionic velocities, A., ii, 211.

— ionic velocity of chlorine in hydrogen chloride dissolved in various solvents, A., ii, 211.

Causse, Henri [Eugène], characteristic reaction of orthophenols: derivatives of antimonylcatechol, A., i, 469.

—— action of acetaldehyde on phenylhydrazine. Two isomeric α- and β-triethylidenediphenylhydrazones, A., i, 569.

benzylidenediphenylhydrazines and their derivatives: transformation into dibenzylidenediphenyltetrazole, A., i, 573.

A., i, 701.

---- estimation of phenylhydrazine, A., ii, 198.

— volumetric estimation of antimony, A., ii, 312.

Cavalier, Jacques, monalkyl-phosphoric acids, A., i, 616.

----- alkyl-phosphoric acids, A., ii, 499. ---- dialkylic hydrogen phosphates, A., ii, 499.

Caven, Robert Martin, qualitative analysis of phosphates, A., ii, 187.

—— ferric phosphate, A., ii, 591. Caven, Robert Martin. See also Frank

Clowes.

Cazeneuve, Paul, conversion of sulphocamphophenol into dinitrocresol, A., i, 148.

distinction between magenta S. and ordinary magenta in Schiff's reaction, A., i, 568.

— derivatives of dinitro-orthocresol, A., i, 576.

--- constitution of camphor and derived nitrophenols, A., i, 596.

Cazeneuve, Paul, and Moreau, dimethylpiperazine and its phenolic derivatives, A., i, 603.

aromatic diurethanes of piperazine,
A., i, 692.

Cebrian, Franz, condensation of salicylaldehyde with acidic amides, A., i, 582.

Cedercreutz, Eduard. See Georg Lunge. Centnerszwer, M., catalytic influence of various gases and vapours on the oxidation of phosphorus, A., ii, 427.

Cesaro, Giuseppe, tertiary nitroisobutylenic glycol, A., i, 291.

Chabrie, Camille, cystin, A., i, 9.

Chalmot, Guillame L. J. de, acetylene di-iodide, A., i, 116.

- action of sulphur on silicides: production of silicon, A., ii, 114.

 action of zinc on copper silicide, A., ii, 474.

Chamot, Emile Monnin. See Louis Munroe Dennis.

Chapman, AlfredChaston, volatile bye-products of fermentation, i, 221.

Chapman, H. G. See Charles James Martin.

Chappuis, Pierre, determination of the expansion of water between 0° and 40°, A., ii, 205.

Charabot, Eugène, Spanish essence of lavender, A., i, 595.

- essence of geranium, A., i, 596.

Charpy, Georges, equilibrium of a ternary system: lead-tin-bismuth, A., ii, 583.

--- constitution of ternary alloys, A., ii, 584.

Charrin, Albert, and Alexandre Desgrez, production of a mucinoid substance by

bacteria, A., i, 504. Chase, H. M. See Arthur Amos Noyes. Chauveau [Jean Baptiste] Auguste, sugar as a food, A., ii, 529.

Chavastelon, R., a crystalline compound of acetylene with cuprous chloride, A., i, 613.

-- method of estimating acetylene applicable to hydrocarbons of the type

RC:CH, A., ii, 410.

Chenal. See A. Tixier.

Chester, Albert Huntington, krennerite from Cripple Creek, Colorado, A., ii, 602.

Chittenden, Russell H., composition of human saliva, A., ii, 241.
Chittenden, Russell H., and Alice H.

Albro, influence of bile and bile salts on pancreatic proteolysis. ii, 343.

Chittenden, Russell H., and William J. Gies, influence of borax and boric acid on nutrition, A., ii, 238.

Chittenden, Russell H., Lafayette B. Mendel, and Holmes C. Jackson, influence of alcohol on digestion, A., ii, 237.

Chittenden, Russell H., Lafayette B. Mendel, and H. E. McDermott, papainproteolysis, A., ii, 239.

Chittenden, Russell H., and A. N. Richards, variation in the activity and composition of human mixed saliva, A., ii, 441.

Churchill, Jesse Briggs. See Theodore William Richards.

Chwolles, A. See Wilhelm Marckwald. Claisen, Ludwig, acetals of aldehydes and

ketones, A., i, 421.

— action of alcohol withdrawing agents on some acetals, A., i, 422.

propargylaldehyde [propiolaldehyde] and phenylpropargylaldehyde [phenylpropiolaldchyde], A., i, 422.

- a new method of preparing acid cyanides, A., i, 423.

Clark, Ernest. See George Young.

Clark, John, estimation of nickel and zinc as phosphates, A., ii, 144.

estimation of antimony in ores and metals, A., ii, 145.

Clarke, Frank Wigglesworth, fourth and fifth annual reports of the committee on atomic weights, A., ii, 213, 566.

Claus, Adolph, structural relationships of the two naphthoquinolines, A., i, 333.

Claus, Adolph, and Heinrich Besseler, β-naphthoquinoline, A., i, 331.

Claus, Adolph, and Walther Frobenius, 4'-amidoquinoline, A., i, 150.

Claus, Adolph, and Hans Howitz, bromination of 1-ethoxyquinoline, A., i, 205. alkoxides of 3-hydroxyquinoline, A., i, 274.

Claus, Adolph, and Paul Imhoff, a-naphthoquinoline, A., i, 332.

Claus, Adolph, and Oskar Jäck, chloroand bromo-derivatives of B-naphthylamine, A., i, 324.

Claus, Adolph, and Oskar Kassner, the alkylates of papaverine, A., i, 214.

Claus, Adolph, and Ernst Momberger, quinaldine-3'-carboxylic acid, A., i, **2**06.

Claus, Adolph, and S. Schaller, 2'-amidoquinoline, A., i, 51.

Claus, Adolph, and Reinhold Wallbaum, diazotisation of highly substituted anilines, and formation of the corresponding benzonitriles, A., i, 18.

Clemm, Hans, a new product of the oxidation of theobromine, A., i, 539. Clemm, Hans. See also Emil Fischer.

Cleve, Astrid, phenyltriazoles, II, A., i, 94.

Cleve, Astrid. See also Oskar Widman. Cloetta, Max, uroproteic acid, a new constituent of urine, A., i, 541.

- absorption of iron in the intestine in its relation to blood-formation, A., ii, 239.

Clowes, Frank, and Robert Martin Caven, the action of magnesium on cupric sulphate solution, P., 1897, 221; discussion, P., 222.

Cochran, C. B., detection of foreign fats in lard and butter, A., ii, 198.

Cockburn, George Bertram. See John Addyman Gardner.

Coehn, Alfred, the electrochemical equivalent of carbon, A., ii, 14.

— electrostenolysis, A., ii, 365.

Cohen, Emil Wilhelm, meteoric irons, A., ii, 82, 391, 526.

meteoric iron from Beaconsfield,

Australia, A., ii, 171.

cohenite in the telluric nickel-iron of Niakornak, Greenland, A., ii, 232.
 meteoric iron from Ballinoo, Western Australia, A., ii, 440.

tern Australia, A., ii, 440.

meteoric iron from Cincinnati,

U.S.A., A., ii, 526.

Cohen, Ernst, dissociation of compounds dissolved in mixtures of alcohol and water, A., ii, 154.

a new kind of transition cell, A.,

influence of the medium on the reaction velocity in gaseous systems, A., ii, 328.

explanation of the exceptions observed in the speed of chemical changes in solution, A., ii, 370.

Cohen, Ernst. See also Ph. Kohnstamm. Cohen, Julius Berend and Charles Edward Brittain, action of alkalis on amides, T., 157; P., 1898, 10. Cohen, Julius Berend, and Harry

Cohen, Julius Berend, and Harry Thornton Calwert, formation of monomethylaniline from dimethylaniline, T., 163; P., 1898, 10.

--- note on the aluminium-mercury couple, P., 1898, 10.

Cohn, Georg, constitution of hexamethylenetetramine, A., i, 170.

Cohn, Paul, quinoline-morphine, A., i, 539.

Cohn, Rudolf [decomposition of albumin by hydrochloric acid], A., i. 343.

Cohn, Theodor, metabolism during thymus feeding, A., ii, 615.

Cohnheim, Otto, action of concentrated alkalis on ethylic dihydrocollidinedicarboxylate [2:4:6-trimethyl-\(\Delta_2\)-dihydropyridinedicarboxylate],\(\Delta_1\),i,449.
Collett,\(A_1\), ketonic acetates,\(A_1\), i, 123.

methyl ketone, A., i, 139.

— action of halogenated acid chlorides on benzene in presence of aluminium chloride, A., i, 477.

---- brominated ketones, A., i, 478.

Collett, A., halogen derivatives of phenyl ethyl ketone, A., i, 661.

Collie, John Norman, and Colin C. Frye, note on the action of bromine on benzene, T., 241; P., 1898, 52; discussion, P., 53.

Collie, John Norman, and W. Lean, production of some chloropyridine-carboxylic acids, T., 588; P., 1898, 148.

Collie, John Norman, and Thomas Tickle, production of some nitroand amido-oxylutidines, part I, T., 229; P., 1898, 50.

Collie, John Norman. See also Miss L. Hall.

Collinson, R. W., and William Henry Perkin, jun., lauronolic acid, P., 1898, 111.

Colman, James. See Wilhelm Lossen,
Adolf Pinner.

Colomba, Luigi, epidote, &c., from Oulx, A., ii, 606.

Colson, Albert, hydrated sodium formate, A., i, 559.

---- solid acetic peroxide, A., i, 559.

accidental causes of non-reversibility in chemical changes, A., ii, 212.
 diffusion of solids in gases, A., ii, 504.

--- influence of temperature on chemical reactions, A., ii, 505.

---- causes of the reciprocal displacement of two acids, A., ii, 507.

Comstock, William James, double salts of the anilides with cuprous chloride and cuprous bromide, A., i, 181.

Condorelli, G. B. See Alberto Peratoner. Conrad, Max, and Richard Gast, action of sodium on ethylic dimethylacetoacetate, A., i, 512.

Conradson, Pontus H., detection of arsenic and antimony, A., ii, 309.

Contejean, Ch., nitrogenous excretion in phloridzin-diabetes, A., ii, 38.

Cooke, Elizabeth, osmotic properties of frogs' muscle, A., ii, 479.

Cooksey, Thomas, ankerite from Sandhurst, Victoria, A., ii, 168.

— the Nocoleche meteorite, A., ii, 172. Cooper, Hermon C. See Heinrich Goldschmidt.

Coppet, Louis Casimir de, temperature of maximum density of barium chloride solutions, A., ii, 62.

Coppock, John B., banana flour, A., ii, 43.
— interaction of hydrogen sulphide and copper salts, A., ii, 221.

— Gladding's method for [the estimation of] phosphoric acid, A., ii, 482. Cordier, L., analysis of gastric juice, A.,

ii, 416.

Cossa, Alfonso, tellurium in the products of the eruption of the island of Vulcano, Lipari Isles, A., ii, 478.

Councler, Constantin, estimation of furfuraldehyde by means of phloroglucinol, A., ii, 98.

Couriot, H., and Jean Meunier, explosion of mixtures of methane and air by the electric spark, A., i, 545.

Cownley, Alfred John. See Benjamin Horatio Paul.

Cremer, Max, chemical and physiological studies on phloridzin and allied com-

pounds, A., ii, 243. Crépieux, Pierre. See Amé Pictet. Cristaldi. See Grassi-Cristaldi.

Crofts, James Murray, molecular weights of permanganates, perchlorates, and periodates in solution, T., 593; P., **1898**, 124.

Crofts, James Murray. See also Robert Selby Morrell.

Holland, Crompton, the molecular association of liquids and its influence on the osmotic pressure, P., 1897, 225.

- influence of molecular association on the reduction of the freezing point and the osmotic pressure of solutions, A., ii, 107.

Croner, Wilhelm, peptic digestion, A., ii, 237.

Cross, Charles Frederick, and Edward John Bevan, chemistry of the barley plant with reference to its carbohydrate constituents, A., i, 231.

Cross, Charles Frederick, Edward John Bevan, and Claude Smith, the carbohydrates of barley straw, T., 459; P., 1898, 96; discussion, P., 96.

----reactions of the carbohydrates with hydrogen peroxide, T., 463; P., 1898, 115; discussion, P., 118. Cross, Whitman, leucite rocks in

Wyoming, A., ii, 125. - analcite-basalt from Colorado, A.,

ii, 170.

Crossley, Arthur William, and William Henry Perkin, jun., decomposition of camphoric acid by fusion with potash or soda, T., 1; P., 1897, 217.

Cundall, James Tudor, some lecture experiments, P., 1898, 40; discussion, P., 41.

Cunningham, R. H., absorption of fat, A., ii, 479.

Alfred Valentine. See Cunnington, Siegfried Ruhemann.

Curatolo, A., action of chlorine on ethers of phenol and of &-naphthol, A.,i, 575. Curran, J. Milne, precious stones of New South Wales, A., ii, 79.

nsack, Ralph, melting points of minerals, A., ii, 383. Cusack,

Cushman, Allerton Seward. See Theodore William Richards.

Cushny, Arthur R. See George B. Wallace.

Cybulski, Gustav. See Carl Liebermann. Cyon, E. von, iodothyrin and atropine: sodium iodide and muscarine, A., ii, 300.

D.

D'Achiardi, Giovanni, aurichalcite from Tuscany, A., ii, 604.

Dahms, Albert, heat of separation in solutions: freezing point reduction: solubility, A., ii, 368.

Dahms, Paul, amber, A., ii, 75.

Daiber, metabolism during inanition, A., ii, 34.

Dales, Benton. See Samuel Avery. Dalmer, K., contact metamorphism of phyllites, A., ii, 82, 171.

-chemical constitution of the chlor-

ite group, A., ii, 440. **Damour**, Augustin Alexis, pyrophyllite from Colombia, A., ii, 32.

Dancer, William, separation of tin, arsenic, and antimony, A., ii, 311.

Danziger, Karl. See Arthur Hantzsch. Darapsky, L., planoferrite, A., i, 169.

- rubrite, A., ii, 437. Darmstaedter, L., and Isaac Lifschütz, composition of wool fat, V, A., i, 245. composition of wool fat, VI,

the cholesterols of wool fat, A., i, 470.

Darzens, Georges, latent heats of vaporisation and the law of Van der Waals, A., ii, 16.

Dastre, A., and N. Floresco, new bile pigments, A., i, 216.

-- hepatic pigments in vertebrates, A., i, 607.

coagulating action of gelatin on the blood, A., ii, 35.

Davidsohn, Carl, the experimental production of amyloid, A., ii, 244.

Davies, Herbert E., Kansas mineral waters, A., ii, 392.

Dawson, Charles, natural gas in East Sussex, A., ii, 523.

Dawson, H. M. See Jacobus Henricus van't Hoff.

Day, William C., action of carbonic anhydride on sodium aluminate: formation of basic aluminium carbonate, A., ii, 74.

Debus, Heinrich, genesis of Dalton's atomic theory, A., ii, 67.

Dedichen, Jens. See Otto Nikolaus Witt.

Deerr, Nocl, relations connecting the thermal constants of the elements, A., ii, 469.

Defacqz, Ed., impurities in commercial aluminium, A., ii, 294.

tungsten iodide, A., ii, 521.

Defren, George. See George W. Rolfe. Degener, Paul, effect of temperature on the acidity of acids, A., i, 403.

Dehérain, Pierre Paul, reduction of nitrates in arable soil, A., ii, 630.

- loss of ammonia in the production of farmyard manure, A., ii, 633.

Bénédict. Delachanal, See Camille Vincert.

Delacroix, A., antimonic acid and antimonates, A., ii, 340.

- basic potassium antimonates, A., ii, 341.

Delbrück, Max, progress of fermentation chemistry during the last decades, A.,

Delépine, Marcel, action of hydrogen sulphide and carbon bisulphide on trimethyltrimethylenetriamine, A., i, 120. - hydramide and isomeric bases (gly-

oxalidines), A., i, 163.

- hydrocinnamide, A., i, 415.

– aldehyde-ammonia, A., i, 462. ---- thermochemistryof hydrobenzamide, amarine, and lophine, A., ii, 368.

 thermochemistry of quinoline bases, A., ii, 501.

- pyridine bases, A., ii, 559.

Delsaux. See Henri Lescoeur.

Demarçay, Eugène [Anatole], spectrum and elementary nature of neodymium, A., ii, 518.

Demoulin. See Henri Lescœur.

Demoussy, E., oxidation of compound ammonias by ferments in soils, A., ii. 348.

Denigès, Georges, urobilin and its detection, A., i, 343; ii, 200.

 combination of olefines with mercury salts, A., i, 546.

-combination of trimethylcarbinol with mercuric nitrate, A., i, 549.

- reaction of tertiary alcohols and their ethereal salts, A., i, 618.

- detection of glycerol, A., ii, 262. - generalisation of Legal's reaction,

A., ii, 545.

Dennis, Louis Munroe, apparatus for the spark spectrum of solutions, A., ii, 185.

Dennis, Louis Munroe, and C. H. Benedict, salts of hydrogen nitride (azo-imide), A., ii, 426.

Dennis, Louis Munroe, and Emile Monnin Chamot, chemistry of didymium, A., ii, 587.

Dennis, Louis Munroe, and Martha Doan, compounds of thallium, A., ii, 27.

Dennis, Louis Munroe, and C. G. Edgar, comparison of rapid methods for estimating carbonic anhydride and carbonic oxide, A., ii, 309.

Dennstedt, Maximiliano, simplified organic analysis, A., ii, 146.

Dennstedt, Maximiliano, and Wilhelm Göhlich, simple method for the preparation of diazoimide, A., ii, 425.

Derlon, Karl G. Hans, azelaone and azelaol, A., i, 638.

Desgrez, Alexandre, decomposition of chloroform, bromoform, and chloral by aqueous solutions of potassium hydroxide, A., i, 166.

Desgrez, Alexandre, and Maurice Nicloux, partial decomposition of chloro-form in the animal organism, A., ii, 530.

Desgrez, Alexandre. See also Albert Charrin.

Desi, En. D., oxides of tungsten, A., ii, 230.

Deslandres, Henri. See Henri Becquerel.

Devarda, Arthur, composition of the seeds of mangel wurzel, A., ii, 44.

- estimation of the acidity of milk, A., ii, 58.

- examination of cheese for foreign fats (artificial cheese), and the estimation of water and fat in cheese, A., ii, 267.

- estimation of nitrogen in manures, A., ii, 350.

estimation of fat in milk and milk products, A., ii, 358.

Devisse, N., assay of carbonated manganiferous minerals, A., ii, 142.

Dewar, James, note on the liquefaction of hydrogen and helium, T., 528; P., 1898, 129 and 146; discussion, P., 131.

- Presidential address, T., 1039; P., 1898, 89.

- the liquefaction of air and the detection of impurities; P., 1897, 186; discussion, P., 192.

the absorption of hydrogen by palladium at high temperatures and pressures; P., 1897, 192; discussion, P., 198.

Dewar, James, and John Ambrose Fleming, dielectric constants of certain organic substances at and below the temperature of liquid air, A., ii, 279.

- dielectric constants of metallic oxides dissolved or suspended in ice cooled to the temperature of liquid air, A., ii, 279.

Dewar, James, and John Ambrose Fleming, dielectric constants of organic subtances and electrolytes at very low temperatures, A., ii, 281.

Dewar, James. See also John Ambrose

Fleming, Henri Moissan.

G.andThomasHillDickson, Easterfield, note on the oxidation of charcoal by nitric acid; P., 1898,

Diehl, O. C. See P. F. Trowbridge. Diepolder, Emil, oxidation of orthethylamidophenol, A., i, 306.

Diesselhorst, H. See Friedrich Kohlrausch.

Dieterich, Karl, a new reaction of, and a new substance obtained from, Gambier catechu, A., i, 269.

Gambier-fluorescein: Gambiercatechu red, A., i, 330.

— egg albumin, A., i, 390.

- examination of resins, A., ii, 58.

- analysis of fats and resins, A., ii. 466.

- testing colophony, A., ii, 655. Dieterici, Konrad, vapour pressure of solutions at dilute ii, 207.

Dietze, F., estimation of hydrogen cyanide in ethereal oil of bitter almonds, A., ii, 354.

Dijken, D., molecular refraction and dispersion of very dilute solutions, A.,

Ditte, Alfred, action of calcium sulphate on halogen alkali salts, A., ii, 510.

Divers, Edward, the interaction of magnesium and solution of copper sulphate; P., 1898, 57.

- combination of ammonium nitrate with ammonia, A., ii, 508.

See John Dixon, Frank. TheodoreHewitt.

Dixon, William A., the so-called "selective action" of potassium cyanide on gold, A., ii, 231.

Doan, Martha. See Louis Munroe Dennis.

Dobbie, James Johnstone, and Alexander Lauder, Köpfer's method for the estimation of carbon and hydrogen, A., ii, 484.

Dobbie, James Johnstone, and Fred. Marsden, preparation and properties of orthochlorobromobenzene; T., 254; P., 1898, 41.

Dobbie, James Johnstone. See also Walter Noel Hartley.

Dobbin, Leonard, interaction of cyanides with thiosulphates, A., i, 396.

Doctor, Guido. See Albert Ladenburg.

Doebner, Oscar [Gustav], acetonedipyruvic acid (carbonyldimethylacrylic acid), A., i, 359.

– citral, A., i, 676.

Doebner, Oscar [Gustav], and in part O. Kaltwasser, glauconic acids, a new series of quinoline dyes, A., i, 384.

Dohme, Alfred R. L., and Hermann Engelhardt, Cascara sagrada, A., ii, 629.

Dolezalek, F., vapour pressure of homogeneous mixtures, A., ii, 421.

chemical theory of the lead accumulator, A., ii, 551.

Donath, Eduard, reduction of sulphurous acid by hydrogen sulphide, A., ii, 159.

Donath, Eduard, and W. Ehrenhofer, gas-volumetric estimation of carbon in iron and steel, A., ii, 352.

Donath, Eduard, and K. Pollak, estimation of total ammonia in gas liquors. A., ii, 45.

Dootson, FrederickWilliam. See William James Sell.

Dorp, Willem Arne van. See Sebastiaan Hoogewerff.

Dorsey, N. Ernest, surface tension of water and of dilute aqueous solutions, A., ii, 17.

Dott, David Brown, opium assay, A., ii, 100.

Douilhet. See A. Tixier.

Dowzard, Edwin, polarimetric method for the estimation of starch in flour, A., ii, 412.

Doyon, and E. Dufourt, cholesterol in the bile, A., ii, 36.

Drouin, René. See Potain.

Drude, Paul, optical constant of sodium, A., ii, 273.

Drugman, Julien. See RichardAnschütz.

Duboin, André, blue glass containing chromic oxide as a basic constituent, A., ii, 593.

Dubois, Howard W. See Charles T. Mixer.

Ducru, O., electrolytic separation of nickel and cobalt from iron, estimation of iron in steel, A., ii, 54.

Duden, Paul, and Alfred E. Macintyre, amidoborneol, A., i, 677.

Dudley, Charles Benjamin. See William Albert Noyes.

Dufourt, E. See Doyon. Dugas, E. See A. Aignan.

Duhem, Pierre, gradual change and thermodynamics, A, ii, 152.

Dulière, W., santal essence and its adulteration, A., i, 595.

Dulk, Ludwig, atomic weight or atomic gravitation, A., ii, 567.

Dumont, Eugène. See Charles Soret. Dumont. See also Schmitz-Dumont.

Dunham, Edward K., value of bacteriological examination of water from a sanitary point of view, A., ii, 193.

Dunlop, James Crauford. See Diarmid Noel-Paton.

Dunnington, Francis P., distribution of titanic oxide on the earth, A., ii, 122.

Dunstan, Wyndham Rowland, and Arnold L. Bossi, the preparation and properties of formaldoxime, T., 353; P., 1894, 55.

Dunstan, WyndhamRowland, and Thomas Anderson Henry, a chemical investigation of the constituents of Indian and American podophyllum, Podophyllum emodi and P. peltatum, T., 209; P., 1898, 42; discussion. P., 43.

 the volatile constituents of wood of Goupia tomentosa, T., 226;

P., 1898, 44.

- --- on oxycannabin from Indian hemp, P., 1898, 44; discussion, P., 45. Durand, Auguste, ethylisoamylamines, A., i, 553.

See Luigi Luciani. Dutto, Uberto.

Dutton, J. Everett, iron in the liver and spleen, A., ii, 616.

Dymond, Thomas Southall, manganiferous conglomerate from Essex, A., ii, 390.

Dymond, Thomas Southall, and Frank "Fresh-water Walter Maryon, chalk" from Essex, A., ii, 386.

E.

Eakle, Arthur S., erionite, a new-zeolite, A., ii, 608.

Easterfield, Thomas Hill. Sonckson, Thomas Barlow Wood.

Eder, Josef Maria and Eduard Valenta, red spectrum of argon, A., ii, 1.

Edgar, C. G. See Louis Munroe Dennis. Edinger, Albert, action of sulphur chloride on aromatic amines, A., i, 91, 206.

Edmed, Frank George, constitution of oleic acid and its derivatives, T., 627; P., 1898, 133; discussion, P., 134.

Edwards, Gaston H. See James Locke. Effront, Jean, a new carbohydrate, caroubin, A., i, 398.

- a new enzyme, caroubinase, A., i, 455.

--- caroubinose, A., i, 460.

- estimation of starch in cereals, A., ii, 195.

Eggert, August. See Fritz Fichter.

Egly, Georg. See Theodor Zincke. Ehrenhofer, W. See Eduard Donath. Eichholz, A. hydrolysis of proteids, A., i, 541.

Eiermann, Karl, disazo-compounds from metaphenylenediamine, A., i, 250.

Eiermann, Karl. See also Heinrich Brunner.

Eigel, Franz [analysis of soda-mica], A., ii, 81.

Einhorn, Alfred, and Eduard Baumeister, some derivatives of caffeine, A., i, 497.

Einhorn, Alfred [and Josef Brantl], reduction of benzylaminecarboxylic acids, A., i, 407.

Einhorn, Alfred, and Friedrich Hollandt, acylation of alcohols and phenols in pyridine solution, A., i, 577.

Einhorn, Alfred [and Eugen Lindenberg], carbonates of the dihydroxybenzenes, A., i, 409.

Ekenstein. See Alberda van Ekenstein. **Elbs,** Karl, relation of electrochemistry to organic chemistry, A., i, 217.

Elbs, Karl, and A. Herz, electrolytic preparation of iodoform, A., i, 220.

Elliott, Walter J., action of chloroform and alkaline hydroxides on the nitrobenzoic acids, T., 145; P., 1898, 10.

Ellis, W. Hodgson, composition of precarboniferous coals, A., ii, 120.

Elsner, O. See Ernst Beckmann.

Elster, Julius, and Hans Geitel, photoelectric properties of salts previously coloured by heating in the vapour of the alkali metals, A., ii, 201.

Emilewicz, T., and Stanislaus von Kostanecki, synthesis of 3-hydroxy-

flavone, A., i, 369.

Emmens, Stephen H., and Newton W. Emmens, migrant matter, A., ii, 71.

Emmerling, Adolph, palm cake and palm cake meal, A., ii, 448.

Endemann, Hermann, solubility of lead in ammonia, A., ii, 118.

- formaldehyde as a reagent, A., ii, 146.

- analysis of asphalt, A., ii, 199. Engel, Rodolphe [Charles], parastannyl chloride, A., ii, 29.

— stannic acids, A., ii, 119.

- action of nitric acid on tin, A., ii, 119.

Engelhard, C., condensation of isatic acid with formation of derivatives of cinchonic acid, A., i, 683.

Engelhardt, Hermann.See Alfred R. L. Dohne.

Engels, Carl, estimation of manganese by electrolysis, A., ii, 52.

Engels, M., electro-analysis of the metals of the ammonium sulphide group, A., ii, 192.

Engler, Carl, formation of natural petroleum and the spontaneous polymerisation of hydrocarbons, A., i, 1.

Engler, Carl, and J. Grimm, the direct elimination of carbonic oxide and the reaction of this with water, A., i, 175.

Engler, Carl [and in part H. Grüning, L. Jezioranski, and C. Schneider], decomposition of hydrocarbons of high molecular weight at a moderate temperature, A., i, 165.

Engler, Carl, and Th. Lehmann, formation of olefines, naphthenes, and benzene hydrocarbons by the distillation of fats under pressure, A., i, 2.

Ephraim, Fritz, diketohydrindenecarboxylic acid, A., i, 671.

Eppler, A., eutropic series of the calcium group, A., ii, 560.

Erbstein, Karl, action of ammonia on ethylic methylglyoximecarboxylate, A., i, 513.

Erdmann, Ernst, oil of cloves, A., i, 37.
——some ethereal salts and a crystalline
pseudo-salt of rhodinol, A., i, 325.

Erdmann, Hugo [and in part Ernst Erdmann and P. Huth], constituents of oil of roses and allied ethereal oils, A., i, 35.

Erdmann, Hugo, and P. Huth, detection of rhodinol in ethereal oils, A., i, 36.

Erlenmeyer, Emil, sen., conversion of butyric into isobutyric acid, A., i, 176. Erlenmeyer, Emil, jun., a seemingly

general reaction of a-amido-acids of the formula NH₂·CHR·COOH, A., i, 176.

— remarkable conversion of an α-ketonic acid into the corresponding α-amido-acid, A., i, 197, 669.

α-amido-acid, A., i, 197, 669.
Erlenmeyer, Emil, jun., and John T.
Halsey, synthesis of tyrosine, A., i, 197.

Erlenmeyer, Emil, jun., and Michael Lux, oxylactones-ketolactones, A., i, 667.

Errera, Giorgio, derivatives of glutaconic acid, A., i, 297, 632.

--- condensation of cyanacetamide with

chloroform, A., i, 298.

— pyridine derivatives of ethylic cyanacetate, A., i, 490.

VOL. LXXIV. ii.

Erskine, J. A., conductivity of electrolytes for very rapid electrical vibrations, A., ii, 106.

Escales, Richard. See Roland Scholl.
Eschenbach, Georg. See Siegmund

Étaix, L., dibasic acids, A., i, 124.

Etard, Alexandre, and Georges Meker, a crystalline dicamphene hydride, A., i, 443.

Euler, Hans, iodometric estimation of molybdenum, A., ii, 192.

Euler, Wilhelm, synthesis and constitution of isoprene, A., i, 347.

Evans, William T. See William Ashwell Shenstone.

Everen, Grace A. van. See Arthur Amos Noyes.

Ewers, E. See Julius Troeger.

F.

Fabris, Guido. See Vittorio Villavecchia. Fahrion, Wilhelm, analysis of fats and oils and resins, A., ii, 414, 466.

— oxidised cotton seed oil and a general method for the analysis of oxidised oils, A., ii, 654.

Farnsteiner, K., detection of formalin in milk, A., ii, 196.

Farr, E. H., and Robert Wright, estimation of alkaloids, A., ii, 101.

Farrington, Oliver Cummings, average specific gravity of meteorites, A., ii, 171.

Fasal, J. See A. Froenkel.

Fay, Henry. See James F. Norris. Feder, tto. See Friedrich Kehrmann.

Feilitzen, H. von, and Bernhard Tollens, humin formation from sugar on oxidation with potassium permanganate, A., i, 118.

- quantity of pentosans and other carbohydrates in peat, A., ii, 132.

fermentation of peat, A., ii,

Feilmann, Martin Ernest. See John Joseph Sudborough.

Feist, Franz, strophanthin and strophanthidin, A., i, 329.

Fenner, Gottfried, and Julius Tafel, 2-methylpyrrolidone, A., i, 446.

Fenton, Henry J. Horstman, properties and relationships of dihydroxytartaric acid, T., 71; P., 1897, 224.

volumetric estimation of sodium, T., 167; P., 1898, 21; discussion, P., 22.

properties and relationships of dihydroxytartaric acid, Part II., salts of the acid, T., 427; P., 1898, 120.

Fenton, Henry J. Horstman, note on the oxidation of certain acids in presence of iron, P., 1898, 119; discussion, P., 120.

Fenton, Henry J. Horstman, and Miss Mildred Gostling, action of hydrogen bromide in presence of ether on carbohydrates and certain organic acids, T., 554; P., 1898, 147; discussion, P., 148.

Ferchland, P. See Alfred Werner. Ferenczy, Andor, B-acetoacetylpyridyl

[3-acetoacetylpyridine], A., i, 271. Fernau, H. Fr., constitution of lead

aqueous solution, salts $_{
m in}$ ii, 584.

Ferris, S. J., and Graham Lusk, inversion of cane-sugar in the stomach, A., ii, 238.

Ferron. See A. Tixier.

Feuerstein, W., and Stanislaus von Kostanecki, synthesis of flavone and its derivatives, A., i, 370, 583.

Fichter, Fritz, and Alexander Bauer, phenyl- $\gamma\delta$ -pentenoic acid, A., i, 662.

Fichter, Fritz, and August Eggert, aethylideneglutaric acid, A., i, 630. Ficquet, L. See Léon Grimbert.

Fileti, Giulio, derivatives of behenic acid, A., i, 236.

Fileti, Michele, and Ausonio de Gaspari. action of zinc on monochloromethylic ether, A., i, 222.

Fink, Edward, action of carbonic oxide on palladious chloride, A., ii, 382.

Fink, Edward. See also Augustin Bistrzycki.

Fischer, Emil, trichloropurine, A., i, 47. synthesis of xanthine, hypoxanthine, adenine and guanine, A., i, 48.

- synthesis of heteroxanthine and paraxanthine, A., i, 97.

- tetramethyluric acid, A., i, 180.

- the alleged synthesis of xanthine from hydrogen cyanide, A., i, 214.

- new synthesis of adenine and its methyl derivatives, A., i, 280.

– an apparent intramolecular rearrangement in the purine group, A., i, 340.

- thiopurines, A., i, 340.

--- heptatomic rings containing nitro-

gen; a correction, A., i, 692.

Fischer, Emil, and Friedrich Ach, further syntheses of xanthine derivatives from methylated uric acids, A., i, 700.

Fischer, Emil, and Lorenz Ach, oxydichloropurine, A., i, 46.

Fischer, Emil, and Hans Clemm, 1-methyluric acid and 1:7-dimethyluric acid, A., i, 178.

Fischer, Emil, and Fritz Frank, new decomposition of theobromine, A., i, 158.

Fischer, Emil, and Georg Giebe, pre-paration of acetals, A., i, 167.

- — formation of acetals diortho-substituted aromatic alde-

hydes, A., i, 311.
Fischer, Emil, and Erwin Hoffa, some aromatic acetals and aldehydes, A., i, 659.

Fischer, Otto, harmine and harmaline, A., i, 160.

- action of phosphorus pentachloride on 1-alkylpyridones and 1-alkylquinolones, A., i, 382.

Fischer, Otto, and C. Giesen, action of bases on aposafranine, A., i, 92.

Fischer, Otto, and Eduard Hepp, relationships of the safranines, isorosindu-

lines, and rosindulines, A., i, 334. Fittig, Rudolph, action of acid anhydrides on acids and their salts. Formation of ketodilactones, ketonic acids, and ketones, A., i, 11.

Fittig, Rudolph [with Max Ginsberg, Nicolaus Petkow, and Milton Fr. transformation of Schaak], saturated a-hydroxy-acids into the isomeric γ -ketonic and α -ketonic acids, A., i, 196.

Flatau, Julian, and H. Labbé, separation of geraniol from citronellol, A., i, 618.

Flatow, Robert, and Albert Reitzenstein. estimation of xanthine bases in urine. A., ii, 359.

Fleming, John Ambrose, and James Dewar, dielectric constants of certain frozen electrolytes at and above the temperature of liquid air, A., ii, 8, 280.

 dielectric constants of pure ice, glycerol, nitrobenzene and ethylenic dibromide at and above the temperature of liquid air, A., ii, 9.

Fleming, John Ambrose. See also James Dewar.

Flemming, Hugo, dichlorhydrin and epichlorhydrin, A., i, 396.

Flesch, E., new synthesis of phloro-

glucinol, A., i, 304.

Fletcher, W. M., "survival respiration" of muscle. A., ii, 392.

Fleurent, Émile [Charles Albert], action of nitric acid on potassium cobalticyanide, A., i, 59.

— proteids of bean flour and wheaten

flour, A., ii, 627.

Floresco, N. See A. Dastre.

Fock, Andreas, dissociation in mixed salt solutions, A., ii, 154.

Fock, Andreas, determination of the molecular weight of solid substances, A., ii, 284, 503.

Foerster, Fritz, theory of accumulators, A., ii, 6.

--- the copper voltameter, A., ii, 10. electrolytic deposition of nickel, A., ii, 227.

Foerster, Fritz, and W. Meves, electrolytic preparation of iodoform, A., i, 166.

Foerster, Otto, preparation of soluble starch and starch solutions, A., i, 61. solubility of phosphates in citric

acid and ammonium citrate, A., ii, 48. Folin, Otto, animal gum, A., i, 55.

cleavage products of proteids, I., constituents of Witte's peptone, A., i, 502.

- simplification of Hopkins' method for estimating uric acid in urine, A., ii, 196, 465.

Fonzes-Diacon, H., double haloid salts of lead and ammonium, A., ii, 512.

Foote, H. W. See Samuel Lewis Penfield.

Foote, Warren M., native lead and copper from Franklin Furnace, New Jersey, A., ii, 602.

Forerand, Robert de, and Sully-Thomas, formation of mixed hydrates of acetylene and of other gases, A., i, 396.

Ford, Allen P., and I. M. Bregowsky, use of hydrofluoric acid in the estimation of manganese in steel, A., ii, 540.

Forster, Arthur, and Rudolf Riechelmann, detection of cholesterol and phytosterol in fats, A., ii, 263.

 estimation of caffeine in coffee, A., ii, 269, 359.

Forster, Martin Onslow, isomeric bornylamines, T., 386; P., 1898, 97.

- mercury acetamide, T., 783; P., **1898**, 169.

Fortey, Emily C., hexamethylene from American and Galician petroleum, T., 932; P., 1898, 103.

Fossler, Mary L. See Samuel Avery. Fourneaux, Emile. See Emilio Noelting. Fowler, Gilbert John, and Philip J. Hartog, silver alloys, A., ii, 24.

Fradiss, N., volumetric estimation of lime in sugar liquors, A., ii, 190.

Fränkel, Martin, paratolyltrimethylencdiamine and γ-iodopropylamine, A.,

Fränkel, Sigismund, preparation of deuteroalbumose, A., i, 55.

Frahne, H. H. See Wilhelm Marckwald.

Framm, Friedrich, specific rotatory power of β -glutin, A., i, 98.

Francesconi, Luigi, oxidation products

of santonic acid, A., i, 267.

Franchimont, Antoine Paul Nicolas,

aliphatic nitramines, A., i, 9.

Franchimont. Antoine Paul Nicolas. See also Herm. Umbgrove.

Francis, Francis E., and Sydney Young, separation of normal and iso-hexane from American petroleum, T., 920; P., 1898, 176; discussion, P., 177.

- action of fuming nitric acid on the paraffins and other hydrocarbons, T., 928; P., 1898, 177; discussion, P., 177.

Franck, Léon, estimation of phosphorus in phosphides, A., ii, 350.

- aluminium nitride, A., ii, 377.

François, Maurice, colour of amorphous mercurous iodide, A., ii, 334.

- analysis of theobromine, A., ii, 546. Frank, Fritz. See Emil Fischer.

Frank, Otto, a method of freeing flesh from fat, A., ii, 174.

- fat absorption, A., ii, 441.

Franke. E. See Theodor Pfeiffer. Franke, Max. See Richard Stoermer.

Frankforter, George B., derivatives of veratrine, A., i, 497.

Frankland, Percy Faraday, and John position McCrae, isomerisın optical activity: the comparative rotatory powers of diethylic monobenzoyltartrate and monotoluoyltartrate, T., 307; P., 1898, 74.

Frankland, Percy Faraday, and Thomas Stewart Patterson, effect of the mono-, di-, and tri-chloracetyl groups on the rotatory power of methylic and ethylic glycerates and tartrates, T., 181; P., 1898, 28.

Frankland, Percy Faraday, and Andrew Turnbull, rotation of ethylic and methylic di-monochloracetyltartrates, T., 203; P., 1898, 29. Franklin, E. C., the decomposition of

diazo-compounds, A., i, 522.

Frazer, Jos. C. W. See J. H. Kastle. Freer, Paul C., and Arthur Lachmann, action of sodium on methyl propyl ketone and on acetophenone, A., i, 120.

Freer, Paul C., and P. L. Sherman, jun., formamide and its sodium and silver salts, A., i, 360.

Frenzel, August [bournonite from Bolivia], A., ii, 77.
Frenzel, August. See also Samuel Lewis

Penfield.

Frenzel, C. See Ludwig Gattermann. Frenzel, K., Sigm. Fritz, and Victor Meyer, evolution of oxygen during reduction, A., ii, 69.

Frerichs, G. See Heinrich Beckurts. Fresenius, C., and Georg Popp, estimation of boric acid in meat, A., ii, 352,

Fresenius, Heinrich, and H. Bayerlein, estimation of chromium in iron chromium alloys, A., ii, 260.

detection of perchlorate in

Chili saltpetre, A., ii, 636.

Freund, Moriz, B. benzoylisonicotinic acid, A., i, 43.

Freundler, Paul, some furfuran derivatives, A., i, 563.

Freundlich. See August Michaelis. Fricke, E., toxicological detection of arsenic, A., ii, 139.

Friedel, Georges, new experiments on zeolites, A., ii, 478.

- compact muscovite from Montrambert, Loire, A., ii, 525.

Friedländer, Jacob, and Gustav Tammann,

velocity of solidification, A., ii, 17. Friedländer, Paul, and Ludwig C. Schnell, some ketones of the phloro-glucinol series (researches on the flavone derivatives, VII.),

Friedländer, Paul. See also Siegfried Blumenfeld.

Friedland, Leo. See Richard E. Meyer. Friedrichs, F., thermoregulator, A., ii, 152.

ries, A. See Emil Knoevenagel.

Frischmuth, M., gum-ammoniacum, A., i, 461.

Fritsch, Paul, conversion of pentachloracetone into trichloracrylic and chloromalonic acids, A., i, 63.

- condensation of chloral with 2:3-dimethoxybenzoate, methylic A., i, 663.

Fritz, Sigm. See K. Frenzel.

Fritzsche, P., manufacture of ethyl hydrogen sulphate from gases containing ethylene, A., i, 3.

-preparation of ether free from alcohol, A., i, 3.

-action of sulphuric acid on coal gas. A., i, 115.

- flue gases in relation to furnace efficiency, A., ii, 188.

- colorimetric estimation of the density of smoke, A., ii, 353.

Fritzweiler, R. See Karl Auwers.

Walther. See AdolphFrobenius, Claus.

Froenkel, A., and J. Fasal, estimation of tin in tin salts, A., ii, 649. Fromm, Emil, oil of savin (Oleum Sabinæ),

A., i, 674.

Fromm, Paul, bitter almond water, A., i, 266.

Fromme, Johannes, calcite with organic colouring matter, A., ii, 233.

- datolite from Radauthal, A., ii, 234. Frye, Colin C. See John Norman Collie. Fuchs, Friedrich. See Wilhelm Lossen. Fuchs, Paul, tables for the reduction of boiling points to normal pressure, A., ii, 556.

the differential areometer as areopyknometer for determining the sp. gr.

of powders, A., ii, 560.

- tables for correction of errors due to variations in temperature when using the "Procent-areometer," A., ii, 560.

- temperature correction tables for specific gravity determinations, A.,

ii, 560.

Fürth, Otto von, catechol-like substance in the suprarenal capsules, A., ii, 85. Fynn, Enrique. See Augustin Bistrzycki.

G.

Gabriel, Siegmund, and Georg Eschenbach, bromethylamine and vinylamine. A., i, 61.

i, 199.

- a method of preparing phthalazines, A., i, 211.

- orthodinitrocyanodibenzyl, A.,

— — notes [tetrahydrofurandibenzoic acid, 1:2:3-triphenyltetrahydropyrazine, and ortho-α-dicyanostilbene], A., i, 671.

Gabriel, Siegmund, and Ernst Leupold, transformations of ethinediphthalide, I. and II., A., i, 481, 482.

Gadamer, Johannes, sinigrin, sinalbin, sinapin, and sinapic acid, A., i, 38. — sinapic acid, A., i, 197.

- use of zinc oxide in the preparation of fermentation lactic acid, A, i, 405.

- source of allylthiocarbimide in the root of Cochlearia Armoracia, A., ii, 180.

Galeotti, Gino, nucleo-proteids of bacteria, A., ii, 444.

Gallinek, Alfred, metamido-a-methylbenzimidazole or paramido-a-methylbenzimidazole, A., i, 44.

Gallivan, Frank B. See Charles Loring Jackson.

Gamgee, Arthur, absorption of violet and ultra-violet rays by hæmoglobin and its derivatives, A., i, 288.

Gane, Eustace H., estimation of caffeine in tea, A., ii, 100.

Gardeur, A., triphenylethanone (benzoyldiphenylmethane), A., i, 436.

Gardner, John Addyman and George Bertram Cockburn, researches on the terpenes, II., on the oxidation of fenchone, T., 275; P., 1898, 8.

- researches on the terpenes, III., halogen derivatives of fenchone and their reactions, T., 704; P., 1898,

- researches on the terpenes, IV., on the oxidation of fenchone, T., 708; P., 1898, 151. Garino, E. See G. Ampola.

Garratt, G. C., changes in the urine produced by exercise and by Turkish

baths, A., ii, 480.
Garrigues, W. E., analysis of bearing metal alloys: new volumetric method for estimating copper, A., ii, 312.

- estimation of lead in alloys, A., ii, 539.

Garrod, Archibald Edward. See F. Gowland Hopkins.

Gaspari, Ausonio de, chloromethylic ethylic ether, A., i, 222.

Gaspari, Ausonio de. See also Michele Fileti.

Gassmann, Charles, and Henry George, reaction of diazo-salts with phenols, A., i, 473.

Gast, Richard. See Max Conrad.

Gattermann, Ludwig, and W. Berchelmann, synthesis of aromatic hydroxyaldehydes, A., i, 581.

Gattermann, Ludwig [and C. Frenzel], synthesis of aromatic aldehydes, A., i, 476.

Gattermann, Ludwig, and K. Schnitzspahn, constitution and synthetical application of the sesquichloride of hydrogen cyanide, A., i, 546.

Gatti, Gerolama, lecithin in Grawitz's kidney struma, A., ii, 244.

Gauhe, Ernst. See Friedrich Kehrmann. Gautier, [Emile Justin] Armand, synthesis of xanthine from hydrogen cyanide, A., i, 339.

- reactions of carbonic oxide, A., ii, 535.

estimation of small quantities of carbonic oxide in air, A., ii, 537.

- detection and estimation of carbonic oxide in air in presence of gaseous hydrocarbons, A., ii, 640.

- sources of inaccuracy in the estimation of carbonic anhydride and aqueous vapour in large volumes of air, A., ii, 641.

Gautier. Ferdinand, antimony Bolivian tin ores. Volumetric estimation of antimony, A., ii, 232.

Gautier, Paul. See Alfred Lacroix.

Gawalowski, A., detection of nitrites in potable water, A., ii, 46.

- simple electrolytic apparatus, A., ii, 150.

Geissler, detection of sodium carbonate in sodium phosphate, A., ii, 458.

Geitel, Adolf C., decomposition of triglycerides with dilute acids, A., ii, 330.

Geitel, Hans. See Julius Elster.

Gemböck Hermann, alpine cordieritepinite, A., ii, 297.

Genequand, P. See Amé Pictet. Genvresse, P. See Léon Boutroux.

George, George, apparatus for determining the composition of ammonia, sulphurous anhydride, water, &c., A., ii, 472.

George, Henry. See Charles Gassmann. Gérard, Ernest, cholesterols from lower

plants, A., i, 549. Gerber, C., transformation of sugars into oil in the olive, A., ii, 131.

Maximilien, maturation of Gerber, Maximilien, maturation of fruits, A., ii, 177.

Geret, L., and Martin Hahn, detection

of proteolytic enzymes of yeast, A.,

Gerland, B. William, new methods of testing indigo, A., ii, 102.

Gerock, J. E., Fehling's solution, A., ii, 147.

Giebe, George. See Emil Fischer. Gies, William J. See Russell H. Chittenden.

Giesen, C. See Otto Fischer. Gigli, Guido. See Ubaldo Antony.

Gigli, L. See Robert Schiff.

Gilbault, Henri, compressibility of salt solutions, A., ii, 111.

Eduard, Gildemeister, and Karl Stephan, oils, ethereal Α., i, 202.

Gildemeister, Eduard. See also Julius

Giles, William B., vanadium in rutile, A., ii, 30.

Gillespie, A. Lockhart, chemistry of the contents of the alimentary canal, A., ii, 393.

Gillespie, A. Lockhart. See also Diarmid Noel-Paton.

Gillmeister, Arnold, some aromatic bismuth compounds, A., i, 138.

Gilpin, E., jun., composition of Nova Scotia coals and other minerals, A., ii, 384.

Gin and Leleux, electric furnaces, A., ii, 322.

- dissociation of barium and manganese carbides, A., ii, 511. Ginsberg, Max. See Rudolph Fittig.

Giran, H., compound of phosphoric anhydride with benzene, A., i, 407.

Girard, Antoine Charles. See Achille Müntz.

Gladding, Thomas S., gravimetric estimation of phosphoric acid as ammonium phosphomolybdate, A., ii, 405.

estimation of boric acid, A., ii, 483. Glasenapp, Maximilian, action of charcoal in the purification of spirits, A., i, 616.

Glaser, Charles, estimation of sulphur in pyrites, A., ii, 90.

-thorium hydrogen oxalate, A.,

ii, 260. - sodium peroxide in quantitative

analysis, A., ii, 483. Glaubitz, Hubert. See Bernhard Tollens.

Gley, Richard. See Carl D. Harries. Glogauer, R. See Arthur Hantzsch. Glücksmann, Carl. See Richard Při-

Gnedin, Al., methyl-tert-butylallylcar-binol, A., i, 291. Gnehm, Robert, and Louis Benda, tar-

trazines, A., i, 209.

Gnehm, Robert, and Rudolf Schüle, 2:5dichlorobenzaldehyde, A., i, 312.

Gockel, Albert, temperature co-efficient of the potential of calomel electrodes with various dissolved electrolytes, A., ii, 152.

Godlewski, Emil, and F. Polzeniusz, alcohol production during the in-tramolecular respiration of higher plants, A., ii, 400.

Goebel, Cornelius. See Adolf Pinner. Göckel, Heinrich, apparatus for determining the solubility of substances in boiling liquids, A., ii, 327.

Wilhelm.See Maximiliano Göhlich, Dennstedt.

Göltschke, table for calculating potassium platinochloride into potassium oxide, A., ii, 641.

Goessmann, Charles Anthony, action of potassium chloride on the lime resources of the soil, A., ii, 135.

Göttig, Christian, explosive decomposition of nitro-compounds when mixed with substances rich in oxygen, A., i, 244.

Goetze, B. See Ernst Beckmann.

Goff, estimation of glucose in urine by means of methylene-blue, A., ii, 463. "Goldenberg, Geromont and Co.," analysis of crude wine lees, argols, &c., A., ii, 465, 545.

Goldenberg, M. See Friedrich Kehrmann.

Goldschmidt, Carl, action of formaldehyde on carbamide, A., i, 178.

Goldschmidt, Carl, action of formaldehyde on paraphenetidine and on paranisidine in acid solution, A., i, 184.

- action of formaldehyde on tetrahydroquinoline, A., i, 450.

- organic urates soluble in water, A., i, 464.

- estimation of urea by means of formaldehyde, A., ii, 360.

Goldschmidt, Hans, method of preparing metals and alloys by means of aluminium, A., ii, 509.

Goldschmidt, Heinrich, and Fritz Buss, formation of azo-dyes, A., ii, 20.

Goldschmidt, Heinrich, and Hermon C. Cooper, solubility of carvoxime, A., ii, 563.

Goldschmidt, Heinrich, and Gertrud van Maarseveen, relation between the heat of solution, solubility, and dissociation, A., ii, 152.

Goldschmidt, Heinrich, and Curt Wachs, formation of anilides, A., ii, 67.

Goldschmiedt, Guido, and Gustav Knöpfer, condensations with phenylacetone, A., i, 31.

Goldstein, Karl. See Wilhelm Wislicenus. Gomberg, Moses, isonitraminoisobutyric acid and nitrosobutyric acid, A., i, 354.

Gonnard, A., and Adelphe, apatite in granulitic enclosures in the Puy de Dôme, A., ii, 604. Gonset, A. See Amé Pictet.

Gooch, Frank Austin, estimation of molybdenum iodometrically, A., ii, 54.

Gooch, Frank Austin, and Martha Austin, condition of oxidation of manganese precipitated by the chlorate process, A., ii, 645.

- estimation of manganese as the sulphate and as the metal, A., ii, 646.

Gooch, Frank Austin, and John T. Norton, jun., iodometric estimation of molybdenum, A., ii, 648.

Gooch, Frank Austin, and Claude F. Walker, application of iodic acid to the analysis of iodides, A., ii, 44.

Goodhue, L. H. See Arthur Amos Noyes. Gorbunoff, T. See Iwan L. Kondakoff. Gordin, Harry Mann, and Albert B. Prescott, atropine periodides and mercuriodides, A., i, 707.

Gorski, Stanislaus von. See St. von Lasczynski.

Gorter, K., substances contained in the root of Baptisia tinctoria: ψ-baptisin, A., i, 39.

Gostling, (Miss) Mildred. See Henry J. Horstman Fenton.

Gottlieb, Rudolf. See Stanislas Bondzyński.

Goutal. See Adolphe Carnot.

Grabowski, Gustav. See Wilhelm Lossen.

Gradenwitz, Felix. See Adolf Pinner. Graebe, Carl, and F. Trümpy, phthalonic acid, A., i, 318.

- homophthalic acid, A., i, 319. Graetz, Leo, electrochemical method of changing alternating into direct currents, A., ii, 10.
Graff, G. See Oskar Unger.
Gramont, Arnaud de, spectrum analysis

of minerals, A., ii, 635.

Grande, Ernesto, action of ethylic cyanacetate on methyl ethyl ketone, A., i, 272.

Granger, Albert, metallic phosphides, A., ii, 474.

Grassi-Cristaldi, Giuseppe, new formation of trioxymethylene, A., i, 294.

Green, Arthur George, and André R. Wahl, oxidation of paranitrotoluenesulphonic acid, A., i, 200, 433.

Green, Joseph Reynolds, action of light on diastase and its biological significance, A., ii, 399.

Gregor, Georg, estimation of methoxygroups, A., ii, 490.

Greig, E. D. W. See Diarmid Noël-Paton.

Greshoff, Maurits, water of the sacred well at Mecca, A., ii, 614.

Grimaux, Edouard, derivatives of cinchonine, A., i, 454.

tetramethyldiamidobenzophenone derivatives, A., i, 581.

Grimbert, $L\acute{e}on$, and L. Ficquet, a new organism, the Bacillus tartricus, capable of fermenting tartrates, A., ii, 443.

Grimm, J. See Carl Engler.

Grimsley, George Perry, gypsum in Kansas, A., ii, 437.

Grinberg, S. See Fritz Haber.

Grinten, L. van der, colour reaction of sesame oil by means of furfuraldehyde and hydrochloric acid, A., ii, 413.

Groneberg, Max. See Wilhelm Lossen. Grossheim, J. See August Michaelis.

Grothe, W. See Julius Troeger. Grüger, H. See Alfred Werner.

Grünbaum, D. F. F., salivary secre-

tion, A., ii, 241. See Carl Engler. Grüning, H.

Grüttner, Fritz, bark of Hamamelis $virginica\ L.,\ A.,\ i,\ 598.$

Grützner, Bruno, salts of phosphorous acid, A., ii, 216.

Grützner, Paul, precipitation of caseinogen a simple means of estimating acidity, A., i, 100.

Guareschi, Icilio, a-amidoethylidenesuccinimide and acetylsuccinimide, A., i, 177.

Guareschi, Icilio, some new cuprammonium compounds, A., i, 205.

synthesis of pyridine compounds, and Hantzsch's reaction, A., i, 274.

Gucci, Pietro, action of caustic alkalis on phthalides, A., i, 257.

propylphthalide and its hydrolysis by caustic alkalis, A., i, 665.

Günther, Adolf, synthesis of d- and lethylpiperidine, A., i, 684.

Guerbet, paraxylylacetic acid, A., i, 423. Guerin, Gabriel, presence of an alkaloid in natural wines, A., i, 607.

Guillemare, A., phyllocyanic acid and

phyllocyanates, A., i, 379.

Guinchant, Joseph, decomposition of salts by water, A., ii, 18.

decomposition of mercuric sul-

phate by heat: law of thermochemical moduli, A., ii, 27.

Wil., choline and Gulewitsch, its derivatives, A., i, 622.

- a case of poisoning by hydrogen arsenide, A., ii, 346.

Gulland, G. Lovell. See Diarmid Noël-Paton.

Gustavson, Gabriel, and MissBulatoff, ketopentamethylene from vinyltrimethylenic bromide, A., i, 13.

Gustavson, Gabriel, and Miss O. Popper, constitution of penterythritol, A., i, 6.

Guthrie, Frederick Bickell, ash of Gidgea Acacia (stinking wattle), A., ii, 181.

Guthzeit, Max, and Herbert W. Bolam, rupture of the carbon chain in ethylic dicarboxyglutaconate $(\omega_2\omega_2'$ -propenetetracarboxylate), A., i, 12.

Gutmann, August. See Rudolph F. Weinland.

Gutmann, S., Baker's research on the non-combination of dry hydrogen chloride and ammonia: vapour density of ammonium chloride, A., ii, 291.

Guye, Philippe, A., and Emily [Alicia] Aston, influence of temperature on the rotatory power of liquids, A., ii, 469.

Guyot, Alfred, and Albin Haller.

H.

Haagn, Ernst, determination of the resistance of galvanic cells with small polarisation capacity, A., ii, 5.

Haber, Fritz, electrolysis of hydrochloric acid and cathodic formation of lead, A., ii, 364.

Haber, Fritz, and S. Grinberg, electrolysis of hydrochloric acid, A., ii, 215, 365.

Haber, Fritz, and H. Oechelhäuser, decomposition of hexane and trimethylethylene by heat, A., i, 217.

Haber, Ludwig, rare earths, A., ii, 295. Hälssig, [Franz] Arthur, paratoluene-

sulphinic acid, A., i, 141. **Häusermann**, *Emil*, the assimilation of iron, A, ii, 34.

Haga, Tamemasa. See Carl D. Harries.

Hagemann, Oskar, colour reaction of sesame oil by means of furfuraldehyde and hydrochloric acid, A., ii, 413.

Hahn, Martin, proteolytic enzyme of yeast extract, A., ii, 245.

Hahn, Martin. See also L. Geret.

Haldane, John Scott, chemistry of hæmoglobin, A., i, 288.

methods of gas analysis, A. ii, 349.

Haldane, John Scott, and J. Lorrain Smith, absorption of oxygen by the lungs, A., ii, 34.

Hall, Miss L., and John Norman Collie, production of some nitro- and amido-oxylutidines. Part II., T., 235; P., 1898, 51; discussion, P., 51.

Hall, Vernon J., zinc hydroxide in pre-

cipitation, A., ii, 117.

a simple fat extractor, A., ii, 197.

Haller, Albin, and Alfred Guyot, symmetrical tetramethyldiamidodiphenyltetramethyldiamidodianthranol and the corresponding oxanthranol, A., i, 483.

— preparation and properties of dialkylamidoanthraquinones, A., i, 598.
 — dialkylamido-orthobenzoyl-benzoic and dialkylamido-orthobenzyl-benzoic acids, A., i, 670.

Haller, R., and Stanislaus von Kostanecki, 3:4-dihydroxycinnamylidenecumaranone, A., i, 201.

Halliburton, William Dobinson.

Frederick Walker Mott.

Hallopeau, L. A., antimonic tungstates: separation of tungsten and antimony, A., ii, 521.

Halphen, Georges, characteristic reaction of cotton-seed oil, A., ii, 358.Halsey, John T., the antecedents of

Halsey, John T., the antecedents of urea, A., ii, 529.

Halsey, John T. See also Emil Erlenmeyer, jun.

Hammarsten, Olof, new bile substances, A., i, 711.

Hampe, Wilhelm, analysis of bar copper, A., ii, 353.

Hamy, Maurice, spectrum of cadmium in a vacuum, A., ii, 321.

Hancock, David. See William B. Phillips.

Hankus, Edward, estimation of methane in fire damp, A., ii, 461.

Hanna, William, production of acid by bacteria in nutritive media, A., ii, 621.

Hansen, Arthur von, preparation and properties of potassium percarbonate, A., ii, 23.

Hansteen, Barthold, formation of albumin in phanerogamic plants, A., ii, 179.

Hantzsch, Arthur [Rudolf], the so-called nitramines and isonitramines and their ethers, A., i, 247.

diazonium hydroxide in aqueous

solution, A., i, 307.

diazo-cyanides and the reaction of diazo-compounds with benzenesul-phonic acid, A., i, 365.

additive compounds of diazonium haloids with phenols and with acetic acid, A., i, 655.

---- conversion of nitrosohydroxylamine into hyponitrous acid, A., ii, 22.

Hantzsch, Arthur, and Karl Danziger, diazocyanides and double salts of diazonium cyanides. A., i. 76.

diazonium cyanides, A., i, 76.

Hantzsch, Arthur, and R. Glogauer, additive products of azo- and diazo-compounds with benzenesulphinic acid, A., i, 78.

Hantzsch, Arthur, and W. Hilland, alkyl derivatives of hydroxylamine, A., i. 623

Hantzsch, Arthur, and Ernst von Hornbostel, isomerism of anils and hydrazones, A., i, 195.

Hantzsch, Arthur, and A. Sauer, isonitramines and their resolution into hyponitrous acid, A., i, 171.

Hantzsch, Arthur, A. Schleissing, and M. Jäger, molecular change of brominated diazonium chlorides into chlorinated diazonium bromides, A., i, 19.

Hanus, Jos., volumetric estimation of metallic sulphides, A., ii, 461.

Harbeck, E., and Georg Lunge, action of carbonic oxide on platinum and palladium, A., ii, 166.

A., ii, 188.

--- quantitative separation of ethylene and benzene vapours, A., ii, 193.

Hardin, Willett Lepley, atomic weight of tungsten, A., ii, 336.

Harley, Vaughan, breaking up of fat in the alimentary canal, A., ii, 35.

Harnack, Erich, behaviour of the sulphur in ash-free albumin compared with that of the sulphur in the halogen derivatives of albumin, A., i, 716.

Harnack, Erich, iodospongin, an iodised proteid present in ordinary sponge, A., i, 717.

physiological action of tannic and

gallic acids, A., ii, 85.

Harold, Joseph F. X., derivatives of silicon tetrachloride, A., ii, 509.

Harries, Carl D., hydrolysis of sylvan to levulinaldehyde (constituents of beech wood tar, I.), A., i, 232.

— euphthalmine, A., i, 381.

— oxidation of hydroxylaminecarv-

oxime, A., i, 568.

Harries, Carl D., and Richard Gley, rearrangement of β-mesityloxime, A.,

Harries, Carl D., and Tamemasa Haga, methylation of hydrazine hydrate, A.,

- two inactive 2:4-diamidopentanes, A., i, 293.

Harries, Carl D., and Ludwig Jablonsky, β-nitrosoketones, A., i, 294.

- diacetonehydroxylamine and stereoisomeric aliphatic ketones, A., i, 400.

Harries, Carl D., and Friedrich Kaiser, reduction of methylcyclohexenone, A.,

Harries, Carl D., and Fritz Lehmann, action of hydroxylamine on phorone, A., i, 121.

Harries, Carl D., and Georg Roeder, pulegonehydroxylamine, A., i, 573.

Harries, Carl D. See also Hermann Pauly.

Harris, Harry B., volumetric estimation of cobalt, A., ii, 487.

Harrison, J. Burchmere, and John Williams, proportions of chlorine and of nitrogen as nitric acid and as ammonia in certain tropical rain waters, A., ii, 450.

Harrow, George. See George J. Binns. Hartleb, R. See Albert Stutzer.

Hartley, Walter Noel, flame spectrum of carbonic oxide, A., ii, 361

Hartley, Walter Noel, and James Johnstone Dobbie, the ultraviolet absorption spectra of some closed chain compounds, T., 598; P., 1898, 41.

 notes on the absorption bands in the spectrum of benzene, T., 695;

P., 1898, 42. Hartley, Walter Noel, and Hugh Ramage, spectrographic analysis of meteorites, A., ii, 236.

Hartog, Philip J. See John Gilbert Fowler.

Hartridge, Alfred. See James Ernest Marsh.

Hartung, L. See Oscar **Kellner**. Hartwich, C., cubebs, A., ii, 657. Hasselberg, Clas Bernhard, vanadium in rutile, A., ii, 30.

Hatch, Frederick H. [dolomite from the Transvaal], A., ii, 234.

Hauffe, M., volumetric estimation of iron in hydrochloric acid solution by means of potassium permanganate, A., ii, 646.

Havens, Franke Stuart, separation of aluminium from beryllium by the action of hydrochloric acid, A., ii, 142.

 separation of aluminium [from other metals] by hydrochloric acid, A., ii, 644.

Haworth, Edward, and William Henry Perkin, jun., cis- and trans-tetra-methylene-1: 3-dicarboxylic acids, and the condensation of formaldehyde with ethylic malonate, T., 330; P., 1898,

Hayden, H. H., aluminite from the salt range, A., ii, 386.

Hayes, Charles Willard, solution of silica under atmospheric conditions, A., ii, 386.

Haywood, J. K., cuprous chloride, A., ii, 72.

Hazard, J., granite from Königshain, A., ii, 390.

Headden, William P., products from an old Cornish tin furnace, A., ii, 338.

Hebebrand, August, volumetric estimation of phosphoric acid, A., ii, 406. - sesame, A., ii, 631.

Heberlin, Georg. See Hans Rupe.

Hébert, Alexandre, saps, II., A., ii, 446. Hedin, Sven Gustav, decomposition of elastin by hydrochloric acid, A., i, 608.

- action of salts on blood corpuscles, A., ii, 298.

Hefelmann, Rudolf, rapid detection of margarine in cheese, A., ii, 266.

Heffter, Arthur, cactus alkaloids, III., A., i, 499.

Hehner, Otto, bromine absorption of fats and oils, A., ii, 197.

Heilpern, Johann, electrochemical introduction of hydroxyl groups into azobenzene, A., i, 249.

Heinke, John Leathart, behaviour of diazomethane towards nitramines and aromatic nitro-compounds, A., i, 413.

Heinrich, Reinhold, the ammonia of the atmosphere, A., ii, 114.

Helbing and Passmore, examination of eucalyptas oil, A., ii, 543.

Held, Alfred, preparation of cyanogen

chloride, A., i, 547.

Heller, I. M. See Graham Lusk. Helwig, Wilhelm. See Friedrich KehrHémot, A., graduated apparatus, A., ii, 533.

Hempel, Walther, employment of metallic sodium, magnesium, and aluminium in

qualitative analysis, A., ii, 184. **Hempel**, Walther, and Leopold Kahl,
analysis of acetylene, A., ii, 410.

Hemptinne, Alexander de, synthesis of organic compounds by means of the dark electric discharge, A., i, 461.

— decomposition of compounds by electrical oscillations, A., ii, 281.

influence of the X-rays on the lumin-

osity of gases, A., ii, 418.

— influence of concentration on reaction velocities, A., ii, 565.

Henderson, J. A. Leo, apophyllite from South Africa, A., ii, 124.

Hendrixson, Walter Scott, dissociation in solutions, A., ii, 19.

Henrich, Ferdinand, acidic character of unsaturated organic radicles, A., i, 631.

Henriet, H. See Albert Levy.

Henriques, Robert, analysis of beeswax, A., ii, 467.

Henry, Ed., nitrogen in the vegetation of forests, A., ii, 632.

Henry, Louis, nitropropylic alcohol, A., i, 4.

– nitro-alcohols, A., i, 4, 5.

--- trimethylene derivatives, A., i, 5. -glyceryl monochlorhydrin from allylic alcohol, A., i, 5.

 some aliphatic nitro-compounds, A., i, 505.

 volatility of fluorine compounds, A., ii, 14.

Henry, Thomas Anderson. See Wyndham Rowland Dunstan.

Henry, William Aron, and Fritz Wilhelm August Woll, yield and composition of sow's milk, A., ii, 299.

Hentschel, W., action of nitrogen chloride, on aniline, methylaniline, and dimethylaniline, A., i, 130.

- final product of the action of nitrogen chloride on dimethylaniline, A., i, 246.

- synthesis of diphenylhydantoin, A., i, 320.

- Heumann's synthesis of indigo, A., i, 384.

- preparation of nitrogen chloride, A., ii, 114.

Hepp, Eduard. See Otto Fischer. Hérissey, Henri, rotatory power of cocaine hydrochloride, A., i, 498.

- presence of emulsin in lichens, A., i, 612.

Henri. See also Émile Hérissey, Bourquelot.

Herles, Franz, basic lead nitrate as a clarifying agent for polariscopic purposes, A., ii, 253.

Herrmann, Felix, determination of the number of the isomeric paraffins of the

formula $C_nH_{2n} + 2$, A., i, 101, 217. Herrmann, Paul. See Daniel Vorländer. Herschkowitsch, M., alloys, A., ii, 582. Herting, Otto, estimation of sulphur in iron, A., ii, 90.

estimation of phosphorus in iron

and steel, A., ii, 91. Herty, Charles H., and T. R. Boggs, mixed haloids and halo-thiocyanates of lead, A., ii, 585.

Herz, A. See Karl Elbs.

Herz, R., and William Henry Bentley, the oxidation of paranitrotoluene-sulphonic acid to dinitrostilbenedisulphonic acid and to paranitrobenzaldehydeorthosulphonic acid, **1898**, 125.

Herz, W. See Albert Ladenburg. Herzfeld, Wilhelm, arabinose and semi-

carbazide, A., i, 397.

Herzig, Josef, morin, and the constitution of flavone derivatives, A., i, 327. action of hydriodic acid on aromatic

bromine derivatives, A., i, 516. Herzig, Josef, and Hans Meyer, estimation of alkyl groups attached to nitrogen, A., i, 53.

- pilocarpidine, A., i, 389. Herzig, Josef, and F. Schiff, guaiacum resin I. and II., A., i, 327, 530.

Hess, Franz. See Wilhelm Lossen. Hesse, Julius, derivatives of catechol, A., i, 361.

Hesse, Oswald, lichens and their characteristic constituents, A., i, 378, 531. 679.

- hydrocinchonine, A., i, 388.

Heusler, Friedrich [and Aug. Nefgen], composition of Scottish paraffin oil, A., i, 101.

Heut, G., pimpinellin, A., i, 598.

Hewitt, John Theodore, natural gas at Heathfield Station, Sussex, A., ii, 524. Hewitt, John Theodore, and Frank Dixon,

the condensation of chloral hydrate and orcinol, T., 397; P., 1898, 102. Hewitt, John Theodore, T. S. Moore, and

A. E. Pitt, formation of salts and

hydrates of azophenol, A., i, 653.

Hewitt, John Theodore, and Frank G.

Pope, derivatives of bromotolylhydrazine, C_6H_3 Br(CH_3)(N_2H_3)[1:3:6], T., 174; P., 1898, 7.

Hewitt, John Theodore, and Henry E. Stevenson, azophenols derived from Wroblewski's bromoparatoluidine $[Br: Me: NH_2 = 3:1:4], A., i, 569.$

Hewitt, John Theodore, and Henry E. Stevenson, azophenine, A., i, 591.

- action of α-naphthylamine on bromotolueneazosalicylic acid, i, 593.

Heycock, Charles Thomas, and Francis Henry Neville, Röntgen ray photography applied to alloys, T., 714; P., 1897, 105; discussion, P., 106.

Heymans, Jean F., and Paul Masoin, physiological action of normal di-

nitriles, A., ii, 241.

Hidden, William Earl, and Julius Howard Pratt, rhodolite, a new variety of garnet, A., ii, 605.

Hielscher, R., 2-methyldihydropyrroline, 1:2-dimethyldihydropyrroline, 1:2-dimethylpyrrolidine, A., i, 338.

Hiepe, William Louis, obituary notice of, T., 1047.

Highee, Howard H. See Arthur Michael. Hildebrand, Otto. See Wilhelm Autenrieth.

Hilger, Albert. See H. Nattermann. Hill, Arthur Croft, reversible zymohydrolysis, T., 634; P., 1898, 156; discus-

sion, P., 158.

Hill, Henry Barker, and Harris E. Sawyer, conversion of methylpyromucic acid into aldehydopyromucic and dehydromucic acids, A., i, 360. Hilland, W. See Arthur Hantzsch.

Hillebrand, William Francis, colorimetric estimation of small amounts of chromium in rocks and ores, A., ii, 541.

- volumetric estimation of vanadium in presence of small amounts of chromium, with special reference to the analysis of rocks and ores, A., ii, 541.

Hillebrand, William Francis. William Albert Noyes.

Hills, Richard C., the Oscuro Mountain meteorite, A., ii, 33.

Hinrichsen, Willy. See Paul [Ehrhardt]

Jannasch. Hinsberg, Oscar, benzenesulphinic acid

as a reagent, A., i, 140. A.Simcoff, Hinsberg, Oscar, and synthesis of naphthindole derivatives,

A., i, 275. Hinterskirch, W. See Paul Jannasch. Hintz, Ernst, incandescent gas mantles of commerce, A., ii, 339, 587.

-[volumetric estimation of cerium], A., ii, 353.

Hintz, Ernst, and Hermann Weber, separation of thorium from cerium, A., ii, 193.

Hirsch, Benno, halogenised diazonium thiocyanates and their rearrangement into thiocyanodiazonium salts, A., i, 473.

Hirschsohn, Eduard, detection colophony in dammar resin, ii, 656.

- detection of colophony in guaiacum resin, A., ii, 656.

Hittorf [Johann]Wilhelm,motive behaviour of chromium, A., ii, 363.

Hjelt, Edvard [Immanuel], relative velocity of hydrolysis of ethylic salts of normal acids of the oxalic series, A.,

Hlawatsch, Carl, stolzite and raspite from Broken Hill, A., ii, 32.

- a new copper antimonide, A., ii, 603.

Hodgkinson, William Richard Eaton, lecture apparatus: volumemeter: boiling of water under reduced pressure, A., ii, 68.

Höber, Rudolf, absorption in the small intestine, A., ii, 298.

Högbom, Arvid Gustaf, amount of carbonic anhydride in the atmosphere, A., ii, 217.

mineral intergrowths, ii, 601.

Hoff, Jacobus Henricus van't, and H. M. Dawson, racemic transformation of hydrogen ammonium malate, A., i, 299.

Hoff, Jacobus Henricus van't, and Wilhelm Meyerhoffer, application of the equilibrium law to the formation of oceanic salt deposits with especial reference to the Stassfurt beds, A., ii, 564.

Hoff, Jacobus Henricus van't, and Wolf Müller, racemic decomposition of rubidium racemate, A., i, 632.

See Emil Fischer, Wil-Hoffa, Erwin. helm Traube.

Hoffmeister, Wilhelm,quantitative separation of cellulose-like carbohydrates in vegetable substances, A., ii, 148.

- new solvent for distinguishing the phosphoric acid in various phosphates, A., ii, 538.

separation of hemicellulose, cellulose, and lignin: presence of pentoses in these substances, A., ii, 544.

Hofman, T. S., composition of the ash of canary seed, A., ii, 180.

Hofmann, A. (Zurich), absorption and excretion of iron in the human and

animal body, A., ii, 394. **Hofmann**, Adolf, berthierite
Bohemia, A., ii, 384. from

Hofmann, Karl A., "oxymercarbides," A., i, 635.

Hofmann, Karl A., action of mercuric nitrate on acetaldehyde and on ethylic acetoacetate, A., i, 635.

Hofmann, Karl A., and Volkmar Kohlschütter, inorganic hydroxylamine compounds, A., ii, 380.

Hofmann, Karl A., and F. Küspert, a volumetric and gasometric method of estimating hydroxylamine and hydrazine, A., ii, 255.

Hofmann, Karl A., and W. O. Rabe, action of alkylic haloids on mercap-

tans, A., i, 458.

Hofmann, Karl A., and S. Reinsch, tetramminecobalt sulphite, A., ii, 377. Hofmeister, Franz, iodalbumin, A., i, 390.

Hoitsema, C., aqueous solutions of two salts with one common ion, A., ii, 157.

—— the equilibrium

 $CO + H_2O \longrightarrow CO_2 + H_2$ and the study of explosives, A., ii, 370. Holborn, L. See Friedrich Kohlrausch. Holde, D., estimation of paraffin in petroleum of high boiling point, A., ii, 261.

Holland, Thomas H., quartz-barytes rock from Salem, Madras, A., ii, 234. Hollandt. Friedrich. See AlfredEinhorn.

Holleman, Arnold Frédéric, nitro-substituted hydroxamic acids, A., i, 22.

 reciprocal transformation of tartaric, racemic, and mesotartaric acids, A., i, 515.

- detection and separation of admixed tartaric, racemic, and meso-tartaric acids, A., ii, 545.

Holleman, Arnold Frédéric, and J. Boeseken, preparation of diorthonitrotoluene, A., i, 303.

Holmquist, Per Johan, synthesis of perofskite and pyrochlore minerals, A., ii, 388.

Honigmann, G., absorption of iron in

man, A., ii., 616.

Hoogewerff, Sebastiaan, and Willem Arne van Dorp, action of a solution of hydrogen chloride in methylic alcohol on the phenylimides of dibasic acids, A., i, 589.

opfgartner. K., the alkaloids of Macleya cordata R. Br., A., i, 606. Hopfgartner. -- electrical conductivity in mixed solutions of electrolytes, A., ii, 151.

Hopkins, F. Gowland, action of halogens

on albumin, A, i, 54.

Hopkins, F. Gowland, and Francis W. Brook, halogen derivatives of proteids, A., i, 99.

Hopkins, F. Gowland, and Archibald Edward Garrod, urobilin, A., i, 389.

Hopkins, F. Gowland, and Stanislaw N. Pinkus, crystallisation of animal proteids, A., i, 456.

- - action of halogens on proteids, A., i, 503.

Horbaczewski, Ian, crystallised xanthine and guanine, A., i, 50.

Horn, Frank R. van [hornblende from Ivrea, Piedmont], A., ii, 234.

Hornbostel, Ernst von. See Arthur Hantzsch.

Hornung, V. See Julius Troeger. Howard, Curtis C., derivatives of par-

amidophenoxyacetic acid, A., i, 29.

Howe, James Lewis, ruthenocyanides, A., i, 2.

Howe, James Lewis, and Edward D. Campbell, some new ruthenocyanides and the double ferrocyanide of barium and potassium, A., i, 615.

Howitz, Hans. See Adolph Claus. Hucho, Herrman, examination sheep's milk with special regard to the

East Friesland breed, A., ii, 619. Hülsebosch. See Ledden-Hülsebosch.

Hugot, C., action of sodammonium in excess on red phosphorus, A., ii, 573. Humnicki, V. See Stanislas Bondzyński.

Huppert, Karl Hugo, Noël Paton's crystalline globulin, A., ii, 443.

Hurst, analysis of soaps, A., ii, 413,

Hurter, Ferdinand, and Boleslas Zahorski, efficiency of an electrolytic cell, A., ii, 551.

Hussak, Eugen, and George Thurland Prior, tripulyite, a new antimonate of iron from Brazil, A., ii, 123.

- senaite, a new mineral of the ilmenite group from Brazil, ii, 439.

Hutchison, Robert, chemistry and action of the thyroid gland, A., ii, 480.

Huth, Franz, aaa'a'-tetramethyldipyridyl, A., i, 687.

Huth, P. See Hugo Erdmann. Hutzler, Rudolf, and Victor Meyer, change of butyric into isobutyric acid, A., i, 62.

Hyde, F. S., modification of the thalleioquinine test for quinine, A., ii, 60. Hyde, Ida H., secretion of the so-called salivary glands of Octopus macropus, A., ii, 175.

I.

Ilmer, Richard. See August Michaelis. Ilosvay de Nagy Ilosva, Ludwig, mineral water from Buda, A., ii, 126.

Imbert, H., action of cyanamide on bromanil in presence of potassium hydroxide, A., i, 411.

Imbert, H., and A. Astruc, neutralisation of glycerophosphoric acid in presence of helianthin and phenolphthalein, A., i, 222.

Imbert, H., and G. Belugou, heat of neutralisation of glycerophosphoric acid, A., ii, 206.

- action of strontium chromate on mercuric chloride, A., ii, 511.

Imbert, H., and J. Pagès, volumetric estimation of glycerophosphates, A., ii. 546.

Imhoff, Paul. See Adolph Claus. Ingen, D. A. van. See George C. Stone. Ischewsky, W. See Michael Konowaloff. **Istrati**, Constantin I., iodine derivatives of monochlorobenzene, A., i, 244.

– roumanite, A., ii, 528. Itzig, Hermann. See Arthur Rosenheim.

J.

Jablonski, Ludwig. See Carl D. Harries. Jackson, Charles Loring, and W. F. Boos, coloured compounds obtained from sodium alkyloxides and picryl chloride, A., i, 517.

Jackson, Charles Loring, and Frank B. Gallivan, 3:4:5-tribromaniline and derivatives of unsymmetrical tribromobenzene, A., i, 361.

Jackson, Charles Loring, and Waldemar Koch, action of iodine on the lead derivative of catechol, A., i, 518.

Jackson, Charles Loring, and H. A. Torrey, oxide of dichloromethoxyquinonedibenzoylmethylacetal, i, 467.

Jackson, D. Hamilton, and Sydney Young, specific gravities and boiling points of mixtures of benzene and normal hexane, T., 922; P., 1898, 176. Jackson, Holmes C. See Russell H.

Chittenden.

Jacobi, Andreas. See Eduard Buchner. Jacobson, H. See St. Smorawski.

Jacobson, Paul, and Andrew Turnbull, reduction products of azo-compounds, VIII., A., i, 440.

Jacoby, C., chrysotoxin, A., i, 268 - sphacelotoxin, the active principle of

ergot, A., i, 268.

Jacoby, Martin, excretion of nitrogenous substances in diabetes mellitus, A., ii, 345.

Jacquemin, Georges, production of aromatic substances in alcoholic fermentation in presence of certain leaves, A., ii, 397.

Jäck, Oskar. See Adolph Claus. Jäger, M. See Arthur Hantzsch.

Jaeger. Wilhelm, change of the zinc sulphate in the Clark cell, ii, 202.

 electromotive behaviour of cadmium amalgams of different composition, A., ii, 364.

Jaeger, Wilhelm, and K. Kahle, mercury-zinc and mercury-cadmium cells as standards, A., ii, 550.

Jager, L. de, reaction of urine, A., ii, 316.

-a new method of estimating free acid in the presence of phosphates, A.,

Jahn, Hans, association or dissociation? A., ii, 153.

- electrochemical notes, A., ii, 203.

- galvanic polarisation, A., ii, 496. Jandrier. See Barbet.

Janke, estimation of zinc in foods, A., ii, 257.

Jannasch, Paul [Ehrhardt], and A. Bartels, hexethylbenzene, A., i, 565. Jannasch, Paul, and Willy Hinrichsen. alkylanisoils and alkylphenetoils, I,

orthethylphenetoil, A., i, 643.

Jannasch, Paul, and W. Hinterskirch, migration of chlorine from the side chain to the ring on the decomposition of aromatic iodochlorides: derivatives of anisidine, A., i, 575.

Jannasch, Paul, and E. Kölitz, dimethoxydiphenyl, A., i, 190.

Jannasch, Paul, and M. Naphtali, migration of chlorine from the side chain to the ring on the decomposition of aromatic iodochlorides; derivatives

of phenetidine, A., i, 576.

Japp, Francis Robert, Kekulé Memorial
Lecture, T., 97; P., 1897, 235; discussion, P., 237.

Jarry, R., ammonio-silver bromide, A., ii, 515.

Jaubert, George F., constitution of the safranines, V, A., i, 494.

- synthesis of safranine, A., i, 667. Jaworowski, Adam, detection of chloral

hydrate, A., ii, 265. Jean, Ferdinand, analysis of sodium

sulphide, A., ii, 458. Jenkins, John H. B., Japanese wood oil,

A., i, 628. - Hehner's bromine test for oils. A..

ii, 198.

Jervis, Horace [boring holes in glass], A., ii, 113.

laboratory notes: asbestos: combustion furnaces, A., ii, 373.

 test for sulphurous acid: estimation of iron with dichromate, A., ii, 404.

Jervis, Horace. See also Harry Brear-

Jeserich, detection of blood, A., ii, 468.

Jezioranski, L. See Carl Engler.
Joannis [Jean] Alexandre, cuprous sulphate, A., ii, 221.

Job, André, new compounds of the cerite metals, A., i, 356.

Jodin [F.] Victor, researches on germination, A., ii, 129.

Jönsson, Bengt, influence of arsenic on

germination, A., ii, 130.

Jörgensen, Sofus Mads, constitution of cobalt, chromium and rhodium bases, A., ii, 226.

-- preparation of cobalt ammonium salts, A., ii, 592.

Johannessen, Axel, and Eyvin Wang, nutrition of the infant, A., ii, 343. Johannssen, Friedrich. See Franz

Kunckell. Johansson, Johan Erik, E. Landergren,

Klas Sondén, and Robert [Adolph Armand Tigerstedt, metabolism during inanition, A., ii, 238.

John, Conrad H von, so-called hornblende-gneisses in Moravia, ii, 440.

Johnson, *Harold*, hydrolysis of starch by acids, T., 490; P., 1898, 106.

Jolles, Adolf, histon in the urine, A., i, 611.

detection of bromine in A., ii, 637.

- detection of "pyramidone" in urine, A., ii, 656.

Jolles, Adolf, and Friedrich Neurath, estimation of small amounts of phosphoric acid, A., ii, 351.

- colorimetric estimation

silica in waters, A., ii, 455.

Jolly, Léopold, biological history of phosphates, A., ii, 84,

- phosphorus in organic tissues, A., ii, 394.

Jones, A. Wentworth, simple experimental illustration of the law of multiples, P., 1898, 110.

Jones, Harry Clary, atomic weights of praseodymium and neodymium, A., ii, 429

Jones, Harry Clary, and Stephen H. King, dissociation of electrolytes as measured by the boiling point method, A., ii, 322.

Jones, Harry Clary, and H. M. Reese, conductivity of aqueous solutions of praseodymium and neodymium sulphates, A., ii, 552.

Jones, Lauder W., salts of nitroparaffins and acylated derivatives of hydroxylamine, A., i, 172.

Jones, Louis Cleveland, action of carbonic anhydride on soluble borates, A., ii, 640.

Jones, L. J. W., ferric sulphate in mine waters and its action on metals, A.,

Jorissen, W. P., formation of active oxygen, A., ii, 21.

Joubin, P., molecular conductivity of salts in dilute solution, A., ii, 10.

Joulie, H., estimation of the acidity of urine, A., ii, 315.

Joulin. See Fred. Bordas.

Jovitschitsch, Milorad Z., reaction between ethylic iso-nitrosoacetoacetate and hydroxylamine hydrochloride, A., i. 64.

- a new cyclic compound, A., i, 93. -- Fehling's solution, A., ii, 98.

Jowett, Hooper Albert Dickinson, and Francis Howard Carr, modified form of nitrometer for use in nitrogen estimations by the absolute method, A., ii, 638.

Judson, Winifred, and James Wallace Walker, reduction of bromic acid and the law of mass action, T., 410; P., 1898, 64.

Junghahn, Alfred, new method of preparing tetrazine derivatives, A., i. 337.

- new method of preparing 1:3:4xylenesulphaminic acid, A., i, 479.

Jurisch, Konrad W., ammonia soda: analysis of refuse liquids, A., ii, 407. Just, Alexander, \(\beta\)-toluoylpicoline and B-tolyl pyridyl ketone, A., i, 42.

ĸ.

Kaehne, R. See August Michaelis. Kaeppel, Friedrich, electrolytic estimation of manganese, and the separation of iron from manganese, A., ii, 354.

Kahl, Leopold, condensation products of aldehydes with phenols and phenolic acids, A., i, 258.

Kahl, Leopold. See also Hempel, Richard Möhlau.

Kahlbaum, George W. A. [and in part Kurt Arndt, P. Schroeter, Theodor Tesse, Emil Toennies, C. Wichrowski, and C. G. von Wirkner], vapour pressure measurements, A., ii, 556.

Kahle, K. See Wilhelm Jaeger.

Kaiser, Friedrich. See Carl D. Harries. Kalähne, Alfred, spectra of some of the elements with a constant luminous discharge in Geissler tubes, A., ii, 549. Kalkow, Fritz. See Daniel Vorländer.

Kaltwasser, O. See Oscar Doebner. Kammer, Ernst. See Wilhelm Lossen. Kassner, Georg, preparation of lactic acid, A., i, 296.

-detection and estimation of traces of lead in beet sugar, A., ii, 459.

- formation of iodates from iodides, A., ii, 507.

Kassner, Oskar. See Adolph Claus. Kastle, J. H., taste and affinity of acids,

A., ii, 471.

Kastle, J. H., and W. A. Beatty, effect of light on the combination of hydro-

gen and bromine, A., ii, 214.

Kastle, J. H., Jos. C. W. Frazer, and Geo. Sullivan, phosphatic chert, A., ii, 235.

Kastle, J. H., Paul Murril, and Jos. C. Frazer, decomposition of alkylsulphonates by water, acids, and salts, A., i, 140.

Katz, Julius, estimation of alkaloids in tinctures, A., ii, 547.

Katzer, Friedrich [microcline from Bohemia], A., ii, 297.

- water of the lower Amazon, A., ii, 392.

Kauffmann, Hugo, electrical oscillations, A., ii, 550.

Kaufmann, Maurice, origin of fat in animals, A., ii, 35.

Kausch, Oscar. See Reinhold Walther. Kebler, Lyman F., improvements in Squibb's volumetric method for estimating acetone, A., ii, 56.

Kebler, Lyman F., and Ch. H. Lawall, detection and estimation of starch in

opium, A., ii, 463.

Kehrmann, Friedrich, change of position of the double linkings in azonium derivatives, A., i, 439.

Kehrmann, Friedrich, and G. Betsch, 2:5-diamidoquinone, A., i, 17.

Kehrmann, Friedrich, and Otto Feder, the fifth isomeride of rosinduline, A., i, 155.

Kehrmann, Friedrich, and Ernst Gauhe, nitro- and amido-derivatives of phenonaphthoxazone, A., i, 45.

Kehrmann, Friedrich, and M. Goldenberg, azoquinones, A., i, 34.

Kehrmann, Friedrich, and Wilhelm Helwig, salts of phenylisonaphthophenazonium and the action of amines on them, A., i, 154.

Kehrmann, Friedrich, and W. Schaposchnikoff, salts of phenylphenazonium and phenylnaphthophenazonium and their reactions with alkalis and amines, A., i, 153.

Kehrmann, Friedrich, and Alexander Wetter, aposaffranines and azonium compounds from tolusaffranines, A., i, 437.

Kellas, Alexander M., velocity of etherification of mono-substituted benzoic acids and hydrolysis of their ethereal salts, A., i, 86.

Keller, C. C., glucosides contained in digitalis leaves and their estimation, A., ii, 267.

- estimation of caffeine in tea, A., ii, 269.

 application of the digitonine test, A., ii, 657,

Keller, Edward, distribution of the precious metals and impurities in copper, and suggestions for a rational method of sampling, A., ii, 50.

tellurium, - selenium and

ii, 638.

Kellner, Oscar, and G. Andrä, effect of feeding with beet and dried and sour diffusion chips on milk production, A., ii, 299.

Kellner, Oscar, and A. Köhler, requirements of food and energy of full-grown fattened bullocks, A., ii, 528.

Kellner, Oscar, A. Köhler, F. Barnstein, and L. Hartung, experiments with sheep on the digestibility of several kinds of dried distillery residues, A., ii, 527.

Keppler, Ferd., phenylic iododichloride, A., i, 467.

Kerp, Wilhelm, amalgams, A., ii, 516. Kerp, Wilhelm, and Friedrich Müller, camphorone, isophorone, and mesitylic oxide, A., i, 265.

Kersten, Julius, condensation of aldehydes with hydrocotarnine, i, 702.

See Scheurer-Kestner. Kestner.

Kettner, Arthur H. E., isomerides of pyrocinchonic acid, A., i, 297.

Khlaponin, A., meteorite from Toubil, Gov., Yeniseisk, A., ii, 612.

Kiesewetter, Max. See Wilhelm Wislicenus.

Kijner, Nic., constitution of hexahydrobenzene, A., i, 180.

Kilgore, B. W., estimation of phosphoric acid by titration of the ammonium phosphomolybdate precipitate with standard alkali, A., ii, 187.

Kiliani, Henrich, digitalis alkaloids, A., i, 52

Kimberley, A. E. See James F. Norris. King, Stephen H. See Harry Clary Jones. Kinzel, Wilhelm, paramidophenylic i, 576.

ethylenic ether, ${f A}.$, effect of formaldehyde on germina-

tion, A., ii, 302.

Kippenberger, Karl, estimation of alkaloids in pharmaceutical preparations. A., ii, 467.

Kipping, Frederic Stanley, and William Jackson Pope, enantiomorphism, T., 606; P., 1898, 160.

— the separation of optical isomerides, P., 1898, 113.

Kipping, Frederic Stanley. See also Arthur Lapworth.

Kirmsse, E., guarana paste, A., ii, 535.
Kirpal, Alfred, hemipinic acid and the isomeric alkylic hydrogen papaverates, A., i, 87.

Kirschner, A., hyponitrous acid, A., ii, 373.

Kirschnick, Carl. See Wilhelm Lossen. Kissling, Richard, chemistry of tobacco, A., ii, 659.

Kjellin, Carl, and K. Gustav Kuylenstjerna, aliphatic derivatives of hydroxythiocarbamide, A., i, 66.

oxythiocarbamide, A., i, 66.

Klages, August, and Paul Allendorff, reduction of aromatic ketones by sodium and alcohol, A., i, 433.

double compounds of aromatic ketones with orthophosphoric acid, A., i, 477.

Klason, Peter, theory of the sulphite process and the constituents of lignin, A., i, 398.

ethereal oil of pine wood, A., i, 443.

Kleber, Clemens. See Frederick B. Power.

Klein, Karl Robert, depolarisation of mercury and platinum electrodes, A., ii, 7.

Kleine, G. See Theodor Rumpff.

Klimenko, Boris. See Simeon M. Tanatar.

Kling, M., some pyrotartaric alkylimides: condensation of tartaric alkylimides with acid chlorides, A., i, 177.

Klinger, Heinrich [Conr.], and Wilhelm Kolvenbach, formation of acetylquinol from acetaldehyde and quinone, A., i, 467.

Klinger, Heinrich [Conr.]. See also Aug. Basse.

Klingmann, Theo. [physiological action of naphthalene], A., ii, 86.

Klobb [Constant] Timothée, some new γ-ketonic acids. A., i, 586.

Klobbie, Eduard A., equilibrium in the systems, ether-water and ether-watermalonic acid, A., ii, 156.

malonic acid, A., ii, 156.

Klobski, W., and Stanislaus von Kostanecki, hydroxybenzylidenebromindanones, A, i, 371.

Klug, Ferdinand, evolution of gases during pancreatic digestion, A., ii, 298. Knerr, Ellsworth B., barytes nodules in

wood, A., ii, 386.

Kansas mineral waters, A., ii, 392.

Knight, Wilbur C., "mineral soap," A., ii, 610.

Knoblauch, Osc., hydrolysis of the ethereal salts of dibasic acids, A., ii, 423.

Knöpfer, Gustav. See Guido Goldschmiedt.

Knoevenagel, Emil, a method of preparing ethylic alkylideneacetoacetates, A., i, 406.

ries, II, Action of ethylic malonate on ethylic β-amidocrotonate, A., i, 448.

Knoevenagel, Emil, and Walter Ruschhaupt, syntheses in the pyridine series, III, Some acetylpyridines and acetyldihydropyridines, A., i, 449.

dihydropyridines, A., i, 449.

Knorr, Augustus E., modified method of fine silver assay, A., ii, 190.

some new forms of apparatus, A., ii, 568.

Knorr, Ludwig, the isomeric ethylic diacetylsuccinates, A., i, 65.

- morpholine bases, A., i, 601.

Knorr, Ludwig, and Hermann Matthes, methylhydroxyethylamine and methyldihydroxydiethylamine, A., i, 399.

——— 1-ethylmorpholine, A., i, 602. Knorre, Georg von, influence of manganese compounds on lead accumulators, A., ii. 6.

estimation of cerium in the presence of the rare earths, A., ii, 311.

Knox, James W. T., and Albert B. Prescott, caffeine compound in kola, A., i, 278.

II., kolatannin, A., i. 586.

Knüpffer, Carl, chemical equilibrium and electromotive force, A., ii, 420.

Kny, Leopold, dependence of the functions of chlorophyll on the chromatophores and on the cytoplasm, A., ii. 302.

Koch, E. See Johannes Pinnow. Koch, Waldemar. See Charles Loring

Jackson. Köhler, A. See Oscar Kellner.

Kölitz, E. See Paul [Ehrhard Jannasch.

König, E. See Heinrich Limpricht.

König [Franz] Josef, colorimetric estimation of ammonia, nitrous acid, and iron in waters, A., ii, 313.

Königs, Heinrich. See Ernst Beckmann. Körner, Wilhelm, and Angelo Menozzi, action of dimethylamine on diethylic fumarate and maleate, A., i, 240.

Kohler, Elmer P., aliphatic sulphonic acids, A., i, 68.

Kohlrausch, Friedrich, electrolysis of platinic chloride, A., ii, 203.

Kohlrausch, Friedrich, L. Holborn, and H. Diesselhorst, new basis for the values of the conductivities of electrolytes, A., ii, 366.

Kohlschütter, Volkmar. See Karl A. Hofmann.

Kohn, Leopold, and Victor Kulisch, strophanthin, A., i, 329.

Kohn, Leopold. See also Maximilian Brauchbar.

Kohnstamm, Ph., and Ernst Cohen, Weston standard cell, A., ii, 495.

Koldewey, Arnold, physiological action of copper, A., ii, 37.

Kollrepp, Alexander, estimation of traces of lead in sugar and saccharine liquors, A., ii, 459.

Kolvenbach, Wilhelm. See Heinrich [Conr.] Klinger.

Komers, K., and Anton Stift, pentosans in the beet sugar manufacture, A., i, 229.

Kondakoff, Iwan L., and Th. Gorbunoff, isomeric change of dihydrocarvone into carvenone, A , i, 145.

Konen, Heinrich, spectra of iodine, A., ii, 493.

Koningh, Leonard de, estimation of boric acid in foods, A., ii, 48.

- estimation of mineral matters in rubber goods, A., ii, 313.

- estimation of cane-sugar in prepared cocoa, A., ii, 314.

- preparation of tartrates and citrates of ammonium free from lead, A., ii, 412.

- estimation of ferrocyanogen, A., ii, 462.

- esitmation of rosin and rosin oil in linseed oil, A., ii. 546.

onowaloff, Michael I., and W. Ischewsky, nitrogen compounds of Konowaloff, the menthol series and their derivatives, A., i, 530.

Koppel, Ivan. See Arthur Rosenheim. See Kraatz-Koschlau. Koschlau.

Kossel, Albrecht [Carl Ludwig Martin Leonhard], constitution of the simplest proteids, A., i, 714.

Kossel, Albrecht, and Fr. Kutscher, formation of arginine from elastin, A., i, 718.

Kossel, Albrecht, and Albert Mathews, action of pepsin and trypsin on protamines, A., i, 612.

Kostanecki, Stanislaus von, a-naphtha-

flavone, A., i, 373.

Kostanecki, Stanislaus von, and L. Laczkowski, hydroxybenzylideneindanedione, A., i, 32.

Kostanecki, Stanislaus von, and D. Maron, 2-hydroxydibenzylideneacetone, A., i, 373.

Kostanecki, Stanislaus von. See also T. Emilewicz, W. Feuerstein, R. Haller, and W. Klobski.

Kosutány, Támas, does the volume of a liquid change in consequence of alcoholic fermentation? A., i, 3.

Kraatz-Koschlau, K. von, hornblendebasalt from Mitlechtern, A., ii, 170.

Krawkoff, N., the experimental production of "amyloid" disease, A., ii, 620.

Kremers, Edward, composition of the ethereal oil of Monarda fistulosa L., A., i, 326.

Kremers, Edward, and Arnold Schreiner, estimation of phenols in ethereal oils, A., ii, 355.

Kremers, Edward, and Oswald Schreiner, application of the carvoxime method for estimating carvone in adulterated oil of spearmint, A., ii, 358.

Kremers, Edward. See also E. Melzner, W. R. Schumann.

Kries, G. von, cause of the presence of oxalic acid in sugar juices, ii, 401.

Kritschenko. Petrenko - Krits-See chenko.

Kromer, Nicolai, masut, A., i, 346. – jalapinolic acid, A., i, 678.

Krüger, Friedrich, estimation of hæmoglobin in cats' blood, A., ii, 548.

Krüger, Martin, and Georg Salomon, alloxuric bases present in urine, A., i, 699.

William H., recalculation of Krug, Wein's tables for starch estimation, A., ii, 56.

Krug, William H., and Harvey Washington Wiley, solubility of pentosans in the reagents employed for the estimation of starch, A., ii, 490.

Krug, William H. See also Harvey Washington Wiley. Krumbholz, C. J. I. See B. Moore.

Krummacher, Otto, effect of division of the food into several meals on proteid katabolism, A., ii, 173.

Krummacher, Otto. See also Erwin Voit.

Krutwig, Jean, influence exercised by ferric oxide on the formation of sodium sulphate from sulphurous anhydride, and sodium chloride, A., ii, 23.

Kubli, Melchior, testing quinine, A., ii, 199.
Kudernatsch, Richard, direct introduction of hydroxyl into 3-hydroxypyridine, A., i, 270.

Kühling, Otto, preparation of alloxanphenylhydrazone from barbituric acid, A., i, 695.

Kümmell, Gottfried, migration constants of zinc and cadmium salts in very dilute solutions, A., ii, 365.

Kuenen, J. P., condensation and critical phenomena of mixtures of two compounds, A., ii, 153.

Künnemann, Otto, denitrifying microorganisms, A., ii, 444. Küspert, Franz. See Karl A. Hofmann.

Küspert, Franz. See Karl A. Hofmann. Küster, Friedrich Wilhelm, the ironcarbon-ferric chloride cell, A., ii, 5.

in electrochemistry, A., ii, 204.

--- velocity of crystallisation, A., ii, 330.
--- racemic substances, A., ii, 549.

Kugel, Max, β-benzoylpropionic acid, A., i, 198.

Kulisch, Victor, detection of chloral hydrate in urine, A., ii, 357.

Kulisch, Victor. See also Leopold Kohn. Kunckell, Franz, and Friedrich Johannssen, some mono- and di-halogen ketones, A., i, 254.

Kunckell, Franz, and Wilhelm Scheven, some brominated ketones, A., i, 254.

Kunckell, Franz. See also August Michaelis.

Kuntze, Georg F., apparatus for the estimation of carbonic anhydride, A., ii, 406.

Kuntze, L., estimation of nitrates in soil, A., ii, 45.

Kunz, Jakob, action of oxides of nitrogen on mercury alphyls, A., i, 528.

Kunz, Jakob. See also Eugen Bamberger. Kunz-Krause, Hermann, the cinnamic acid series. I., Behaviour of coumarin, the coumaroles, and some other derivatives. to metallic sodium, and the accompanying fluorescence phenomena, A., i, 479.

Kuriloff, Basil B., equilibrium in solutions with three components: β-naphthol, picric acid, and benzene, A., ii, 112.

equilibrium between ammonium nitrate and ammonia, A., ii, 156.

application of the law of mass action to researches on the equilibrium between β-naphthol and pieric acid in benzene solution, A., ii, 156.

Kuriloff, Basil B., mass action and the phase law. Function of the solvent in chemical reactions, A., ii, 327.

Kurnakoff, Nicolai S., relation between the colour and constitution of haloid double salts, A., ii, 475.

Kutscher, Fr., antipeptone, A., i, 611.

Euglena sanguinea, A., ii, 301.

Kutscher, Fr. See also Albrecht Kossel. Kuylenstjerna, K. Gustav. See Carl Kjellin.

L.

Laar, J. J. van, source of error in the determination of the heat of dissociation of electrolytes, A., ii, 151.

--- validity of the dilution law, A., ii, 158.

Labbé, H. See Julian Flatau.

Laborde, J. B. Vincent, oxydase from Botrytis cinerea, A., ii, 397.

Lachmann, Arthur, relation of tervalent to quinquivalent nitrogen, A., i, 400.

Lachmann, Arthur. See also Paul C. Freer.

Lacroix, Alfred, products of decomposition of pyrites in the Paris basin, A., ii 384

--- ktypeite, a new form of calcium carbonate, A., ii, 604.

Lacroix, Alfred, and Paul Gautier, minerals of a volcanic vent in the Puy de Dôme, A., ii, 609.

Laczkowski, L. See Stanislaus von Kostanecki.

Ladenburg, Albert, isomerism in the piperidine series, A., i, 338.

---- 2-ethylpiperidine and its methyl derivative, A., i, 339.

----1-methylpipecoline (1:2-dimethylpiperidine), A., i, 339.

A., ii, 569.

Ladenburg, Albert, and Guido Doctor, partial racemism, A., i, 707.

Ladenburg, Albert, and W. Herz, existence of condensation rings with paralinking, A., i, 209.

---- racemism, A., i, 296.

____ partial raceism, A., i, 405. Ladenburg, Albert [and in part Meissner

Ladenburg, Albert [and in part Meissner and Theodor], synthetical alkines of the pyridine and piperidine series, A., i, 687.

Lafont, J. See Gustave Bouchardat.
Lagutt, Jan. See Eugen Bamberger.
Lam, A., estimation of methylic alcohol in ethylic alcohol, A., ii, 411.

Lambling, Eugène [Frédéric], action of phenylcarbimide on some alkyloxyacids, A., i, 588.

Landau, Josef, dimethoxydiketohydrindene and its derivatives, A., i, 672.

Lander, George Druce. See Thomas Purdie.

Landergren, E. See Johan Erik Johans-

Landin, John, estimation of resin in fats

and soaps, A., ii, 100. Landolph. Frédéric, optical analysis of urine, and exact estimation of proteids, glucosides, and non-fermentable materials, A., ii, 147.

- estimation of diabetic sugar, A.,

ii, 148.

Landsberger, Willy, new process for determining the molecular weight by the boiling point method, A., ii, 283.

Landsiedl, Anton. See Max Bamberger. Lapworth, Arthur, sulphonation of benzophenone and of dipyenylmethane, T., 402; P., 1898, 112.

- a possible basis of generalisation of intramolecular changes in organic compounds, T., 445; P., 1897, 246, discussion, P., 246.

Lapworth, Arthur, and Frederic Stanley Kipping, hydroxydibromocamphorsulphonic acid: a correction, P., **1898**, 159.

Lapworth, Arthur, and Charles Mills, note on nitration and substitution in nitro-compounds, P., 1898, 159.

Lasczynski, St. von, and Stanislaus von Gorski, conductivity of solutions of some salts in pyridine, A., ii, 204.

Lauder, Alexander. See James Johnstone Dobbie.

Laves, G., detection of veratrine, A., ii, 318.

Lawall, Ch. H., estimation of alkaloids in white hellebore, A., ii, 414.

Lawall, Ch. H. See also Lyman F. Kebler.

Lawbaugh, E. A. See Graham Lusk. Laws, E. H. See James F. Norris.

Lean, Bevan, and W. H. Whatmough, new method of preparing pure iodine, T., 148; P., 1898, 5; discussion, P., 6. Lean, W. See John Norman Collie.

Leather, John Walter, composition of well waters and soils specially suitable for tobacco cultivation in Charotar, Gujerat, A., ii, 250.

Lebeau, Paul, alloys of beryllium with copper, A., ii, 292.

- preparation of beryllium by electrolysis, A., ii, 511.

-- beryllium iodide, A., ii, 580.

Lebeau, Paul, preparation and properties of anhydrous beryllium fluoride and oxyfluoride, A., ii, 581.

- beryllium borocarbide, A., ii, 581. Le Bel, Joseph Achille, crystalline forms of the platinochlorides of diamines, A., i, 170.

Le Chatelier, Henri [Louis], and O. Boudouard, limits of inflammability of

combustible vapours, A., ii, 574.

Leclère, A., analysis of silicates, A., ii, 188.

Ledden-Hülsebosch, Marius L. Q. van, new method of determining melting points, A., ii, 152.

Leduc, Anatole, densities of easily liquefiable gases, A., ii, 108.

- dissociation and polymerisation of gases and vapours: dissociation of chlorine at high temperatures, A., ii, 215.

— mixtures of gases, A., ii, 326. --- composition of air in various of gases, places: densities ii, 331.

 molecular volumes and densities of gases at all temperatures and at mean pressures, A., ii, 471.

- coefficients of dilatation of gases at mean pressures, A., ii, 471.

Leduc, Anatole, and Paul Sacerdote, critical constants of hydrogen chloride, phosphide, and sulphide, A., ii, 20.

- --- compressibility of gases under approximately atmospheric pressure, A., ii, 470.

Leent, Frederik Hendrik van, action of nitric acid on tin in presence of metals

of the iron group, A., ii, 475.

Lees, Frederic H., and William Henry Perkin, jun., the action of aluminium chloride on camphoric anhydride, P., **1898**, 111.

Lefebvre, M., Geissler's densimeter, A., ii, 326.

Leffler, Rudolf L., volumetric estimation of chromium, A., ii, 460.

- separation of aluminium, A., ii, 486.

Léger, Eugène, aloins, A., i, 455.

Legrand, Emmanuel, electrical conductivity of dilute solutions of potassium permanganate, A., ii, 496.

Lehfeldt, R. A., dissociation of water, A., ii, 554.

Lehmann, Fritz. See Carl D. Harries. Lehmann, Karl Bernhard, new method of estimating sugar, A., ii, 355.

Lehmann, Th. See Carl Engler. Leighton, Virgil L., action of sodium ethoxide on ethylic αβ-dibromophenylpropionate, citradibromopyrotartrate and αβ-dibromopropionate, A., i, 255.

Leins, Heinrich. See Heinrich Brunner. Leleux. See Gin.

Lemaire, Cl. See Henri Lescœur.

Lemmermann, Otto, the question as to how far soil analysis can indicate the potash requirements of soils, A.,ii, 304.

Lemmermann, Otto. See also Theodor Pfeiffer.

Lemoine, Georges, reversible transformation of styrene and metastyrene under the influence of heat, A., i, 70.

lithium chloride solutions, A., ii, 115.

Lemoult, Paul, silver cyanamide, A., i, 167.

—— chlorocyanuramide, A., i, 167.
—— alkylic isocyanates [carbimides] and the heat of formation of liquid cyanic acid, A., i, 402.

alkylic isocyanurates: formula and constitution of cyanuric acid, A.,

i, 458.

Lenher, Victor, and Edgar Francis Smith, ammonium selenide, A., ii, 575

Lenze, Friedrich. See Wilhelm Will.
Leo, G, detection of urobilin in urine,
A., ii, 200, 320.

Leonard, Norman, and Harry Metcalfe Smith, Tabarie's method for the estimation of alcohol, A., ii, 262.

Lepierre, Charles, production of mucin by a fluorescent pathogenic bacterium, A., i, 612.

mucin from an ovarian cyst, A., i, 718.

estimation of phosphoric acid in potable waters, A., ii, 47.

A., ii, 652.

Lepinois, E., detection of urobilin and biliary pigments, A., ii, 415.

Le Roy, Fernand, electrical resistance of crystallised silicon, A., ii, 321.

Le Roy, G. A., detection of sawdust in meal, A., ii, 652.

Lescour, Henri, dissociation of saline hydrates and analogous compounds, A., ii, 108.

— the hydrate formed by potassium carbonate and its dissociation, A., ii, 428.

Lescœur, Henri [and in part Delsaux and Demoulin], alkalimetric estimation of metals. A. ii. 484.

tion of metals, A., ii, 484.

Lescœur, Henri [and in part Cl.

Lemaire and Delsaux], alkalimetric estimation of metals, A., ii, 455.

Leser, Georges, preparation of a synthetical methylheptenone, A., i, 512. Lespieau, Robert, 2: 4-hexadi-inediol-1:6,

A., i, 116.

boiling points of salts in ethereal solution, A., ii, 282.

Leupold, Ernst. See Siegmund Gabriel. Lévy, Albert, and H. Henriet, carbonic anhydride in the atmosphere, A., ii, 573.

Levy, A. G., changes in the blood after removal of the thyroid, A., ii, 616.

Lewaschew, W., estimation of carbonic anhydride in the air, A., ii, 352.

Lewhowitsch, Julius, analysis of fats: estimation of unsaponifiable matter, A., ii, 99.

analysis of fats: wool-wax, A., ii. 99.

analysis of fats: the gravimetric bromine method, A., ii, 197.

— analysis of fats: the acetyl value, A., ii, 316.

Ley, Heinrich, action of hydroxylamine derivatives on imidochlorides, A., i, 251.

 hydroxylamidoximes, a new series of hydroxylamine derivatives, A., i, 657.

— hydrolytic dissociation, A., ii, 66.
Leys, Alex., detection of traces of
(normal) alkali carbonates in the
presence of excess of acid carbonate or
borax, A., ii, 353.

Lichtschlag, F., separate estimation of alumina and iron oxide in phosphates, A., ii, 93.

Lieben, Adolf, reduction of carbonic anhydride at ordinary temperatures, II., the behaviour of magnesium, A., ii, 217.

Liebermann, Carl [Theodor], a colouring matter from anhydrobisdiketo-hydrindene, A., i, 200.

- allocinnamic acid, A., i, 662.

—— colouring matter of cochineal, A., i, 682.

caution against alkali glass, A. ii, 533.

Liebermann, Carl [Theodor], and Gustav Cybulski, cœrulignone and the lignone colouring matters, A., i, 378.

Liebermann, Leo, and Salomon Szekely, new method of estimating fat in food, fæces, flesh, &c., A., ii, 655.

Liebermann, Leo. See also Stefan Bugarszky.

Liebknecht, Otto. See Arthur Rosenheim.

Liebig, Hans von. See Adolf von Baeyer.

Lifschütz, Isaac. See L. Darmstaedter.

Lilienfeld, Moriz, and Siegfried Tauss, glycol and aldol from isobutaldehyde and isovaleraldehyde, A., i, 508.

- aldol and glycol from isobutaldehyde acetaldehyde, and i, 509.

Limpricht, Heinrich, paratoluoylortho-benzoic acid, A., i, 322.

· ditolylphthalide, A., i, 323.

Limpricht, Heinrich [and E. König], dimethylanilinophthaloylic acid, A.,

Lindemann, W., solubility of paracasein in artificial gastric juice, A., ii, 84.

Lindenberg, Eugen. See Alfred Einhorn. Lindgren, Waldeman Idaho, A., ii, 123. Waldemar, monazite from

- orthoclase as gangue mineral in a

fissure vein, A., ii, 605. Lingg, Ferdinand. See Eduard Buchner. Lintner, Carl Joseph, chemistry of starch, A., i, 460.

 estimation of starch in cereals, A., ii, 651.

Lintner, Carl Joseph. See also Georg Barth.

Lipinski, Paul, normal octyl compounds, A., i, 423.

Lipp, Andreas, dihydropyrroline, pyrrolidine, tetrahydropyridine and piperidine derivatives, A., i, 379.

Lippert, Walther, analysis of linseed oil and linseed oil varnish, A., ii, 58.

Lippmann, Edmund O. von, a resinous substance from beetroot, A., i, 377.

 some comparatively rare constituents of the carbonised vinasse of a sugar factory, A., ii, 180.

Lippmann, Friedrich, effect of pressure and temperature on the conversion of starch into sugar, A., i, 397.

List. Ernst. See Alfred Wohl.

List, Reinhold, and Max Stein, isomeric chlorides of orthosulphobenzoic acid. A case of tautomerism, A., i, 584.

Ljubarsky, Eugen, acids obtained in the hydrolysis of the fat of the seal, A., ii, 299.

Ljubarsky, J. See Alexis Bogorodsky. Lloyd, Lorenzo L. See John Joseph Sudborough.

Lobry de Bruyn. See Bruyn.

Locke, James, action of hydrogen sulphide on vanadates, A., ii, 433.

 the periodic system and the properties of inorganic compounds, A., ii. 567.

Locke, James, and Alfred Austell, action of sulphur on sodium, A., ii, 575.

Locke, James, and Gaston H. Edwards, compounds of tervalent vanadium, A., ii, 598.

Lockyer, Sir Joseph Norman, chemistry of the hottest stars, A., ii, 2.

Löb, Walther, electrolytic reduction of nitrobenzene, A., i, 14.

electro-synthesis of anhydroparamidobenzylic alcohol, A., i, 649.

electrosynthesis of mixed azo-com-

pounds, A., i, 654. Loeben, Wolf von, δ-methyluric acid, A., i. 128.

Löloff, Carl, antimony derivatives of anisoil and phenetoil, A., i, 138.

Lörcher, G., action of rennin, A., i, 236.

Löwenherz, Richard, determination of dissociation constants by the increase of solubility, A., ii, 326.

Loewenstein, H. See Thomas Herbert Norton.

Loewenthal, W., spontaneous emulsifying of fatty oils, A., ii, 393.

Loewi, Otto, the urea forming ferment of the liver, A., ii, 617.

Loges, Gustav, and Kart Mühle, arsenical sulphuric acid, a source of error in Naumann's process for estimating phosphoric acid, A., ii, 48.

Lo Monaco, D. See Luigi Luciani.

Long, John Harper, speed of reduction of ferric alum by sugar, A., ii, 329.

Longi, Antonio, estimation of sulphur in illuminating gas, A., ii, 535.

Longi, Antonio, and L. Bonavia, action of potassium permanganate and of sodium peroxide on the acids of sulphur and of iodine, A., ii, 570.

 special cases of the estimation of sulphur and iodine, A., ii, 637.

- separation of dithionic acid from the other acids of sulphur, A., ii, 637.

Losanitsch, Sima M., the orders of isomerism among the homologous paraffins, A., i, 1.

- the number of isomeric paraffins, A., i, 165.

Lossen, Wilhelm [Clemens], tetrazotic, oxytetrazotic, and dioxytetrazotic acids, A., i, 79, 83.

- dibromosuccinic acids, i, 356.

Lossen, Wilhelm, and Franz Bogdahn, phenylglycolenyldioxytetrazotic acid phenylglyoxenyldioxytetrazotic acid, A., i, 82.

- phenylglycolenyloxytetrazotic acid, A., i, 85.

Lossen, Wilhelm, and James Colman, anisenyltetrazotic acid, A., i, 85.

Lossen, Wilhelm, and Friedrich Fuchs, benzenyloxytetrazotic acid, i, 83.

Lossen, Wilhelm, and Gustav Grabowski, B-naphthenyldioxytetrazotic acid A i 83

acid, A., i, 88.

Lossen, Wilhelm, and Max Groneberg,
benzenyldioxytetrazotic acid, A.,
i. 79.

Lossen, Wilhelm, and Franz Hess, decomposition of potassium paratolenyldioxytetrazotate by hydrochloric acid, A., i, 81.

Lossen, Wilhelm, Franz Hess, Carl Kirschnick, and Paul Schneider, paratolenyldioxytetrazotic acid, A., i, 80.

Lossen, Wilhelm, and Ernst Kammer, phenethenyloxytetrazotic acid, A., i, 84.

Lossen, Wilhelm, and Carl Kirschnick, paratolenyltetrazotic acid, A., i, 85.

Lossen, Wilhelm, and Erich Mendthal

Lossen, Wilhelm, and Erich Mendthal, so-called bromomalic acid, A., i, 358. Lossen, Wilhelm, and Ernst Reisch,

decomposition of normal dibromosuccinates with water, A., i, 357,

Lossen, Wilhelm, and Walter Riebensahm, hydrogen sodium bromomaleate from dibromosuccinic acid, A., i, 358. Lossen, Wilhelm, and Paul Schneider,

paratolenyloxytetrazotic acid, A., i, 84.

Lossen, Wilhelm, and Franz Statius,

benzenyltetrazotic acid, A., i, 85.

Lottermoser [C. A.] Alfred, colloidal

Lottermoser [C. A.] Alfred, colloidal mercury, A., ii, 585.
Lottermoser [C. A.] Alfred, and Ernst

Lottermoser [C. A.] Alfred, and Ernst von Meyer, colloidalsilver, A., ii,116, 514.

Lotti, Alfredo. See Arturo Miolati. Loubiou, A., detection of indican in urine, A., ii, 318.

Lovisato, Domenico, barium-heulandite and other zeolites from Sardinia, A., ii, 609.

Lowry, Thomas Martin, studies on the terpenes and allied compounds, stereo-isomeric derivatives of camphor, T., 569; P., 1898, 135.

Loyer, H., synthesis of crystalline alumina by the action of chlorine on an alkali aluminate, A., ii, 520.

Lubarsch, Oscar, the experimental production of amyloid, A., ii, 244.

Luboldt, Walter, scopolamine and scopoline, A., i, 499.

scopoleines, A., i, 499.

Lucas, Maurice, estimation of phosphorus and sulphur in iron, steel, and cast iron, A., ii, 482.

application of the colorimetric method for estimating lead to the estimation of sulphur in iron, steel, and cast iron, A., ii, 483.

Luciani, Luigi, Uberto Dutton, and D.
Lo Monaco, comparative examination
of the Montecatini chlorinated waters,
A., ii, 244.

Ludwig, Ernst, iodine spring at Wels, A., ii, 392.

Ludwig, Ernst, and V. Ludwig, chalybeate waters in Silesia, A., ii, 527.
 Ludwig, V. See Ernst Ludwig.

Ludwig, V. See Ernst Ludwig.

Luedecke, Otto, minerals of the Harz,

A., ii, 76.
— langbeinite, a tetartohedral cubic mineral, A., ii, 168.

Luehn, F. See Arthur Michael.

Lumière, Auguste, Louis Lumière, and Alphonse Seyewetz, action of ammonium persulphate on the silver of photographic plates, A., ii, 549.

Lumière, Louis. See Auguste Lumière. Lummert, W., formation of animal fat, A., ii, 617.

Lumsden, John S. See James Walker. Lunge, Georg, and Eduard Gedercreutz, analysis of commercial calcium carbide and acetylene; purification of the latter, A., ii, 54.

Lunge, Georg. See also E. Harbeck. Lungwitz Emil E. See Hugo Schweitzer.

Lusk, Graham, metabolism in fatty degeneration, A., ii, 238.

Lusk, Graham [with E. L. Munson, E. A. Lawbaugh, and I. M. Heller], phloridzin-diabetes, A., ii, 243.

Lusk, Graham. See also S. J. Ferris, F. H. Reilly.

Luther, Robert, non-electrolytic dissociation of water in aqueous ethylic alcohol, A., i, 422.

Lutz, presence of amygdalin and emulsin in the seeds of certain Pomaceæ, A., ii, 447.

Lutz, L., assimilation of nitrogen by phanerogamous plants from amines, substituted animonium salts, and alkaloids A. ii. 530

loids, A., ii, 530. Lutz, O. See Paul Walden.

Lux, Michael. See Emil Erlenmeyer, jun.

M.

Maarseveen, Gertrud van. See Heinrich Goldschmidt.

Maass, Emil, and Richard Wolffenstein, action of hydrogen peroxide on tetrahydroquinoline and tetrahydroisoquinoline, A., i, 44.

Mabery, Charles Frederic, Californian petroleum, A., i, 57.

- inaccuracies in the estimation of carbon and hydrogen by combustion, A., ii, 534.

McCay, LeRoy Wiley, detection of thioxyarsenic acids, A., ii, 139.

McCrae, John, some iodoso-compounds, T., 691; P., 1898, 166.

McCrae, John. See also Percy Faraday Frankland.

McDermott, H. E. See Russell H. Chittenden.

MacGregor, James G., and E. H. Archibald, calculation of the conductivity of aqueous solutions containing two electrolytes with no common ion, A., ii, 366.

McIntosh, Douglas, solubility and freezing point, A., ii, 65.

MacIntyre, E. AlfredSee Paul

Madan, Henry George, note on some of the properties of methylene di-iodide, P., 1898, 101; discussion P., 102.

Maercker, Max [Heinrich], results of vegetation experiments for ascertaining the manurial requirements of soils, A., ii, 632.

Magnanini, Gaetano, and Giovanni Malagnini, thermal conductivity of gaseous nitric peroxide, A., ii, 282.

Magruder, E. W., new form of hydrogen generator, A., ii, 68.

Mahon, R. W., estimation of phosphorus in steel, A., ii, 186, 539.

Maiborn, A. See Alfred Werner.

Makin, Charles James Shaw, composition of the Atlantic ocean, A., ii, 441.

Malagnini, Giovanni. See GaetanoMagnanini.

Malcolm, J. See T. H. Milroy.

Malfatti, Hans, apparatus for the extraction of large volumes of liquid with ether, A., ii, 533.

Mallat, A., detection of acetone in urine, A., ii, 357.

Mallet, Frederick Richard, blödite from the Punjab salt range, A., ii, 124.

Mallet, John William, rapid polymerisation of choral, A., i, 62.

- solubility of ammonia in water at temperatures below 0°, A., ii, 69.

Mallett, Ed. See Fritz Ullmann. Malmberg, Edward, ammoniocuproso-

cupric cyanide, A., i, 547.

Malosse, Th. See J. A. Battandier. Mamert. See Thomas-Mamert.

Manasse, Otto, and Ernst Samuel, camphorquinone, A., i, 147.

Manassein, Marie von, alcoholic fermentation without the aid of living yeast cells, A., ii, 177.

Manley, J. J. See Victor Herbert Veley.

Manuelli, C. See Emanuele Paterno.

Maquenne, Léon, mean molecular weight of the soluble matter in germinating grain, A., ii, 130.

Marboutin, Felix, estimation of sulphuric acid, A., ii, 254.

Marchlewski, Leo, chemistry of chloro-

phyll, A., i, 536. Marckwald, Wilhelm, and A. Chwolles, · determination of the boiling point of aqueous solutions with Beckmann's apparatus, A., ii, 367.

- separation of racemic compounds by means of optically active

substances, A., ii, 371. arckwald, Wilhelm, and H. H. Marckwald, Franne, hydroxysulphonic acids and sultones, A., i, 666.

Marcuse, Gotthelf, excretion of phosphorus during feeding with casein, A., ii, 38.

Marfori, Pio, physiological action of cotarnine, A., ii, 346.Margueles, Max, dissolving of platinum

and gold in electrolytes, A., ii, 497.

Markfeldt, Oscar, ethenyltriamidonaphthalene and its acetyl compound, A., i, 483.

Markownikoff, Wladimir B., para-ψpropylnaphthenic acid (hexahydrocumic acid), A., i, 301.

- cyclic compounds, A., i, 637.

Maron, D. See Stanislaus von Kostanecki.

Marschall, composition of the mycelia of moulds, A., ii, 178.

Marsden, Fred. See James Johnstone Dobbie.

Marsh, Charles W., [pyromorphite, mimetite, &c.] from Broken Hill, New South Wales, A., ii, 80.

Marsh, James Ernest, and Alfred Hartridge, researches on the terpenes, VIII., on carvenol, its reactions and products, T., 852; P., 1898, 170

Marshall, Hugh, persulphates, A., ii, 570.

Martin, Charles James, and H. G. Chapman, alcoholic enzymes from yeast cells, A., ii, 481.

Martin, Florence. See Richard Threlfall. Martindale, W. H., corydaline, A., i, 605.

Martz, M., volumetric estimation of acetone in urine, A., ii, 358.

Maryon, Frank Walter. See Thomas Southall Dymond.

Maschke, Leopold, estimation of tannin, A., ii, 318.

Masoin, Paul. See Jean F. Heymans. Massol, Gustave, thermochemical data for ethylmalonic acid and its isomerides, glutaric and methylsuccinic acids, A., ii, 558.

Mathews, Albert, cytological staining, A., i, 542.

Mathews, Albert. See also Albrecht Kossel.

Mathews, John A. See Edmund Howd Miller.

Matignon, Camille, sodium carbide, A., ii, 218.

Matthes, Hermann. See Ludwig Knorr. Matthews, Francis Edward, benzene hexabromide, T., 243; P., 1898, 52; discussion, P., 52.

- some derivatives of benzophenone,

T., 426; P., 1898, 97.

- the representation of the isomeric hexachlorides by Collie's space formulæ, P., 1897, 232; discussion, P., 232.

Maxwell, Walter, estimation of plant food in soils, A., ii, 548.

Mayençon, François, sterelectrolysis of minerals, A., ii, 636.

Mayer, F. See Karl Auwers.

Mayrhofer, Joseph, estimation of farinaceous matter in sausages, A., ii, 195.

Mays, Karl, non-coagulable proteids of muscle, A., ii, 174.

Meacham, Charles S. See Lawrence Briant.

Meade, Richard K., estimation of lead in lead ores, A., ii, 51.

Meeker, G. H., estimation of silica in blast furnace slag, A., ii, 48.

Meissner. See Albert Ladenburg.

Méker, Georges, preparation of ammonium and potassium platinobromides, A., ii, 231.

Meker, Georges. See also Alexandre Étard.

Meldola, Raphael, and Frederick Henry Streatfeild, contributions to the chemistry of phenol derivatives, T., 681; P., 1898, 165. Melikoff, Petr G., and L. Pissarjewsky,

ammonium peroxide, A., ii, 161, 219,

- peruranic acid and its salts, A., ii, 165.

- hypertitanates and hyperborates, A., ii, 332, 374.

 salts of pertungstic acid and permolybdic acid, A., ii, 337.

Melzer, Herm., contributions to forensic chemistry [detection of phenol, benzaldehyde, carbon bisulphide, picrotoxin, coniine, and nicotine], A., ii, 650.

Melzner, E. J., and Edward Kremers, composition of the oil of Monarda fistulosa L., A., i, 326.

Mendel, Lafayette B., composition and nutritive value of some edible American fungi, A., ii, 250. Mendel, Lafayette B. See also Russell

H. Chittenden,

Mendthal, Erich. See Wilhelm Lossen. Menke, Albert E., and William B. Bentley, derivatives of vanillin, A.,

Menozzi, Angelo. See Wilhelm Körner. Menschutkin, Nicolai A., regularities in boiling points of isomeric aliphatic compounds, A., i, 116, 290.

· aliphatic carbon chains, A., i, 119. - influence of the side-chain on the velocity of decomposition of benzene derivatives, A., i, 186.

– the benzene ring, ${f A}$, i, 408.

Merck [Carl] Emanuel, action of phosgene and of ethylic chloroformate on paracetamidophenols and droxyphenylurethanes, A., i, 248. · pilocarpidine, A., i, 283, 541.

Merigold, Benjamin Shores. See William Theodore Richards.

Merlis, M., composition of the seeds and etiolated seedlings of Lupinus angustifolius, A., ii, 133.

Merrill, George Perkins, weathering of micaceous gneissin Virginia, A., ii, 390.

Metcalf, H. F. See Henry Lord Wheeler. Metcalfe, Arthur T., gypsum deposits of Nottinghamshire, A., ii, 81.

Metzger, Paul, chemical characteristics of the woody matters of the oak, A., ii, 88.

Metzke, Hermann, artificial scorodite, A., ii, 438.

Metzner, Hermann, ethylic phenacetylmalonate, A., i, 152.

Metzner, Hermann, and Daniel Vor-länder, occurrence of ketopentamethylene in wood oil, A., i, 636.

Metzner, René, atomic weight tellurium, A., ii, 572.

Meunier, Jean. See H. Couriot.

Meves, W. See Fritz Foerster.

Meyer, Alfred. See Emilio Noelting. Meyer, Ernst von, derivatives of paratoluenesulphinic acid, A., i, 142.

Meyer, Ernst von. See also [C. A.] Alfred Lottermoser.

Meyer, Hans, cantharidin, A., i, 41. - active constituent of castor oil, A., i, 237.

Meyer, Hans. See also Josef Herzig. Meyer, Jacob, conversion of amines into phenols, A., i, 132.

Meyer, Ludwig. See Richard Möhlau. Meyer, Richard E., fluorescence and

chemical composition, A., ii, 105, 275. Meyer, Richard E., and Leo Friedland,

the phthalein group, A., i, 590.

Meyer, Victor, etherification of monosubstituted benzoic acids, A., i, 86.

Meyer, Victor, and Max von Recklinghausen, preliminary experiments in the determination of vapour density at very high temperatures, A., ii, 16.

Meyer, Victor, and Ernst Saam, velocity of oxidation of gases by liquids, A.,

ii, 19.

Meyer, Victor. See also K. Frenzel, Rudolf **Hutz**ler.

Meyerhoffer, Wilhelm. See Jacobus Henricus van't Hoff.

Michael, Arthur, reaction of benzaldehyde with phenol, A., i, 529.

Michael, Arthur, and John E. Bucher, action of acetic anhydride on phenyl-

propiolic acid, A., i, 256.

Michael, Arthur, F. Luehn, and Howard H. Higbee, formation of imide-1:2-diazole [1:2:3-triazole] derivatives from aromatic azimides and ethereal salts of acetylenedicarboxylic acids, A., i, 495.

Michaelis, [Carl Arnold] August, some

organic compounds containing inorganic radicles, A., i, 136.

Michaelis, August [with Freundlich, J. Grossheim, Curt Roeber, and GeorgSchlüter], some n-phosphines and

n-phosphonium compounds, A., i, 416. Michaelis, August [and in part Richard Ilmer and Alfred G. Robisch], asymmetrical alkylphenylhydrazines and some of their derivatives, A., i, 148. Michaelis, August, and R. Kaehne, be-

haviour of alkylic iodides with alkylic phosphites or O-phosphines, A., i, 417.

Michaelis, August, and Franz Kunckell, organic selenium compounds, A.,

Michaelis, August, and Karl Petou, action of phenyl- and tolyl-hydroxylamines on aromatic thionylamines, A., i, 431.

Michler, Josef R., preparation of chemically pure hydrogen sulphide for laboratory purposes, A., ii, 290.

Mihaly, Rozsa, elevation of the freezing

point in benzene solutions, A., ii, 17. Mijers, $J_{,}$, semi-permeable membranes, A., ii, 505.

Miller, Edmund Howd and John A. Mathews, ferrocyanides of zinc and manganese, A., i, 348.

Miller, F. W. See Charles Baskerville, Francis Preston Venable.

Miller, William Lash, vapour tensions and boiling points of ternary mixtures, A., ii, 208.

Mills, Charles. See Arthur Lapworth. Milroy, T. H., and J. Malcolm, metabolism of nucleins, A., ii, 479.

Mingaye, John C. H., [bismuth telluride, apatite and minervite from New South Wales], A., ii, 385.

Minguin, Jules, borneols and their ethers, A., i, 147.

Minozzi, A. See Giacomo Carrara.

Minunni, Gaetano, isomerism amongst the oxidation products of the hydrazones, A., i, 190.

-derivatives of a-phenylbenzylhydr-

azine, A., i, 191.

- constitution of dehydrophenylbenzylidenehydrazone and its conversion into dibenzylidenediphenylhydrotetrazone, A., i, 191.

- action of acid chlorides on the hy-

drotetrazones, A., i, 192.

 action of hydroxylamine on ketones of the type CHR: CH · CO · CH: CHR, A., i, 194.

Miolati, Arturo, stability of imides of dibasic acids, A., i, 242.

additive compounds of potassium

platonitrite, A., ii, 231.

Miolati, Arturo, and Alfredo Lotti, stability of the six xylylsuccinimides, A., i, 252.

Miolati, Arturo, and Guido Rossi, fluorides, fluoro- and fluoroxy-salts of cobalt-ammonium compounds, A., ii, 222.

Mittelmeier, Hans, action of diastase on starch, A., i, 461.

Mixer, Charles T., and Howard W. Dubois, estimation of insoluble phosphorus in iron ores, A., ii, 187.

Mixter, William Gilbert, electrosynthe-

sis, A., ii, 202.

Moale, P. R., paramethoxyorthosulphobenzoic acid, A., i, 429.

- decomposition of paradiazo-orthotoluenesulphonic acid with absolute methylic alcohol in presence of certain substances, A., i, 430.

Moberg, Joh. Chr., steenstrupine, A., ii, 296.

Modica, Orazio, physiological action of salicylaldehyde, salicylaldoxime and acetoxime, A., ii, 346.

Möhlau, Richard, aromatic azimethine

compounds, A., i, 652.

Möhlau, Richard, and Leopold Kahl, action of formaldehyde on gallic acid, A., i, 260.

Möhlau, Richard, and Leopold Kahl, formaldehydetrihydroxyfluoronedicarboxylic acid, A., i, 261.

Möhlau, Richard, and Ludwig Meyer, bismarck-brown, A., i, 23.

Mörbitz, Johannes, aromatic principles of Capsicum annuum L. and C. Fas-

tigiatum Bl., A., i, 446.
Mörner, Carl Thore [Graf], the organic ground substance of fish scales, A.,

ii, 85.

Mörner, Karl Axel Hampus, simultaneous estimation of carbon and nitrogen by combustion in a vacuum, A., ii, 256.

Moeser, Ludwig, salts of ferric acid, A., ii, 222.

Mohr, Ernst, action of diacetonitrile on aldehydes, A., i, 26.

Moissan, Henri, metallic carbides which are decomposed by water, A., ii, 115. - volatilisation of refractory sub-

stances, A., ii, 115.

— researches on aluminium, A.,ii,118. - preparation of carbides by the action of calcium carbide on oxides, A., ii, 161.

- conditions of formation of carbides of the alkalis and alkaline earth metals, A., ii, 332.

- preparation of crystallised calcium, A., ii, 578.

Moissan, Henri, and James Dewar, on the properties of liquid fluorine, P., 1897, 175; discussion, P., 184.

Moissan, Henri, and Perey Williams, calcium, barium, and strontium borides, A., ii, 116.

Joseph,Moitessier, combination of phenylhydrazine with metallic acetates, A., i, 132.

- combination of phenylhydrazine with metallic salts, A., i, 133.

 compounds of phenylhydrazine with metallic nitrates, A., i, 413.

Momberger, Ernst. See Adolph Claus. Mond, Ludwig, William Ramsay, and John Shields, occlusion of oxygen and hydrogen by platinum black, II., A., ii, 599.

- occlusion of hydrogen and oxygen by palladium, A., ii, 600. Monsacchi, U. See Hugo Schiff.

Monte. See Bonomi Da Monte.

Montemartini, Clemente, y-ketonic acids, A., i, 124.

action of chlorine on isovaleric acid, A., i. 236.

- α-methyladipic anhydride and 2methylketopentamethylene, A., i, 244. - reaction between phosphorus and nitric acid, A., ii, 572.

Montemartini, Clemente, estimation of boric acid, A., ii, 640.

Clemente, Montemartini, and Trasciatti, estimation of morphine in

opium, A., ii, 270.
Moody, Gerald Tattersall, preparation of a standard acid solution by direct absorption of hydrogen chloride, T.,

658; P., 1898, 150.

Moore, B., and C. J. I. Krumbholz, power of proteids in conserving emulsions, A., ii, 343.

Moore, B., and R. Row, physiological action and chemical constitution of piperidine, coniine and nicotine, A.,

ii, 176.

Moore, B., and Swale Vincent, comparative chemistry of the suprarenal capsules, A., ii, 394.

Moore, Charles C., estimation of potassium without previously removing the iron, calcium, &c., A., ii, 539.

See John Theodore Moore, T. S. Hewitt.

Moraczewski, Waclaw von, enzymes, A., i, 285.

- behaviour of vitellin in magnesia mixture, A., i, 610.

- metabolism in leucæmia and pseudoleucæmia, A., ii, 395.

- the contents of occluded portions of the intestine, A., ii, 442.

Moreau. See Paul Cazeneuve.

Morgan, Gilbert Thomas, action of formaldehyde on amines of the naphthalene series, Part I., T., 536; P., 1898, 132; discussion, P., 133.

Morpurgo, Giulio, detection of "sac-charin" in wines, A., ii, 359.

Morrell, Robert Selby, and James Murray Crofts, action of ferric chloride on ethereal salts of ketone acids, T., 345; P., 1898, 65.

- note on the enolic and ketonic forms of ethylic acetoacetate, P., 1898,

Morse, Harmon Northrup, and H. B., Arbuckle, atomic weight of zinc, A., ii, 334.

- atomic weight of cadmium, A., ii, 582.

Morse, Harmon Northrup, and Charles
L. Reese, reduction of permanganic acid by manganese dioxide, A., ii, 588.

Morton, D. A. See William Ridgely Orndorff.

Mosso, Ugolino, and Felice Ottolenghi, toxic action of acetylene, A., ii, 245.

Mott, Frederick Walker, and William Dobinson Halliburton, physiological action of choline, neurine, and allied substances, A., ii, 242.

Mouneyrat, A., action of chlorine on ethylenic chloride in presence of aluminium chloride: chlorination of acetylene, A., i, 613.

- action of aluminium chloride and of chlorine in presence of aluminium chloride on chloral, A., i, 625.

Mourelo, José Rodriguez, stability of phosphorescent strontium sulphide, A., ii, 24.

- preparation of strontium sulphide by the action of hydrogen sulphide on the oxide or carbonate, A., ii, 162.

- duration of the phosphorescence of strontium sulphide, A., ii, 292.

- decomposition of strontium thiosulphate and sulphite by heat, and production of phosphorescent strontium sulphide, A., ii, 333.

phosphorescent strontium sulphide,

A., ii, 493.

 phosphorescent mixtures containing strontium sulphide, A., ii, 579.

Moureu, Charles, veratrylenediamine, A., i, 411.

[catechol ethylenic ether], A., i, 644. - acetals derived from catechol, A.,

Mourlot, A., barium sulphide, A., ii, 376. Mrazec, L., jadeitite from Piedmont, A., ii, 525.

Mühle, Karl. See Gustav Loges.

Müller, Friedrich. See Wilhelm Kerp. Müller, R., action of ethylic oxalacetate on guanidine and derivatives of carbamide, A., i, 275.

Müller, Wilhelm. See Richard Willstätter.

Müller, Wolf. van't Hoff. See Jacobus Henricus

Muntz, Achille, and Antoine Charles Girard, food value of lucerne, A., ii, 305.

Münzesheimer, Max. See WilhelmWislicenus.

Mugdan, Martin, dimethylconiine, A., i, 156.

Mulder, Eduard, silver peroxynitrate and silver peroxide, A., ii, 516.

Muller, Joseph Auguste, volatilisation of lactic acid and its anhydrides at the ordinary temperature: volatilisation of lactic acid with water vapour, A., i, 9.

- synthesis of potassium carbonylferrocyanide, A., i, 615.

- lactic acid in Algerian wines, A.,

ii, 42. estimation of lactic and succinic acids in wines, A., ii, 57.

Munson, E. L. See Graham Lusk.

Murray, J. R. Erskine, new form of constant volume air thermometer, A., ii, 206.

Murrill, Paul, an efficient gas-pressure

regulator, A., ii, 569.

Murril, Paul. See also J. H. Kastle.

Murton, Charles J., and Saville Shaw, deposit in Delaval colliery, Northumberland, A., ii, 387.

Wilhelm, Muthmann, formation of methanedisulphonic acid by the action of acetylene on fuming sulphuric acid, A., i, 614.

heavy liquid for separating minerals,

A., ii, 435.

- valency of the cerite metals, A., ii, 586.

Muthmann, Wilhelm, and Wilhelm ozomolybdates Nagel, [permolybdates], A., ii, 432, 593.

- the lowest state of oxidation

of molybdenum, A., ii, 593.

Muthmann, Wilhelm, and H. Rölig, solubility of cerium sulphate in water, A., ii, 376.

-- separation of the cerite metals: solubility of their sulphates in water, A., ii, 518.

Muthmann, Wilhelm, and E. Schröder, composition of some tellurium minerals, A., ii, 78.

Muthmann, Wilhelm, and L. Stützel, double thiosulphates of copper and potassium, A., ii, 513.

Muttelet, Fernand, action of benzoic chloride on mono-substituted orthodiamines, A., i, 412.

- a new group of amidines, A., i, 412. Myers, W. See J. W. W. Stephens. Mylius, Alb. See Alfred Werner.

N.

Naccari, Andrea, direct measurement of osmotic pressure, A., ii, 210.

Wilhelm. Nagel, Wilhelm See Muthmann.

Naphtali, M. See Paul [Ehrhardt] Jannasch.

Nardin, L. See Emile Bourquelot. Nasini, Raffaele, refraction of the

metallo-carbonyls, A., ii, 274. molecular -laws concerning the volumes of liquids, A., ii, 284.

Nasini, Raffaele, Francesco Anderlini, and Roberto Salvatori, gases from the Abano springs and the boracic soffioni of Tuscany, and the combustible gas from the Bolognian Appenines, A., ii, 527.

Nasini, Raffaele. See also Francesco Anderlini.

H., and Albert Hilger, Nattermann, toxicological detection of phosphorus, A., ii, 453.

Naumann, Alexander, regularities in the boiling points of isomeric aliphatic compounds, A., i, 221.
Nawratzki, E., cerebro-spinal fluid, A.,

Nef, John Ulric, bivalent carbon: chemistry of methylene, A., i, 102.

Nefgen, August. See Friedrich Heusler. Nerking, Joseph, Polimanti's method of

estimating fat, A., ii, 413.

Nestler, Anton, and Julius Stoklasa, anatomy and physiology of the seed of sugar beet (Beta vulgaris), A., ii, 401.

Neubauer, Carl, intramolecular rearrangement of isoaldoximes, A., i, 134.

Neumann, P., estimation of phosphoric acid as phosphomolybdic anhydride, A., ii, 454.

Neumeister, Richard, action of superheated water on proteid, A., i, 456.

— zymase, A., ii, 177. - urine; of Echidna aculeata, A., ii, 241.

Neurath, Friedrich. See Adolf Jolles. Neville, Francis Henry. See Charles Thomas Heycock.

Newbiggin, M. I. See Diarmid Noël-Paton.

Newell, Lyman C., parabenzoyldiphenylsulphone, A., i, 430.

Newman, H. E. See Thomas Herbert Norton.

Nicchiotti, G. See N. Tarugi.

Nicloux, Maurice, estimation of minute quantities of carbonic oxide in air, A., ii, 536.

- estimation of small quantities of glycerol, A., ii, 543.

Nicloux, Maurice, and L. Bauduer, distillation of dilute aqueous solutions of alcohol: estimation of alcohol therein, A., ii, 543.

Nicloux, Maurice. See also Alexandre Desgrez.

Nicol, William Walker James, supersaturation and its dependence on crystalline form, A., ii, 369.

Niemantowski, Stefan von, action of ethereal salts on aromatic amines, A., i, 182.

- new methods for the preparation of anhydro-compounds, A., i, 210.

- azimido-derivatives of benzimidazoles, A., i, 337.

Nietzki, Rudolf, and R. Bernard, cedrirets, A., i, 529.

Nietzki, Rudolf, and Alfred Raillard, azammonium compounds, A., i, 523.

Nilson, Lars Fredrik, Wiborgh phosphate, a manure prepared from Gellivara apatite, A., ii, 634.
Noël-Paton, Diarmid, Francis D. Boyd,

James Crauford Dunlop, A. Lockhart Gillespie, G. Lovell Gulland, E. D. W. Greig, and M. I. Newbigin, physiology of the salmon in fresh water, A., ii, 173.

Noelting, Emilio, new method of formation of colouring matters of the malachite-green series, A., i, 143.
Noelting, Emilio, and Emile Fourneaux,

reduction products of the nitrated dimethylanilines, A., i, 188.

Noelting, Emilio, and Alfred Meyer, aromatic hydroxyketones, A., i, 143.

Noelting, Emilio, and F. Wegelin, triazine derivatives from chrysoidine and from orthamidoazotoluene, A., i, 155.

Nolan, F. W. See F. H. Reilly. Nold, August. See Hans von Pechmann.

Nolf, Pierre, detection of carbamic acid, A., ii, 92.

Noll, Alfred, formation of levulinic acid from nucleic acid, A., i, 718.

Noorden, Carl von, euquinine,

Norris, James F., double salts containing selenium, A., i, 510.

Norris, James F., and Henry Fay, iodometric estimation of tellurium, A., ii, 404.

Norris, James F., [and in part E. H. Laws, A. E. Kimberly, and F. M. Smalley], action of the halogens on aliphatic amines and preparation of their perhaloids, A., i, 169.

S. See Francis Norris, R. Benedict.

Norton, John T., jun. See Frank Austin Gooch.

Norton, Thomas Herbert, derivatives of benzenesulphonic acid, A., i, 666.

Norton, Thomas Herbert, and H. Loewenstein, metallic derivatives of dinitro-anaphthol, A., i, 673.

Norton, Thomas Herbert, and H. E. Newman, soluble compound of hydrastine, with monocalcium phosphate, A., i, 708.

Norton, Thomas Herbert, and D. M. Roth, existence of orthosilicic acid, A., ii, 573.

Norton, Thomas Herbert, and Irwin J. Smith, amido-derivatives of dinitro-anaphthol, and its chlorination, A., i, 673.

Noyes, Arthur Amos, kinetic theory of solutions, A., ii, 63.

Noyes, Arthur Amos, accuracy of the values of dissociation determined by the electrical conductivity method, A., ii, 552.

Noyes, Arthur Amos [and in part H. M. Chase, Grace A. van Everen, Leonard H. Goodhue, C. H. Stone, and H. H. Tozier], synthesis of hexamethyleneglycol diethyl ether and other ethers

from trimethylene glycol, A., i, 59.

Noyes, Arthur Amos, and E. Harold

Woodworth, proof of the theory of the
solubility of salts consisting of three

ions, A., ii, 423.
Noyes, William Albert, preparation of

diethylic malonate, A., i, 11.

Noyes, William Albert, Charles Benjamin Dudley and William Francis Hillebrand, coal analysis, A., ii, 488.

Noyes, William Albert, and J. W. Shepherd, estimation of methane, carbonic oxide, and hydrogen by explosion in technical gas analysis, A., ii, 542.

Nyiredy, G. [magnetite and pyrrhotite], A., ii, 602.

0.

Oberbeck, Anton, theory of galvanic polarisation, A., ii, 202.

Oberwarth, yohimbine, A., i, 679.

Oddo, Giuseppe, menthonecarboxylic and menthonedicarboxylic acids.

- camphor compounds, A., i, 147. - fusion in the electric furnace, A., ii, 219.

Oechelhauser, H. See Fritz Haber. Oechsner de Coninck, William, action of tannin and of gallic acid on quinoline bases, A., i, 450.

- an oxyptomaine, A., i, 455.

 decomposition of alkylic thiocyanates, A., i, 548.

oxidation of some amides and thioamides, A., i, 564.

- action of oxidising agents on nitrogen compounds, A., i, 566.

Oesterreich, M., reduction and oxidation products of au-dimethyloxazole and its condensation with acetaldehyde, A.,

Oetken, Fr. See M. Petersen.
Ohly, Julius, estimation of phosphorus in steel, iron and iron ores, A., ii, 138. Oliveri-Tortorici, Riccardo, action of chlorine on quinones and quinoneoximes, A., i, 303.

action of nitric peroxide on nitrosophenols, A., i, 657.

Omelianski, V., fermentation of cellulose, A., i, 291.

Orloff, N. A., tetrallylammonium alum, A., i, 231.

- derivatives of physostigmine (eserine), A., i, 283.

- isolation of amido-acids, A., i, 295. - tyrosine in Trifolium pratense, A., ii, 304.

Orndorff, William Ridgely, and H. G. Carell, vapour pressure methods of determining molecular weights, A., ii, 208.

Orndorff, William Ridgely, G. L. Terrasse, and D. A. Morton, anethoil and its isomerides, A., i, 129.

Ortman, Alfred, estimation of lactose in milk, A., ii, 411.

Ortoleva, Giovanni. See Alberto Pera-

Osborne, Thomas Burr, chemical nature of diastase, A., i, 286.

— proteids of the maize kernel, A.,

i, 391.

Osborne, Thomas Burr, and George F. Campbell, effect of minute quantities of acid on the solubility of globulin in salt solutions, A., i, 716.

- the proteids of lupin seeds, A., ii, 623.

proteids of the white podded adzuki bean (Phaseolus radiatus), A.,

- proteids of the pea, A., ii, 624.

- proteids of the lentil, A., ii, 625.

- proteids of the horse bean (Vicia faba), A., ii, 625.

- proteids of the vetch, A., ii, 625. - proteids of the pea, lentil,

horse bean, and vetch, A., ii, 626. - proteids of the soy bean (Glycine hispida), A., ii, 626.

- proteids of the sunflower seed, A., ii, 627.

- proteids of the cow pea (Vigna catjang), A., ii, 627.

Osborne, Wilhelm. See Johannes Thiele. Osmond. Floris, minute structure of alloys

of iron and nickel, A., ii, 590. Ost, Hermann, isomaltose, A., i. 6.

Ostrogovich, Adriano, methyldioxytriazine, A., i, 335.
Ostwald, Wilhelm, vapour pressure of

reciprocally soluble liquids, A., ii, 208. O'Sullivan, James, maltose, A., i, 619.

- Kjeldahl's process, A., ii, 186. Ott, Adolf, estimation of the acidity of

beer or other liquids containing acid phosphates, A., û, 464.

Ottolenghi, Felice. See UqolinoMosso.

P.

Paal, Carl, peptone salts from glutin, A., i, 456.

 aromatic sulphamic acids—correction, A., i, 528.

Padé, Léon, detection of sodium hydrogen carbonate in milk, A., ii, 257. Paepe, Désiré de, estimation of iron in

limestones, A., ii, 53.

Pagès, J. See H. Imbert.
Palladin, Wladimir, influence of oxygen and other substances on the formation of chlorophyll, A., ii, 178.

-dependence of the respiration of plants on the amount of indigestible proteids they contain, A., ii, 248.

almaer, Wilhelm, action of drop electrodes, A., ii, 276. Palmaer,

Panting, Laurence C. See John Wade. Theodor,decomposition of casein by hydrochloric acid, A., i, 392. Papasogli, Giorgio, detection of cane-

sugar, A., ii, 194.

Paris, G. See Arthur Bornträger.

Parr, Samuel Wilson, sodium peroxide as a third [iron-zinc] group reagent,

Partheil, Alfred, recognition of margarine by means of dimethylamidoazobenzene, A., ii, 99.

Partheil, Alfred, and E. Amort, hexalkyldiarsonium compounds, A., i, 351. - action of hydrogen arsenide on

mercuric chloride, A., ii, 334. Partheil, Alfred, and Th. Schumacher, action of primary, secondary, and tertiary bases on orthoxylylenic

bromide, A., i, 363.

Pasquali, Adalberto, action of ethylic cyanacetate and ammonia on fatty ketones, A., i, 272.

Passmore. See Helbing.

Passon, Max, estimation of citratesoluble phosphoric acid in basic slag, A., ii, 308.

— estimation of calcium, A., ii, 642. analysis of soils, A., ii, 650.

Patein, Gustave, compounds of anti-

pyrine with aldehydes, A., i, 493. Paternò, Emanuele, and C. Manuelli, cryoscopic experiments with the acetyl derivatives of ethereal tartrates, A., ii, 208.

Paton. See Noël-Paton.

Patterson, Thomas Stewart. See Percy Faraday Frankland.

Paturel, G., mangel wurzel, A., ii, 631. Paul, Benjamin Horatio, and Alfred John Cownley, alleged conversion of cinchonine into cinchonidine, A., i, 51.

Ludwig, metol [paramethylamidophenol sulphate], A., i, 17.

 preparation of phenylrosinduline, A., i, 262.

Pauli, Heinrich, electrolysis of alkali bromides and fluorides, A., ii, 11.

Pauli, Heinrich, and Ludwig Pincussohn, new electrolytic diaphragm, A., ii, 551.

Pauling, H., two new galvanic cells, A., ii, 5.

Pauly, Hermann, action of bromine on triacetonamine, A., i, 382.

Pauly, Hermann, and Carl D. Harries, the γ-halogen derivatives of piperidine, A., i, 381.

Pauwels, J., derivatives of primary nitropropane, A., i, 506.

Pavy, avy, Frederick Willia glycogenesis, A., ii, 239. William. hepatic

Pawlewski, Bronislaw, fluorescent substances, A., i, 322.

new method for the production of acetyl derivatives of amido-compounds, A., i, 362.

- allofluorescein, A., i, 483.

fluorescence of anthranilic acid, A.,

--- theory of solutions, A., ii, 107. Peachey, Stanley John. See William Jackson Pope.

Pechmann, Hans von, glyoxalosazone from formaldehyde, A., i, 62. - action of diazomethane on nitroso-

benzene, A., i, 75.

- vinylideneoxanilide, A., i, 135. - action of diazomethane on nitroso-

benzene, A., i, 187. etherification of phenols and benzenecarboxylic acids, A., i, 314.

production of diacetyl from acetaldehyde, A., i, 627.

Pechmann, Hans von, and August Nold, action of diazomethane on substituted nitrosobenzenes, A., i, 310.

Pechmann, Hans von, and Wilhelm Schmitz, action of diazomethane on aromatic nitro-bases, A., i, 309.

- action of acetic anhydride on the anilides of dibasic acids, A., i, 320.

Pechmann, Hans von, and Eugen Seel, action of diazomethane and of methylic iodide and potash on nitrosophenol, A., i, 309.

Pechmann, Hans von, and Ludwig Wolman, ethylic quinoltetracarboxylic acid from ethylic acetonedicarboxylic acid, A., i, 140.

- new method of preparing ethylic orcintricarboxylate [dihydroxydicarboxyphenylacetate], A., i, 665.

Peckham, Stephen Farnum, and H. E. Peckham, analysis of asphaltum, A., ii, 314.

Pederson, Gullow. See Alexander Tschirch.

Pélabon, *H.*, dissociation of hydrogen selenide, A., ii, 561.

Pellat, Henri, vaporisation of iron at the ordinary temperature, A., ii, 589.

Pellet, C. H., nature of the reducing sugar in sugar-cane sap, cane-sugar, molasses and sorghum products, A., ii, 447.

Penfield, Samuel Lewis, composition of hamlinite, A., ii, 123.

Penfield, Samuel Lewis, and H. W. Foote, composition of ilmenite, A., ii, 122.

— bixybite, a new mineral, Λ., ii, 122.

from Franklin, New Jersey, A., ii, 607.

Penfield, Samuel Lewis, and August

Frenzel, identity of chalcostibite (wolfsbergite) and guejarite, A., ii, 77.
Peratoner, Alberto, constitution of me-

Peratoner, Alberto, constitution of meconic acid, A., i, 69.

Peratoner, Alberto [with G. B. Condorelli, Carm. Vitali, and Giovanni Ortoleva], action of sulphuryl chloride on phenols and their ethers, A., i, 641. Perillon, estimation of nickel in iron,

cast iron, and steel, A., ii, 260.

Perkin, Arthur George, constituents of the Indian dyestuff waras, Flemingia congesta, T., 659; P., 1898, 162.

azobenzene derivatives of some natural yellow colouring matters: apigenin, chrysin, morin, euxanthone and gentisin, T., 665; P., 1898, 161.

the yellow colouring matters contained in various tannin matters, Part VI., Rhus Cotinus, and R. Rhodanthema; Part VI., T., 1016; P. 1898, 183.

colouring matters of the New Zealand dyewood "puriri," Vitex littoralis, Part I., T., 1019; P., 1898, 183.

—— derivatives of hesperitin, T., 1031; P., **1898**, 185.

the yellow colouring matters of the leaves of Arctostaphylos uva ursi, P., 1898, 104.

Perkin, Arthur George, and Julius Aldred Pilgrim, the colouring matters of the Indian dyestuff asbarg, Delphinium zalil, T., 267; P., 1898, 55.

Perkin, Arthur George, and Percival John Wood, yellow colouring principle contained in various tannin matters. Part V., Pistacia lentiscus, P. terebinthus, Tamaris africana, T. gallica, Ailanthus glandulosa, Ficus carica, T., 374; P., 1898, 104.

Perkin, Arthur George, and Percival John Wood, some metallic salts of natural colouring matters, P., 1898, 56.

Perkin, William Henry, jun., sulphocamphylic acid and isolauronolic acid, with remarks on the constitution of camphor and some of its derivatives, T., 796; P., 1895, 21; 1897, 200, and 1898, 169.

Perkin, William Henry, jun., and Charles H. G. Sprankling, on the action of bromacetal on the sodium derivative of ethylic malonate, P., 1898, 112.

Perkin, William Henry, jun., and Jocelyn Field Thorpe, synthesis of cisand trans-caronic acid, P., 1898, 107.

Perkin, William Henry, jun. See also William Henry Bentley, R. W. Collinson, Arthur William Crossley, Edward Haworth, Frederic H. Lees.

Perman, Edgar Philip, rate of escape of ammonia from aqueous solution, T., 511; P., 1898, 24; discussion, P., 25.

Pesci, Leone, mercury compounds of organic bases, A., i, 648.

mercury compounds of dimethylparatoluidine and of paratoluidine, A., i, 648.

Peters, Rudolf, oxidation and reduction chains and the influence of complex ions on the electromotive force, A., ii, 419.

Petersen, Julius, electrolysis of alkali salts of organic acids, A., i, 352.

Petersen, M., and Fr. Oetken, composition of sow's milk, with special regard to the amount of fat, A., ii, 85.

Petit, Paul, hydrolysis of starch by diastase, A., i, 118.

Petkow, Nicolaus. See Rudolph Fittig. Peton, Karl. See August Michaelis. Petrenko-Kritschenko, Pavel Iw., tetra-

hydropyrone compounds, A., i, 529. Petrenko-Kritschenko, Pawel Iw., and D. Plotnikoff, a transformation of

D. Plotnikoff, a transformation of tetrahydropyrone derivatives, A., i, 142.

Pfeiffer, Paul. See Alfred Werner.

Pfeiffer, [Franz Wilhelm] Theodor, E. Franke, Otto Lemmermann, and H. Schillbach, effect of different potassium salts on the yield and composition of potatoes, A., ii, 306.

Pfeiffer, Theodor, and Otto Lemmermann, processes of denitrification, A., ii, 445.

ii, 451.

Pfitzinger, Wilh., condensation of isatic acid to form derivatives of cinchonic acid, A., i, 207.

Pflüger, Eduard [Friedrich Wilhelm]. origin of fat from proteid, A., ii, 84.
— estimation of dextrose, A., ii, 263.

--- formation of fat during phosphorus poisoning, A., ii, 395.

Pfob, A., nitroso-derivatives of catechol

methyl ether [guaiacol], A., i, 71.

Phelps, Isaac K., combustion of organic substances by wet methods, A., ii, 256.

Philip, James Charles, dielectric properties of liquid mixtures, especially of dilute solutions, A., ii, 9.

Phillips, Willam B., and David Hancock, commercial analysis of bauxite, A.,

ii, 486.

Phisalix, C., cholesterol and bile salts as chemical vaccines for snake poison, A., ii, 245.

Piccini, Augusto, alums of titanium sesquioxide, A., ii, 521.

Piccinini, Antonio, action of methylic iodide on trimethyldihydroquinoline, A., i, 691.

Piccoli, R. See Arnaldo Piutti.

Pick, Ernst P., separation of albumoses and peptone, A., i, 288.

Pickard, Robert Howson. See Johannes

Pickering, John William, new colloidal substances analogous to proteids derived from a nucleo-albumin, A.,

Pictet, Amé, and Pierre Crépieux, hydrogenisation of nicotyrine, A , i, 688.

Pictet, Amé, and P. Genequand, methiodides of nicotine, A., i, 51.

Pictet, Amé, and A. Gonset, syntheses in the phenanthridine group, A., i, 213.

Pilgrim, Julius Aldred. See Arthur George Perkin.

Piloty, Oscar, new synthesis of glycerol and of dihydroxyacetone, A., i, 117. - aliphatic nitroso-compounds, A.,

i, 223, 289.

- aliphatic nitroso-compounds (nitroso- and nitro-isobutyronitrile, A., i, 616.

Piloty, Oscar, and Otto Ruff, aliphatic nitroso-compounds, A., i, 223.

- nitroso-octane, A., i, 289. Piloty, Oscar, and Alfred Stock, bromacraldehyde and tribromopropaldehyde, A., i, 402.

Pincussohn, Ludwig. See Heinrich Pauli.

Pinette, J., estimation of sugar in sweet wines, A., ii, 194,

Pinkus, Georg, action of benzhydrazide on glucose, A., i, 224.

Pinkus, Stanislaw N. See F. Gowland Hopkins.

Pinner, Adolf, action of hydrazine on imido-ethers, A., i, 94.

compounds of chloral with form-

aldehyde, A., i, 626.
Pinner, Adolf [with James Colman,
Cornelius Goebel, Felix Gradenwitz, and Alfred Salomon] action of hydrazine on imido-ethers, A., i, 94.

Pinnow, Johannes, reduction of metanitrodimethylparatoluidine, A., i, 182.

explosion figures, A., ii, 212.

Pinnow, Johannes, and E. Koch, derivatives of paramidodimethylaniline [dimethylparaphenylenediamine], i, 132.

amidoazimidobenzene, A., i, 133.

Pinnow, Johannes, and M. Wegner, derivatives of tetramethylmetaphenylenediamine, A., i, 184.

Pirsson, Louis V., the monchiquites or analcite group of igneous rocks, A., ii, 170.

Pissarjewsky, L. See Petr G. Melikoff.

Pitt, A. E. See John Theodore Hewitt. Pittman, Edward F., kalgoorlite, a new telluride from Western Australia, A., ii. 385.

Piutti, Arnaldo, methylasparagine, A., i, 633.

Piutti, Arnaldo, and R. Piccoli, action of ethylic oxalate on paramidophenol, A., i, 319, 528.

- action of phthalic anhydride on para- and meta-hydroxydiphenylamine, A., i, 527, 664.

Plancher, Giuseppe, methylation of indoles, A., i, 536.

Platt, Charles, composition of normal urine, A., ii, 38.

Plotnikoff, D. See Pawel Iw. Petrenko-Kritschenko.

Poda, Heinrich, method of drying fæces, A., ii, 548.

Pohl, Alexandre, physiological and therapeutic effects of spermine, A., ii, 243.

Theodor, rhodinol and the Poleck, rhodinol question, A., i, 263.

Polimanti, Osvaldo, formation of fat during phosphorus poisoning, A., ii, 300.

estimation of fat, A., ii, 317.

Pollacci, Egidio, detection of bismuth, A., ii, 649.

 detection οf quinine, Α., ii, 657.

Pollak, Jacques, ethers of phloroglucinol and a synthesis of hydrocotoin, A., i, 304.

Pollak, Jacques. See also Hugo Weidel.

Pollak, K. See Eduard Donath.
Polzeniusz, F. See Emil Godlewski.

Pomeranz, Cæsar, constitution of pina-

colin, A., i, 233.

Pommerehne, Herbert, oxidation of ethyltheobromine by potassium chlorate and hydrochloric acid, A., i, 50.

pseudotheobromine, theobromine, theophylline, and paraxanthine, A., i, 539.

Pond, F. J., and F. T. Beers, derivatives of eugenol, A., i, 645.

Ponsot, A., vapour pressure of a substance compressed by a gas that it dissolves, A., ii, 16.

- study of physical and chemical equilibrium by the osmotic method, A., ii, 471.

cryoscopic measurements, ii, 555.

Ponzio, Giacomo, oxidation of hydrazoximes, A., i, 386.

Poole, Herman, estimation of undigested fat and casein in fæces, A., ii, 317.

Popasogli, C., characteristic reaction of cane-sugar, A., ii, 651.

See John Theodore Pope, Frank G. Hewitt.

Pope, William Jackson, a composite sodium chlorate crystal in which the twin law is not followed, T., 949; P., 1898, 178.

Pope, William Jackson, and Stanley John Peachey, the resolution of tetrahydropapaverine into its optically active components. Constitution of papaverine, T., 893; P., 1898, 123.

- the non-resolution of racemic tetrahydropapaverine by tartaric acid,

T., 902; P., 1898, 172. Pope, William Jackson. See also Frederic Stanley Kipping.

Popp, Georg. See C. Fresenius.

Popper, Maximilian, oroselone and peucedanin, A., i, 600.

Popper, Miss O. See Gabriel Gustavson. Poquillon, F., analysis of bone super-

phosphate, A., ii, 640.

Porter, Donald A., nickeliferous opal from Tamworth, New South Wales, A., ii, 603. **Porter**, T. Cunningham, note on the

volatility of sulphur, P., 1898, 65; discussion, P., 65.

Posner, Theodor, condensation of nitromethane with substituted aromatic aldehydes, A., i, 361.

vol. LXXIV. ii.

Pospischill, Karl Theodor, stereoisomeric 1:3-pentamethylenedicarboxylic

acids, A., i, 636.

Potain and René Drouin, detection of carbonic oxide by means of palladium chloride, A., ii, 536. Pott, R. See K. Weber.

Pottevin, Henri, resolution of starch by the action of diastase, A., i, 551.

Pouget, alkalithioantimonites, A., ii, 522. thioantimonites of barium, strontium, and calcium, A., ii, 579.

Power, Frederick B., and Clemens Kleber, composition of the oils obtained from Sassafras bark and from Sassafras leaves, A., i, 326.

Pratt, Julius Howard, kyanite, zircon, and anorthite from North Carolina, A., ii, 342.

-- origin of corundum in North Carolina, A., ii, 603.

- anthophyllite, enstatite and emerald from North Carolina, A., ii, 606.

Pratt, Julius Howard. See also William Earl Hidden.

Pregl, Fritz, preparation of cholic acid, and its behaviour towards reducing agents, A., i, 708.

- two derivatives of cholic acid, A., i, 709.

Prescott, Albert B., alkyl bismuth iodides and bismuth iodides of vegetable bases, A, i, 620.

Prescott, Albert B. See also S. H Baer, H. M. Goodwin, and James Knox.

Preston, H. L., iron meteorites as nodular structures in stony meteorites, A., ii, 343.

- San Angelo meteorite, A., ii, 613. Přibram, Richard, and Carl Glucksmann, connection between volume change and specific rotation of active

solutions, A., ii, 321, 494. Prinsen-Geerligs, H. C., production and occurrence of levulose in factory products, A., ii, 225.

Prior, George Thurland, sphærostilbite, A., ii, 439.

Prior, George Thurland, and Leonard James Spencer, identity of andorite, sundtite, and webnerite, A., ii, 120.

- stanniferous argyrodite from a. Identity of "crystallised Bolivia. brongniardite," with argyrodite, A., ii, 436.

Prior, George Thurland. See also Eugen Hussak.

Procházka, John, oxidation of naphthalene with permanganate, A., i, 201.

Procter, Henry Richardson, methods of analysis of chrome salts, A., ii, 311.

Pröscher, Fr., relations between the growth of the offspring and the composition of the milk in various mammals, A., ii, 175.

Prud'homme, Maurice, reduction of colouring matters of the type of rosaniline and malachite-green, A., i, 568.

Przibylla, Carl, metallic triple nitrites, A., ii, 162.

Pschorr, Kobert, new synthesis 2'-amidoquinoline, A., i, 491.

Pugliese, Angelo, influence of heat on diastatic ferments, A., i, 285.

Purdie, Thomas, and George Druce

Lander, the action of alkyl iodides on silver malate and on silver lactate, T., 287; P., 1898, 75.

pionic acids, T., 862; P., 1898,

170.

Purgotti, Attilio, and G. Anelli, mineral water of the royal springs of S. Agnese at the Bagno of Romagna, A., ii, 614.

Puriewitsch, Konstantin, A., solution of the reserve substances of grain and bulbs, A., ii, 628.

Quenda, Enrico, action of ammonia and ethylic cyanacetate on ethylic ethylideneacetoacetate and acetaldehyde,-A., i, 272.

R.

Rabe, Paul, synthesis of phenanthrene and hydrated phenanthrene derivatives from 1-naphthoic acid, A., i, 674. Rabe, W. O. See Karl A. Hofmann.

Raczkowski, Sig. de. See Fred. Bordas. Raillard, Alfred. See Rudolf Nietzki. See Walter Noël Ramage, Hugh. Hartley.

Ramsay, William, and Morris W. Travers, refractivities of air, oxygen, nitrogen, argon, hydrogen, helium, A., ii, 273.

- attempt to cause helium or argon to pass through red hot palladium, platinum, or iron, A., ii, 375. - - gaseous constituents of cer-

tain mineral substances and natural waters, A., ii, 382.

Ramsay, William, and Morris Travers, new atmospheric gases, A., ii, 574.

Ramsay, William. See also Ludwig Mond.

Ransom, James H., reduction of ethylic orthonitrophenylic carbonate: ethylic orthohydroxyphenylcarbamate, i, 415.

Raoult, François Marie, method pursued in accurate cryoscopic determinations,

A., ii, 17.

- influence of superfusion on the freezing points of solutions of potassium chloride and of sugar, A.,

ii, 470. Rap, E., α-acetylcoumarin, A., i, 317. Rapp, Rudolf. See Eduard Buchner.

Rawitzer, Joseph, attempts to prepare ααβ-triphenylethane, A., i, 565.

Rawson, Sidney George, quantitative separation of barium, strontium, and calcium, A., ii, 190.

qualitative separation of arsenic, antimony, and tin, A., ii, 192.
 Rayleigh, John William Strutt, Lord,

viscosity of hydrogen as affected by moisture, A., ii, 284.

- densities of carbonic oxide, carbonic anhydride, and nitrous oxide, A., ii. 290.

Rayman, Bohuslav, carbohydrates contained in the corm of Cyclamen euro $p \alpha u m$, A., i, 229.

Rayman, Bohuslav and Ottokar Sulc, inversion of saccharose by water, A., i, 348.

Recklinghausen, Max von. See Victor Meyer.

Redencz, Paul, antimony pentafluoride, and some of its double salts with organic bases, A., i, 601.

Reese, Charles L. See Harmon Northrup Morse

Reese, H. M. See Harry Clary Jones. Reich, Julius A., detection of fluorine. in silicates and borates, A., ii, 44.

Reichard, C., action of arsenious acid on metallic oxides, oxychlorides, and ammoniochlorides, A., ii, 22.

Reid, Edward Waymouth, intestinal epithelium \mathbf{and} absorption, ii, 345.

Reik, Richard, the glycol obtained from isobutaldehyde and benzaldehyde, and its behaviour with su!phuric acid, A.,

Reilly, F. H., F. W. Nolan, and Graham Lusk, phloridzin diabetes in dogs, A., ii, 345.

Reinsch, S. See Karl A. Hofmann. Reisch, Ernst. See Wilhelm Lossen.

Reissert, Arnold, action of ethylic oxalate and sodium ethoxide on nitrotolylic methylic ether, A., i, 316.

- action of aniline on dihydroxytartaric acid, A., i, 317.

Reissert, Arnold, and Joh. Scherk, action of ethylic oxalate and sodium ethoxide on substituted nitrotoluenes, A., i, 315.

Reitmair, Otto, estimation of citratesoluble phosphoric acid, A., ii, 255.

Reitzenstein, Albert. See Robert Flatow. Renauld, Edmond. See Eugen Bamberger.

Rettie, Theodore, compounds of metallic hydroxides with iodine, A., ii, 25.

Reuter, M. See Frederick Pearson Treadwell.

Reverdin, Frédéric, migration of the iodine atom during the nitration of aromatic iodo-derivatives, A., i, 180.

Revis, Cecil. See R. F. Wood-Smith. Reychler, Albert, tinctorial reactions,

A., i, 658.

Reychler. Albert. See also A. Bergé.

Reynolds, William Colebrook, chemical properties of concentrated solutions of certain salts. Part I., Double potassium carbonates, T., 262; P., 1898, 53; discussion, P., 54.

— chemical properties of concentrated solutions of certain salts. Part II., Double potassium sulphates, T., 701;

P., 1898, 167.

Rice, Charles Emmanuel, manganic salts, T., 258; P., 1898, 53; discussion, P., 53.

Richards, Ellen H., and G. W. Rolfs, reduction of nitrates by bacteria and consequent loss of nitrogen, A., ii. 301.

Richards, Joseph W., critical review of methods of determining minerals, A., ii, 75.

Richards, K. N. See Russell H. Chittenden.

Richards, Percy Andrew Ellis, estimation of chlorine, bromine, and iodine in saline waters, A., ii, 253.

Richards, Theodore William, temperature coefficient of the potential of the calomel electrode with various dissolved electrolytes, A., ii, 7.

 relation of the taste of acids to their degree of dissociation, A., ii, 209.

 convenient gas generator, A., ii, 330. --- rate of dehydration of crystallised salts, A., ii, 471.

- table of atomic weights, A., ii, 566. Richards, Theodore William, and Gregory Paul Baxter, atomic weight of cobalt, A., ii, 377.

Richards, Theodore William, and Jesse Briggs Churchill, transition temperature of sodium sulphate. A new fixed point in thermometry, A., ii, 555.

Richards, Theodore William, and Allerton Seward Cushman, atomic weight of nickel, A., ii, 228.

Richards, Theodore William, and Ben-jamin Shores Merigold, cuprosaminonium bromides and cuprammonium thiocyanates, A., ii, 514. Richardson, Fred. William, and Henry

E. Aykroyd, estimation of mixed sulphides, sulphites, sulphates, and thio-

sulphates, A., ii, 91.

Richardson, George M., and Maxwell Adams, molecular weight of lactimide, A., i, 242.

Riche, Alfred, assay of nickel-copper alloys, A., ii, 354.

Richmond, Henry Droop. See Alfred H. Carter.

Richter, Georg. See Alfred Werner.

Richter, O. See Richard Stoermer.

Rideal, Samuel, and Sigmund G. Rosenblum, estimation of chromium in chrome ore and ferrochromium, A., ii, 94.

Rideal, Samuel, and C. G. Stewart estimation of proteids by chlorine, A., ii, 319.

See Wilhelm Riebensahm, Walther. Lossen.

Riechelmann, Rudolf, preparation of pure oxalic acid, A., i, 239.
Riechelmann, Rudolf. See also Arthur

Riegler, E., gasometric estimation of nitrous acid, A., ii, 186.

alkalimetry, acidimetry, and iodometry, by means of crystallised iodic acid, A., ii, 253.

volumetric estimation of grape sugar and other substances oxidisable by Fehling's solution, A., ii, 264.

— a simple albuminometer, A., ii, 319. Riiber, C. N., estimation of dry matter in beer and worts, and the relation of dry matter to specific gravity, A., ii, 463.

Rijn, J. J. L. van, carpaine, A., i, 283. Rimatori, C. See G. Ampola.

Rimbach, Eberhard, solubility and decomposition of double salts in water, A., ii, 158.

- electrolytic estimation of cadmium, A., ii, 459.

Ringer, Sydney, action of distilled water on Tubifex, A., ii, 176.

Ris, Christoph, and Carl Simon, paradinitrodibenzyldisulphonic acid, A., i, 143, 321.

Ritter, Gottfried von [Hopkins's method of estimating uric acid], A., ii, 358.

Ritthausen, [Carl] Heinrich [Leopold], alkaloids of the yellow lupin, Lupinus luteus, A., i, 498.

Rivals, Paul, electrolytic conductivity of trichloracetic acid, A., ii, 106.

Rivals, Paul. See also Henri Baubigny. Rizzo, Niccolò, the so-called phenylhydantoic acids, A., i, 659.

Robin, Lucien, simultaneous volumetric estimation of sulphuric acid and calcium salts in water, A., ii, 452.

- estimation of nitrites in waters, A., ii, 542.

Robisch, AlfredG. See AugustMichaelis.

Rocques, Xavier, estimation of sugar in chocolate, A., ii, 195.

Rodewald, Hermann, thermodynamics of swelling ("quellung"), with special reference to starch and the determination of its molecular weight, A., ii, 61.

Rodger, James Wyllie (the late), and J. S. Strafford Brame, the optical rotations of methylic and ethylic tartrates, T., 301; P., 1898, 76. Rodger, James Wyllie, obituary notice

of, T., 1047.

Roeber, Curt. See August Michaelis. Roeder, Georg. See Carl D. Harries. Röhmann, Franz, products of the

trypsin-fermentation of casein, A.,

Röhmer, Hans, condensations of furfuraldehyde and furfuracraldehyde, A., i. 300.

Rölig, H. See Wilhelm Muthmann. Roesler, Armand. See Hans Rupe. Roessler, Carl, platinum tellurides, A., ii, 166.

Rogoff, M., condensation products of piperonal, vanillin, and protocatechnic aldehyde, A., i, 253.

Rohde, Albert. See Theodor Zincke. Rohland, Paul, behaviour of platinochlorides, A., ii, 189.

behaviour [dissociation] of platinochlorides in solution, A., ii, 341.

Rolfe, George W., and George Defren, analytical investigation of the hydrolysis of starch by acids, A., i, 7.

Rolfs, G. W. See Ellen H. Richards. Roloff, Max, action of light. I., Physical changes induced by light, A., ii, 417.

Romijn, Gysbert, microchemical detection of magnesia, A., ii, 458.

Ronde, sensitive litmus paper, A., ii, 44. Ronnet, Léon, estimation of potash in potash manures, A., ii, 457.

Roos, Ernst, iodothyrin, A., i, 543, 612. Rosenblum, Sigmund G. See Samuel Rideal.

Rosenfeld, Max, hæmin hydrochloride, A., i, 542.

Rosenheim, Arthur, and Herrmann Itzig, manganimolybdates. Α., ii, 164.

Rosenheim, Arthur, and Ivan Koppel, cobalt nitrite and cobalt nitrocyanide, A., ii, 430.

Rosenheim, Arthur, and Otto Liebknecht. alkylic sulphites, i, 290.

Rosenheim, Arthur, and S. Steinhäuser, alkali thiosulphates, copper ii, 585.

Rosenheim, Arthur, and Paul Woge, valency of beryllium, A., ii, 71.

Rosenheim, Otto, and Philip Schidrowitz, compounds of piperidine with phenols, T., 139; P., 1897, 234.

- --- optical activity of gallotannic acid, T., 878; P., 1898, 171.

- the influences modifying the specific rotatory power of gallotannic acid, T., 885; P., 1898, 172.

- Fehling's solution, A., ii, 411. Rosenheim, Otto. See also Francis Whittaker Tunnicliffe.

Rosenlecher, R., valuation of fuming sulphuric acid and of sulphuric anhydride, A., ii, 404.

Rosenstiehl, Auguste, action of methylic iodide on aqueous solutions of crystalviolet, malachite-green, and methyleneblue, hydrolysis of these colouring matters, A., i, 32.

- the supposed tetrahydrochloride of leucaniline, A., i, 569.

- comparison of imido-ethers with the rosanilines. A reply to Miolati, A., i, 589.

Rossi, Guido. See Arturo Miolati. Rossi, U. See Giacomo Carrara.

See Thomas Herbert Roth, D. M. Norton.

Roth, Walther, absorption of nitrous oxide in aqueous solutions of various dissociated compounds, A., ii, 18.

Rothmund, Victor, transition point of a solid solution, A., ii, 158.

- mutual solubility of liquids and the critical solution point, A., ii, 503.

Rousset, L. action of ethyloxalic chloride [ethylic chloroglyoxalate] on naphthalene and naphthol ethers in the presence of aluminium chloride, A., i, 591.

- ketones derived from naphthalene, A., i, 593.

- essence of cedar wood, A., i, 595.

Row, R. See B. Moore.

Rübel, Reinhard. See Julius Bredt. Ruediger, Alfred P. See Hamilton P. Cady.

Ruff, Otto, conversion of gluconic acid into d-arabinose, A., i, 516.

Ruff, Otto. See also Oscar Piloty. Ruggeri, R. See Massimo Tortelli. Ruhemann, Siegfried, formation of T., 350; P., aa'-dihydropyridine, **1898**, 73.

- action of chloroform and alcoholic potash on phenylhydrazine, A., i, 214.

Ruhemann, Siegfried, and K. C. Browning, formation of ethylic dihydroxynicotinate from ethylic cyanacetate, T., 280; P., 1898, 47.

 additive compounds of organic bases and ethereal salts of unsaturated acids, T., 723; P., 1898, 167.

- --- formation of ethereal salts of β-ketonic acids, T., 727; P., 1898, 168.

Ruhemann, Siegfried, and Alfred Valentine Cunnington, the formation of ethereal salts of polycarboxylic acids, T., 1006; P., 1898, 179.

Rumpel, Hans, action of trimethylamine, dimethylamine, and methylamine on bromacetophenone, A., i, 246.

Rumpf, Theodor, and G. Kleine, the excretion of ammonia and ammonium salts by the human and animal body, A., ii, 175.

Rung, F. See A. Binz.

Ruoss, volumetric analysis: corrections to be applied when an aliquot part of a filtrate is titrated, A., ii, 635.

-volumetric estimation of lead, copper, iron, potassium ferrocyanide, dextrose, and sulphuric acid (in sulphates), A.,

Rupe, Hans, derivatives of guaiacol, A.,

- unsymmetrical phenylhydrazine derivatives, A., i, 570.

Rupe, Hans, and Georg Heberlein, unsymmetrical a-phenylhydrazidoacetanilide, A., i, 571.

Rupe, Hans, Georg Heberlein, and Armand Roesler, unsymmetrical phenylhydrazidoacetamide, A., i, 571.

 — unsymmetrical α-phenylhydrazido-a-acetophenylhydrazide, A., i, 572

Rupe, Hans, and Armand Roesler, a-orthamidobenzophenylhydrazide, A.,

Rupe, Hans, and Jos. Vsetečka, unsymmetrical phenylhydrazidoacetoparamidodimethylanilide, A., i, 571.

Rupeau, A., detection of picric acid in beer, A., ii, 412.

Ruschhaupt, Walter. See Emil Knoevenagel.

Russell, William James, action exerted by certain metals and other substances on a photographic plate, A., ii, 287. Rust, Carl, water of the "Marzis'

spring near Geneva, A., ii, 237,

Rust, E., organic tellurium compounds, A., i, 137.

Rutherford, E., velocity and rate of recombination of the ions of gases exposed to Röntgen radiation, A., ii, 112.

Ryan, Hugh, some amidoketones, A., i, 649.

Rymsza, A., detection of picric acid and distinction from dinitrocresol (saffron substitute), A., ii, 262.

s.

Saam, Ernst. See Victor Meyer.

Sabanéeff, Alexander P., structural isomerism in inorganic compounds, A., ii, 577.

Sabbatani, Luigi, derivatives of ethylic propionylpropionate, A., i, 273.

- copper ammonium sulphate and copper ammonium chloride, ii, 376.

Sablon, Leclerc du, formation of nonnitrogenous reserve substances in walnuts and almonds, A., ii, 41.

Sabrazès, transformation of fat into

glycogen, A., ii, 35. Sacerdote, Paul. See Anatole Leduc.

Sachs, Franz, bromination of alkylated phthalimides: derivatives of methylphthalimide, A., i, 475.

Saint-Martin, Louis de, estimation of carbonic oxide in air and in normal blood, A., ii, 537.

Salaskin, Sergei, formation of urea in the liver of mammalia from amidoacids of the fatty series, A., ii, 441.

physiological relationships ammonia and the rôle of the liver in metabolism, A., ii, 616.

Salkowski, Ernst [Leopold], the action of superheated water on proteid, A., ii, 173.

 estimation of alloxuric bases, A., ii, 269.

 the Krüger-Wulff method for estimating alloxuric bases, A., ii, 269.

-- detection of peptone (albumoses) in urine, preparation of urobilin, A., ii, 318.

Salkowski, Heinrich[Hermann], δ-amidovaleric acid, A., i, 404.

Salomon, Alfred. See Adolf Pinner. Salomon, Ernst, currents with polarisable

electrodes, A., ii, 7. Salomon, Georg. See Martin Krüger.

Salvatori, Roberto. See Francesco Anderlini.

Salzer, Theodor, calcium mesitylenate and the author's water of crystallisation theory, A., i, 315.

Samoiloff, J_{\cdot} , beresowite, a new mineral, A., ii, 169.

Samtleben, A., some perhaloids, A., i, 472.

Samuel, Ernst. See Otto Manasse.

Sand, H. See Eugen Bamberger. Sandelin, S. S., furfurylsuccinic acid, A.,

Sander, Carl, pipette with closing appliance, A., ii, 568.Sander, G., separation of strychnine from .

brucine, A., ii, 359. Saniter, Ernest Henry, estimation of

chromium in chrome ore and ferrochromium, A., ii, 94.

Sauer, A. See Arthur Hantzsch.

Sawyer, Harris E. See Henry Barker Hill.

Saytzeff, Alexander M. See Alex. Tscherbakoff.

Saytzeff, Michael, jun., methyldiethylethylene, A., i, 289.

Schaak, Milton Fr. See Rudolph Fittig. Schacht, Walter, ethylenethiourea and

trimethylenethiourea, A., i, 12. Schadee van der Does, H., prevention of the precipitation of certain proteids by metallic silver, A., i, 343.

Schaller, R., electrical conductivity of dilute solutions at various temperatures uu to 100°, A., ii, 332.

Schaller, S. See Adolf Claus.

Schaposchnikoff, W. Friedrich See Kehrmann.

Scharfenberger, H. gen. Sertz. See Ernst Beckmann.

Scharvin, W_{\cdot} , oximes of hexahydrobenzophenone and of hexahydropropiophenone, A., i, 129.

Schaum, Karl, tautomerism of ethylic

acetoacetate, A., i, 629.

- formation and transformation of hylotropic-isomeric forms of compounds, A., ii, 211.

- crystallisation of overcooled benzophenone, A., ii, 369.

 hylotropically isomeric substances, A., ii, 372.

Scheele, Carl von, praseodymium, A., ii, 519.

Schenck, Rudolf, crystalline liquids, A.. ii, 286, 563.

Schenke, V., estimation of nitrogen in nitrated guano, A., ii, 46.

- estimation of nitrogen in guano, A., ii, 138.

See Arnold Reissert. Scherk, Joh.

Scheuer, Anton, pervanadates, A., ii, 340. Scheurer-Kestner, Auguste, action of fused sodium hydroxide under pressure on wrought iron and cast iron, A., ii, 28.

Scheurer-Kestner, Auguste, oxidation of sodium sulphide by electrolysis, A., ii, 473.

Scheven, Wilhelm. See Franz Kunckell. Schey, \hat{L} . T. C., methylamides and dimethylamides of naphthalene-\$-sulphonic acid, A., i, 34.

- derivatives of ethylmalonic acid,

A., i, 629.

Scheye, Anton, validity of Maxwell's

equations, A., ii, 419. Schidrowitz, Philip. See Otto Rosen-

Schieber, W., water of crystallisation of manganous sulphate, A., ii, 520.

Schieweck, Ottokar, sake, the Japanese national beverage and the fungus that produces it, A., ii, 397.

Schiff, F. See Josef Herzig.

Schiff, Hugo, furfurobenzidine, A., i, 32. polyaspartic acids, A., i, 67.

— the biuret reaction of albumin, A., i, 99.

-- biuret reactions, A., i, 243.

Schiff, Hugo, and U. Monsacchi, expansion during the dissolution of ammonium salts, II., ethyl derivatives, A., ii, 110.

Schiff, Robert, separation of the two desmotropic forms of ethylic acetoacetate, A., i, 237.

- tautomeric forms of ethylic acetoacetate and similar compounds, A.,

--- tautomerides, A., i, 424.

-the tautomeric forms of the ethereal salts of a-ketonic acids, A., i, 464.

Schiff, Robert, and L. Gigli, action of benzylideneaniline on the ethereal salts of unsaturated a-hydroxy-acids, A., i, 489.

Schillbach, H. See Theodor Pfeiffer. Schiller, Arnold, action of scopoline and scopoleines, A., ii, 37.

Schilling, Rudolf von. See Daniel Vorländer.

Schjerning [Nils Christian] Henrik, the precipitation of proteids, A., ii, 271, 416.

- estimation of proteids, A., ii, 658. Schlagdenhauffen, Frédéric, impurities

in crude copper, A., ii, 118.
Schleissing, A. See Arthur Hantzsch.
Schlessing, Th., jun., vegetation with

and without argon, A., ii, 129. determination of the specific gravity of small quantities of gas, A., ii, 324, 325, 533.

See Reinhold Schlossmann, Arthur. Walther.

Schlüter, Georg. See August Michaelis. Schmid, A., rancidity of fats, A., ii, 491. Schmidt, Ernst [Albert], thioureas, A., í, 12.

· salicin and its derivatives, A., i, 202.

--- scopolamine, A., i, 499.

--- ammonio-compounds of cuprosocupric cyanide, A., i, 547.

- alkaloids of corydalis, A., i, 604. Schmidt, Gerhard Carl, radiations from thorium compounds, A., ii, 550.

Schmidt, Gerhard Carl. See also Eilhard Wiedemann.

Schmidt, R. See Ferdinand Tiemann. Schmidt, Werner. See Ludwig Knorr.

Schmiedeberg, Oswald, formulæ of proteids and composition and nature of the melanins, Å., i, 342. Schmitz, Wilhelm. See Hans von Pech-

mann.

W., estimation of Schmitz-Dumont, carbon bisulphide in alcohol, carbon tetrachloride, &c., purification of carbon tetrachloride, A., ii, 140.

Schmoeger, Max, remarkable observation on ignited basic slag, A., ii, 135. - ignition of ammonium magnesium

phosphate, A., ii, 455.
Schmujlow, W. See Alfred Werner.
Schmutz, Karl B., experimental petro-

geny, A., ii, 75. Schneegans, August, betulase, an enzyme contained in Betula lenta, A., i, 286.

Schneider, C. See Carl Engler.

Schneider, Leopold, estimation of manganese in steel and iron, A., ii, 94.

estimation of phosphorus in steel and iron, A., ii, 351.

Schneider, Paul. See Wilhelm Lossen. Schneider, R., chromium sulphide and sulphochromites (thiochromites), A.,

· sodium sulphochromite [thiochromite], A., ii, 336.

Schnell, Ludwig C. See Paul Fried-

Schnitzspahn, K. See Ludwig Gatter-

Schöndorff, Bernhard, influence of the thyroid gland on metabolism, A., ii, 34.

· relationship of nutrition-need to the nitrogenous constituents of the body, A., ii, 394.

Schönermark, F. See Ernst Beckmann. Schoenlein, K., secretion of acids by

molluscs, A., ii, 442.
— urine of Octopus macropus, A., ii, 443.

Scholl, Roland, and Mordko Brenneisen, action of potassium evanide on bromopierin, A., i, 345.

Scholl, Roland, and Mordko neisen, an impurity in bromopicrin, A., i, 345.

Scholl, Roland, and Richard Escales, the hydrochlorides of methylaniline and dimethylaniline, A., i, 182.

Scholtz, Max, diacetyl-lutidine, A., i, 43.

- action of orthoxylylenic bromide on primary, secondary, and tertiary amines, A., i, 305.

- influence of constitution on the formation of ring compounds, A., i, 383.

 action of orthoxylylenic bromide on primary aromatic amines, A., i, 471.

application of orthoxylylenic bromide in characterising bases, A., i, 565. - xylylenediamines : an undecatomic

ring, A., i, 567. Schoonjans, Albert, ethylic anisoylacetoacetate and its derivatives, A., i, 425.

Schrader, Anton, electrolysis of mixtures, A., ii, 12.

Schreber, K., dissociation of nitric peroxide, A., ii, 153.

absolute temperature, A., ii, 282. Schreiber, uric acid crystals, A., ii, 620. Schreiber, C. See Smets.

Schreinemakers, Franz Antoon Hubert, aromatic sulphonamides, A., i, 320.

- equilibrium in systems of three components where two liquid phases may exist, A., ii, 285.

- equilibrium in the system-water, ether, and ethylenic cyanide, A., ii, 329.

- equilibrium in the system-water, benzoic acid, and ethylenic cyanide, A., ii, 424.

- equilibrium in the system, water, alcohol, and ethylenic cyanide, A., ii, 564.

Arnold. See EdwardSchreiner, Kremers.

Schreiner, Oswald. See EdwardKremers.

Schröder, E. See Wilhelm Muthmann. Schroeter, Georg, action of acetylene on fuming sulphuric acid, A., i, 614.

· formhydroxamic acid, A., i, 623. Schroeter, P. See Georg W. A. Kahlbaum.

Schrötter, Hugo, albumoses, III., A., i, 610.

Schryver, Samuel Barnett, synthesis of an isomeride of camphoric acid, T., 68; P., 1897, 220; discussion, P., 220.

- researches on camphoric acid, T., 559; P., 1898, 98. Schüle, Rudolf. See Robert Guehm.

Schütte, H. W., dioscorine, the alkaloid obtained from the tuber of Dioscorea hirsuta, A., i, 341.

Schulte, Wilhelm, estimation of sulphur in iron, A., ii, 45, 350.

Schulten, August [Benjamin (Baron)] de, artificial production of laurionite and isomorphous compounds, ii, 30.

artificial phosgenite and bromo-

phosgenite, A., ii, 31.

- simultaneous production of laurionite, phosgenite, and cerussite, A., ii, 31.

crystallised cadmium carbonate and artificial dialogite [rhodochrosite], A.,

ii, 31.

 attempts to prepare a hydrated double chloride and bromide of sodium and magnesium, A., ii, 512.

- production of brominated potassium and ammonium carnallites, A.,

ii, 512.

- attempts to prepare compounds isomorphous with kainite and tachyhydrite, A., ii, 512.

- artificial production of periclase by a new method, A., ii, 524.

Schulz, Friedrich N., sulphur in proteids. A., i, 502.

- the proteid from hæmoglobin, A., i, 719.

Schulz, W. von, the glucoside of Saponaria rubra, A., i, 204.

Schulze, Ernst, nitrogen compound from the root buds of Ricinus communis, A., i, 42.

- some constituents of wool fat, A., i, 463.

decomposition of proteid from conifer seeds, A., i, 608; ii, 179. - amount of lecithin in some seeds

and oil cakes, A., ii, 42.

--- vegetable lecithin, A., ii, 178.

--- occurrence of glutamine in plants, A., ii, 303.

- decompositions of proteids and the formation of asparagine and glutamine in seedlings, A., ii, 481.

-- decomposition of proteids in living plants, A., ii, 628.

Schulze, Ernst, and Ernst Winterstein, a product of hydrolysis from arginine, A., i, 281.

Schumacher, Th. See Alfred Partheil. Schumann, W. R., and Edward Kremers, composition of the oil of Monarda punctata, A., i, 326.

Schunck, Edward, alcoholic fermentation without yeast cells, A., ii, 300.

Schuster, Arthur, chemical constitution of the stars, A., ii, 4.

Schuyten, M. C., nitrosoanilines, A., i, 74.

 additive compound and substitution derivatives of phenyldimethylpyrazolone, A., i, 92.

- mercury haloid compounds of antipyrine, A., i, 452.

Schwarz, Leo, volumetric estimation of nitrated derivatives of phenols, A., ii, 544.

Schweitzer, Hugo, and Emil E. Lungwitz, the iodine number of fats and oils, A., ii, 98.

Searle, A. B. See Alfred Henry Allen. Seegen, Josef, a new carbohydrate in the liver, A.. i, 619.

- muscular work and glycogen, A., ii, 239.

Seel, Eugen. See Hans von Pechmann. Seidel, Johannes, iodine substitution products of some aromatic alcohols, aldehydes, and acids, A., i, 367, 663.

Seifert, W., physiology and morphology of the acetic acid bacteria, A., ii, 399.

Selckmann, R., estimation of perchlorate in Chili saltpetre, A., ii, 403.

William James, and Frederick Sell. William Dootson, the chlorine derivatives of pyridine, part I., T., 432; P., 1898, 110.

- --- note on the action of chlorine on pyridine, T., 442; P., 1898, 124.

- the chlorine derivatives of pyridine, part II., interaction of ammonia and pentachloropyridine. T., 777; P., 1898, 168. Semichon, L. See A. Bouffard.

Semmler, Friedrich. See Ferdinand Tiemann.

Senderens, Jean Baptiste, new mode of combination between metals: alloys of cadmium with silver and with copper, A., ii, 25.

— metallic precipitation, A., ii, 509. Seńkowski, Michael von, action of reducing agents on cholic acid, A., i, 389.

- change produced in oleic acid on keeping, A., i, 628.

 chemico-legal detection of vegetable poisons, A., ii, 547.

Sergéeff, Michail P., behaviour of codeine and morphine with pure sul-

phuric acid, A., ii, 467. Sertz. See Scharfenberger gen Sertz.

Sestini, Fausto, and Ghero. Catani, composition of hemp, A., ii, 305.

Seyda, Anton, estimation of phosphorus in phosphorised oils, A., ii, 255.

- detection of iodine in organic preparations, A., ii, 403.

Seyda, Anton, estimation of lead and antimony in tin foil, A., ii, 408.

- method for estimating chloroform

in viscera, A., ii, 410.

Seyda, Anton, and R. Woy, detection of nitric acid in human remains, A., ii, 453.

Seyewetz, Alphonse. See Auguste Lumière.

Seyler, Clarence Arthur, estimation of carbonic anhydride in natural waters, A., ii, 261.

Shapleigh, Waldron, lucium, A., ii, 74. Sharwood, William J., estimation of cyanogen by silver nitrate using potassium iodide and ammonia as indicators, A., ii, 55.

Shaw, Antoine, derivatives of primary nitroisobutane, A., i, 507.

Shaw, Saville. See Charles J. Murton. Sheldon. NormanL. See Auwers.

Shenstone. WilliamAshwell.William T. Evans, observations on the influence of the silent discharge on atmospheric air, T., 246; P., 1898, 69; discussion, P., 40.

Shepherd, J. W. See William Albert Noyes.

Sherman, H. C., insoluble carbohydrates of wheat, A., ii, 248.

Sherman, P. L., jun. See Paul C. Freer.

Shields, John. See Ludwig Mond. Shock, H. L. See F. W. Starke.

Shorey, Edmund C., the sugar-cane

amide, A., ii, 622, 623. lecithins of sugar-cane, A., ii, 623.

Sibbers, Fr., analysis of aluminium, A., ii, 409. Siegfried, Max [A.], urocaninic acid,

A., i, 712.

Fehling's solution, A., ii, 194. -- a dialysis apparatus, A., ii, 561.

Sielaff, Hans. See Wilhelm Traube.

Sigmond, Alexius von, action of diastase on ungelatinised starch, A., i, 398.

Simcoff, A. See Oscar Hinsberg. Simon, Carl. See Christoph Ris.

Simon, Louis, colour reaction of pyruvic

acid, A., i, 64. - action of aromatic amines on certain unsymmetrical ketonic compounds,

A., i, 152. - characteristic colour reaction of acetaldehyde, A., ii, 315.

Sjögren [Sten Anders] Hjalmar, crystalline form and composition of boulangerite, A., ii, 29.

Sjollema, B., a source of error in Kjeldahl's nitrogen estimation, A., ii, 307.

Sjollema, B., estimation of potassium by reduction of potassium platinochloride by means of sodium formate, A., ii, 309.

 detection of carbohydrates, A., ii, 356.

Skey, William, laboratory notes, A., ii, 61. Skinner, Sidney, affinity constants of dihydroxymaleic, dihydroxyfumaric, dihydroxytartaric and tartronic acids, T., 483; P., 1898, 121; discussion, P., 121.

Skraup, Zdenko Hanns, conversion of cinchonine into isomerides by means of acids, A., i, 51.

- cinchotine, A., i, 497.

Slooten, Willem van der, derivatives of

theobromine, A., i, 50.

Smalley, F. M. See James F. Norris.

Smets, and C. Schreiber, manuring experiments with potash and with

soda, A., ii, 402.

Smith, Claude. See Charles Frederick Cross.

Smith, Edgar Francis, action of sulphur monochloride on minerals, A., ii, 571. Smith, Edgar Francis, and Daniel L.

Wallace, electrolytic estimation of uranium and cadmium, A., ii, 488.

Smith, Edgar Francis. See also Victor Lenher, F. W. Starke, and Daniel L. Wallace.

Smith, Frank Clemes, tellurium in gold ores from South Dakota, A., ii, 385.

Smith, Henry G., on myrticolorin, the yellow dye material of Eucalyptus leaves, T., 697; P., 1898.

Smith, Harry Metcalfe. See Norman Leonard.

Smith, Irwin J. See Thomas Herbert Norton.

Smith, James Lorrain, active absorption of oxygen by the lungs, A., ii, 173.

See also John Smith, James Lorrain. Scott **Haldane**.

Smith, R. Greig, abnormal milk, A., ii, 619.

Smith, T. E. See Henry Lord Wheeler. Smith. Watson.some reactions of ammonium salts, A., ii, 575.

- comparative affinities in the case of certain salts of ammonium and sodium, A., ii, 576.

Smith, W. A., dissociation of dibasic organic acids, A., ii, 155, 284.

Smith. See Wood-Smith.

Smorawski, St., and H. Jacobson, changes which the phosphoric acid of superphosphates and of basic slag undergo in the soil, A., ii, 630.

Smyth, Charles Henry, jun., pseudomorphs from Northern New York, A., ii, 125.

Smythe, J. A. See Otto Wallach.

Snape, Henry Lloyd, the action of diisocyanates upon amido-compounds, P., 1898, 75.

Snyder, Harry, composition of humus, A., ii, 449.

Söderbaum, Henrik Gustav, acetylene as a quantitative reagent, A., ii, 191. Söldner, Friedrich. See William

Camerer.

Sörensen, S. P. L., employment of normal sodium oxalate in volumetric analysis, A., ii, 185.
Sohon. Michael Druck, phthaleins of

orthosulphobenzoic anhydride,

- derivatives of orthosulphobenzoic

anhydride, A., i, 428. Solly, Ernest, modification of Oliver's

hæmoglobinometer, ii, 272. Soltsien, Paul, detection of atropine in corpses, A., ii, 270.

Son, A. van, derivatives of tropine, A., i, 282.

Sondén, Klas. See Johan Erik Johans-

Sonstadt, Edward, on the dissociation of potassium platinichloride in dilute solution and the production of platinum monochloride, P., 1898, 25.

--- decomposition of auric sulphide in dilute solution, A., ii, 382.

Soret, Charles, Arn. Borel, and Eugene Dumont, refractive indices of the blue and green solutions of the chrome alums, A., ii, 274.

Sostegni, Livio, colouring matter of the red grape, A., i, 331.

Spaeth, Eduard, estimation of added alkali in beer, A., ii, 407.

Spencer, Guilford Lawson, caffeine, A., ii, 60.

Spencer, Leonard James. See George Thurland Prior.

Spenzer, John G., preparation of a carbohydrate from egg-albumin, i, 343.

Sperber, Joachim, heat of dissociation of iodine, A., ii, 69.

Speyers, Clarence Livingston, molecular weights of some carbon compounds in solution, A., ii, 21.

Spitzer, Wilhelm, the importance of nucleo-proteid in the oxidative processes of cells, A., ii, 36.

 oxidative changes produced by animal tissues, A., ii, 618.

Spivey, William Thomas Newton. See Thomas Barlow Wood.

Sprankling, Charles H. C. See William Henry Perkin, jun.

Spring, Walthere relations between molecular structure and the absorption spectra of colourless organic compounds, A., ii, 201.

tetrahydrated oxide of iron, A.,

ii, 520. - ferruginous colouring matters of sedimentary deposits and probable origin of red rocks, A., ii, 525.

- hydrolysis of ferric chloride, A., ii, 590.

Spüller, Jos., estimation of nickel in nickel-steel, A., ii, 95.

Spüller, Jos., and A. Brenner, estimation of chromium in ferrochrome and chrom-

ium-steel, A., ii, 95. Squibb, Edward R., an improved pyknometer, A., ii, 20.

Stackelberg, Ed. von, heat of dissolution and of dilution, A., ii, 498.

Stanek, Vl., sulphides, A., ii, 433. Starke, F. W., H. L. Shock, and Edgar

Francis Smith, constitution of arseno-

pyrite [mispickel], A., ii, 602.
Statius, Franz. See Wilhelm LossenStaudenmaier, Ludwig, preparation of graphitic acid, A., ii, 472.

Stauwe, Leo. See Edgar Wedekind. Stavenhagen, Alfred, fermentation phenomena, A., ii, 88, 177.

Stead, John Edward, microchemical examination of alloys, A., ii, 293.

Stein, Max. See Reinhold List.

Steinhäuser, S. See Arthur Rosenheim. Steinitz, Franz, behaviour of proteids which contain phosphorus in metabolism, A., ii, 615.

Steinitzer, Fr. See Alfred Werner. Steinlen, Rudolf L., alkylic salts of chlor- and brom-acetic acids, A., i, 403.

Stelzner, Alfred Wilhelm, [stannite from Bolivia], A., ii, 121.

Stephan, Karl. See Eduard Gildemeister.

Stephani, M. See Alfred Werner.

Stephens, J. W. W., and W. Myers, action of cobra venom and Calmette's antivenomous serum on blood clotting, A., ii, 479.

Sternberg, Wilhelm, physiological action of butyric and β-hydroxybutyric acids, A., ii, 620.

Steuber, H. J., some boiling point determinations, A., ii, 207.

Stevenson, Henry E. See John Theodore Hewitt.

Stewart, C. G. See Samuel Rideal. Stift, Anton. See K. Komers.

Stillmann, Thomas B., action of nitric acid on aluminium, A., ii, 588.

Stock, Alfred. See Oscar Piloty.

William Frederick Keating, Stock, laboratory notes, A., ii, 639. Stockwell, Benjamin Mitchell.

See George Young.

Stoermer, Richard, and Max Franke, morpholine derivatives, A., i, 451.

Stoermer, Richard, and O. Richter, nitration of cumarone, A., i, 30.

Stokes, Alfred Walter, detection of gelatin in cream, A., ii, 320.

Stokes, Henry N., chloronitrides of phosphorus, A., ii, 70.

Julius, Stoklasa, substitution arsenic acid for phosphoric acid in the nutrition of plants, A., ii, 131.

--- retrograde phosphoric acid, A., ii, 182.

- lecithins in plants, A., ii, 623.

Stoklasa, Julius. See also Nestler.

Stokvis, H. Barend Joseph, the biuret reaction in human urine, A., ii, 176. Stone, C. H. See Arthur Amos Noves.

Stone, George C., and D. A. van Ingen, ferrocyanides of zinc and manganese, A., i, 347.

Stone, Winthrop E., estimation of carbo-

hydrates in food stuffs, A., ii, 56. Stone, Winthrop E., and W. H. Baird, raffinose in American sugar beet, A., ii, 249.

Storer, Francis Humphreys, substances contained in the trunks of trees, A., ii, 401.

Strassmann, Ernst, action of cyanacetic acid on isovaleraldehyde and propaldehyde, A., i, 295.

Walther, glycosuria carbonic oxide poisoning, A., ii, 38. Streatfeild, $\bar{Frederick}$ Henry.

Raphael Meldola.

Strömholm, Daniel, double salts of organic bases with mercury haloids, A., i, 624.

Struve, Heinrich, magnesium phosphates, A., ii, 580.

Strzyzowski, Casimir, formation of hæmatin crystals, A., ii, 360.

Stützel, L. See Wilhelm Muthmann. Stutzer, Albert, and R. Hartleb, formation of nitrates, A., ii, 300.

- the nitric organism, ii, 301, 348, 622.

Sudborough, John Joseph, and Martin Ernest Feilmann, formation and hydrolysis of esters, P., 1897, 241; discussion, P., 244.

Sudborough, John Joseph, and Lorenzo L. Lloyd, stereochemistry of unsaturated carbon compounds, part I., etherification of substituted acrylic acids, T., 81; P., 1897, 240. Šulc, Ottokar. See Bohuslav Rayman. Sullivan, Geo.

See J. H. Kastle. See Robert de For-Sully-Thomas. crand.

Sundström, Karl J., analysis of limestones, A., ii, 310.

Sundvick, Ernst Edvard, psyllostearylic alcohol, A., i, 617.

Sutherland, William, causes of osmotic pressure and of the simplicity of the laws of dilute solution, A., ii, 109.

W. Swain, R. E_{\bullet} See Stewart

Young. Swarts, Frédéric, mixed fluorine and bromine derivatives containing two atoms of carbon, A., i, 457.

- atomic refraction of fluorine, A., ii, 361.

Syniewski, Wiktor, soluble starch, I., and II., A., i, 61, 551. Szekely, Salomon. See Leo Liebermann.

T.

Tacke, Bruno, estimation of free humic acid in peaty soils, A., ii, 103.

- recent experiences in the cultivation

of peaty land, A., ii, 250.
Täuber, Ernst, and Franz Walder, Bismarck-brown, A., i, 23, 193.

Tafel, Julius, chemical activity organic ammonium salts, i, 471, 519.

---- strychnine, A., i, 703.

Tafel, Julius. See also Gottfried Fenner.

Takamine, Jokichi, testing diastatic substances, A., ii, 492.

Talbot, Henry P., and A. G. Woodman, analysis of an iron rail from an unused coal mine, A., ii, 222.

Talmadge, J. M., solubility of solids in vapours, A., ii, 62.

- potassium lead iodide, A., ii, 72. Tambach, Rudolf, iodine in the thyroid

gland, A., i, 543.

Tambor, Josef, and F. Wildi, nitrogenous derivatives of benzylideneacetophenone, A., i, 313.

Tammann, Gustav, vapour pressures of hydrated salts which remain transparent on efflorescence, A., ii, 208.

- dependence on temperature of the number of crystallisation nuclei which form in supercooled liquids, ii, 330.

Tammann, Gustav, velocity of crystallisation, A., ii, 425.

Tammann, Gustav. See also Hellmuth [Baron] Buxhoevden, Jacob Friedländer. Tanatar, Simcon M., perborates and their

constitution, A., ii, 427.

М., Tanatar, Simconand BorisKlimenko, salt formation in alcoholic solution, A, ii, 563.

Tangl, Ferencz, and J. Weiser, fat estimation by Liebermann's method, A., ii, 655.

Tarugi, N., thio-organic compounds of arsenic, A., i, 123.

-- chromium arsenate, A., ii, 119.

Tarugi, N., and G. Nicchiotti, reactions of potassium ferricyanide with glucose and their application to volumetric analysis, A., i, 118.

Tassilly, basic magnesium salts, A., i, 117.

Tauss, Siegfried. See Moriz Lilienfeld. **Taverne**, H. J., nitration of methylic benzoate, A., i, 525.

separation of ortho- and meta-nitro-

benzoic acids, A., i, 526.

- action of nitric acid at the ordinary temperature on certain aromatic acids, A., i, 588.

 action of nitric acid on benzamide, phenylacetamide and phenylpropionamide, A., i, 658.

Taylor, A. Ernest, precipitation of salts, A., ii, 213.

Taylor, Robert Lloyd, hypoiodous acid and hypoiodites, A., ii, 21.

Taylor, S. F., mass law studies, III., A.,

Tcherniac, Joseph, preparation of bromonitromethane, A., i, 116.

--- oxidation of naphthalene potassium permanganate, A., i, 263. Tchúgaeff, L., optical activity, A.,

ii, 274, 495.

Teall, Jethro Justinian Harris, phosphatised trachyte from Clipperton atoll, A., ii, 391.

Tebb, M. Christine, hydrolysis of glycogen, A., i, 230.

Teclu, Nicolae, characteristics of flames, A., ii, 22.

Telle, Fernand, volumetric estimation of combined sulphuric acid, A., ii, 451.

Terasse, G. L. See William Ridgely Orndorff.

Termier, Pierre, cinnabar and onofrite from Ouen-Shan-Tchiang, China, A., ii, 167.

Tesse, Theodor. See Georg. W. A. Kahlbaum.

Teudt, H., behaviour of atmospheric air and of chemically prepared gases at about 350-500° under atmospheric pressure, A, ii, 421.

Thaeter, K., glucosides contained in the root of Helleborus niger, A., i, 39.

 detection and estimation of santonin in the flower buds of Artemisia maritima, A., ii, 59.

Thalberg, August, propionaldol, A., i, 550.

Theodor. See Albert Ladenburg.

Thesen, Jörgen Eitzen, isocreatinine, a compound obtained from the flesh of the haddock, A., i, 387.

Thiele, Johannes, action of acetic anhydride on quinone and on dibenzoylstyrene, A., i, 469.

Thiele, Johannes,

Wilhelmand Osborne, derivatives of prozan, A., i, 120. Thiele, Johannes, and Robert Howson

Pickard, rearrangement of benzylidenephenylhydrazone, A., i, 474. — indigo-oxime, A., i, 493.

Thörner, Wilhelm, and R. Uster, estimation of phosphoric acid in sweet wines, A., ii, 255.

Thomas, Victor, chlorinating action of ferric chloride in the aromatic series, A., i, 640.

· some halogen salts of lead, A., ii, 585.

Thomas. See also Sully-Thomas.

Thomas-Mamert, René, constitution of amidofumaric and amidomaleic derivatives, A., i, 463.

Thompson, Firman. See Edward D. Campbell.

Thompson, Gustave W., analysis of alloys of tin, antimony, and copper, A.,

- analysis of white paints, A., ii, 141. Thoms, George, how is the high percentage of iron in the ash of Trapa natans to be explained? A., ii, 40.

Thoms, Hermann, occurrence of choline and trigonelline in Strophanthus hispidus seeds: preparation of strophanthin, A., i, 328.

- choline and trigonelline in the seeds of Strophanthus Kombé, A., i, 328.

- yohimbehe bark and yohimbine. A., i, 455.

Thoms, Hermann, and G. Boelling, [nitratine] from South West Africa, A., ii, 387.

Thoms, Hermann, and M. Wentzel, mandragorine, A., i, 708.

Thomsen, Julius, evolution of helium from a natural compound, with production of heat and light, A., ii, 161.

- atomic weight of aluminium, A.. ii, 377.

Thomson, Robert T., estimation of iron and aluminium in mineral phosphates, manures, alum, &c., A., ii, 142.

Thorpe, Joselyn Field. See William Henry Perkin, jun.

Threlfall, Richard, and Florence Martin, oxygen at low pressures, A., ii, 215.

Thudichum, John Louis William, urobilin, A., i, 712.

Thurgau. See Baur-Thurgau.

Tickle, Thomas. See John Norman Collie.

Tiemann, [Johann Carl Wilhelm] Ferdinand, ketones of the violet, and the compounds of the citral (geranaldehyde) series related to them, A., i, 374.

resolution of ionone into the structurally identical forms α-ionone and β-ionone, A., i, 376.

semicarbazones of a-ionone, A., i, 596.

i, 677.

Tiemann, Ferdinand, and R. Schmidt, constitution of isogeranic (cyclogeranic)

acid: isogeranionitrile, A., i, 377.

Tiemann, Ferdinand, and Friedrich

Semmler, & dimethyllevulinic acid or

5-dimethyllevulinic (2-methylhexan-3onoic) acid, A., i, 629.

Tiemann, Hugo, composition of colostrum, A., ii, 619.

Tigerstedt, Robert [Adolf Armand]. See Johan Erik Johansson.

Tilden, William Augustus, gases enclosed in crystalline rocks and minerals, A., ii, 383.

Tingle, John Bishop, action of ethylic oxalate on camphor, III., A., i, 443.

—— Fehling's solution, A., ii, 263.

Tivoli, Deodato, composition of polenta made from sound and unsound maize flour, A., ii, 531.

Tixier, A., Chenal-Ferron-Douilhet and Co., a fractionating apparatus, A., ii, 507.

Toennies, Emil. See Georg W. A. Kahlbaum.

Töpfer, Gustav, so-called oxyproteic acid, a constituent of urine, A., i, 501.

Tollens, Bernhard, and Hubert Glaubitz, amount of pentosans in different feeding materials, and the amounts remaining in the foods after they have been subjected to operations, A., ii, 306.

Tollens, Bernhard. See also H. von Feilitzen, K. Weber.

Tolomei, Giulio, soluble ferment present in wine, A., ii, 247.

Tombeck, D., combination of organic bases with metallic salts, A., i, 566.

Tommasi, Donato, nascent hydrogen, A., ii. 69.

---- a new accumulator, A., ii, 496.
---- law of thermal constants, A.,
ii, 555.

metallic precipitation, A., ii, 582.

Torrey, H. A. See Charles Loring Jackson.

Tortelli, Massimo, and R. Ruggeri, detection of small quantities of cotton oil in olive oil and other edible oils, A., ii, 465.

detection of cotton-seed oil, sesamé oil, and earth-nut oil in olive oils, A., ii, 653.

Tortorici. See Oliveri-Tortorici.

Tozier, H. H. See Arthur Amos Noyes.

Trasciatti, D. See Clemente Monte-Martini.

Traube, Isidor, some properties of aromatic orthohydroxy-derivatives, A., i, 526.

-- osmotic pressure and electrolytic dissociation, A., ii, 109, 210, 211.

--- molecular weights of solid substances, A., ii, 213, 369.

— heat of vaporisation of some elements and their molecular weight in the liquid state, A., ii, 469.

Traube, Wilhelm, action of cyanogen on ethylic sodiomalonate, A., i, 241.

—— synthesis of nitrogenous compounds by means of nitric oxide, A., i, 349.

Traube, Wilhelm, and E. Hoffa, hydrazidoacetic acid, A., i, 235.

Traube, Wilhelm, and Hans Sielaff, alkylation of isonitramino-derivatives of fatty acids, A., i, 354.

Travers, Morris W., experiments with helium, A., ii, 375.

Travers, Morris W. See also William Ramsay.

Treadwell, Frederick Pearson, and M. Reuter, solubility of calcium and magnesium hydrogen carbonates, A., ii, 473.

Treubert, F. See Ludwig Vanino.

Trevor, Joseph Ellis, osmotic pressure and variance, A., ii, 63.

--- variance of osmotic systems, A., ii, 64.

Trillat, Auguste, commercial preparation of chloral, A., i, 555.

Trillat, Auguste. See also Adrian.

Troeger, Julius, and E. Ewers, action of zinc and cadmium hydroxides on ammonium sulphate, A., ii, 220.

Troeger, Julius, and W. Grothe, naphthalene and orthotoluenethiosulphonic acids, A., i, 263.

Troeger, Julius, and V. Hornung, action of alcoholic potassium sulphide and hydrosulphide on symmetrical dibromosulphones, A., i, 257.

- — derivatives of symmetrical triazine, A., i, 554.

Troeger, Julius. See also Heinrich Beckurts.

Troost, Louis, boiling point of liquid ozone, A., ii, 569.

Trowbridge, P. F., pyridine periodides, A., i, 270.

Trowbridge, P. F., and O. C. Diehl, halogen derivatives of pyridine, A., i, 380.

Truchot, P., occurrence and extraction of monazite and zircon, A., ii, 437.

Trumpy, F. See Carl Graebe.

Tryller, Heinrich C., modification of Stutzer's process for estimating proteids in substances rich in starch, A., ii, 103.

Tscherbakoff, Alex., and Alexander M. Saytzeff, action of sulphuric acid on elaidic acid, A., i, 296.

Tschirch, [Wilhelm Oswald] Alexander, and Gullow Pederson, aloes, A., i, 599. Tschirner, Fred. See Eugen

berger.

Tunnicliffe, Francis Whittaker, note on the physiological action of guaiacolate of piperidine, T., 145.

Tunnicliffe, Francis Whittaker, and Otto Rosenheim, a new volumetric method of estimating uric acid in urine, A., ii, 196.

Turnbull, Andrew. See Percy Faraday Frankland, Paul Jacobson.

Turner, Henry W., rocks and minerals from California, A., ii, 610.

Tuxen, Chr. Fr. A., effect of crops and manures on the nitrogen content of the soil, A., ii, 532.

U.

Ullmann, Carl, influence of time on the process occurring at the cathode in the electrolysis of solutions of copper sulphate, A, ii, 12.

Ullmann, Fritz, melting points and boiling points of aniline, toluidine, and xylidine hydrochlorides, A.,i,566.

- synthesis in the carbazole group, A., i, 591.

Ullmann, Fritz, and Ed. Mallett, derivatives of fluorenone, A., i, 594.

Ulpiani, C. See G. Ampola.
Ulsch, Karl, estimation of nitric acid by electrolysis, A., ii, 45.

Umber, F., action of peptic digestion on proteids, A., i, 608.

Umbgrove, Herm., and Antoine Paul Nicolas Franchimont, ethylnitramine and its derivatives, A., i, 292.

- two isomerides of methylethylnitramine, A., i, 293.

Unger, Oskar, and G. Graff, action of a-brominated acids and ketones on orthamidothiophenol, A., i, 96.

Urbain, G., new method of fractionating metals of the yttrium group, A., ii, 518. Uster, R. See Wilhelm Thörner.

٧.

Valenta, Eduard. See Josef Maria Eder.

lentin, Juan, copper Argentina, A., ii, 167. Valentin, from ore

Valeur, Amand, quinones and quinols, A., ii, 420.

- heat of formation of quinones of high molecular weight, A., ii, 500. -thermochemistry of quinoneoximes,

A., ii, 500. Vallot, J., and Gabrielle Vallot, influence

of altitude and temperature on the decomposition of oxalic acid by light, A., ii, 149.

Vamóssy, Zoltán von. See Wilhelm Autenrieth.

Vandevelde, Alb. J. J., phenoxycinna-mic acid [hydroxyphenylcinnamic acid, A., i, 670.

effect of chemical agents and of light on germination, A., ii, 302.

Vanino, Ludwig, application of alkaline formalin in quantitative analysis, A., ii, 545.

Vanino, Ludwig, and F. Treubert, estimation of mercuric salts, A., ii, 141.

- separation of mercuric from bismuth salts, A., ii, 259.

- - action of an alkaline solution of stannous chloride on lead salts, A., ii, 429.

- bismuth sub-oxide, ii, 435, 598.

- new method of estimating bismuth, A., ii, 461.

Vaubel, Wilhelm, the benzene nucleus, IX., A., i, 129.

- heat of dissociation of molecules of elements, A., ii, 206.

 molecular association of liquids, A., ii, 503.

Vaubel, Wilhelm. See also F. Blum. Vedrödi, Victor, methods of estimating the quality of flour, A., ii, 357.

Veley, Victor Herbert, and J. J. Manley, electrical conductivity of nitric acid, A., ii, 277.

- ___ [chemical and physical properties of very concentrated nitric acid], A., ii, 290. enable, Francis Preston,

Venable, atomic weight of zirconium, A., ii, 595.

Venable, Francis Preston, and Charles Baskerville, zirconium oxalates, A., i, 239.

- zirconium oxyhaloids, A., ii, 596.

Venable, Francis Preston, and A. W. Belden, zirconium dioxide, A., ii, 597.

Venable, Francis Preston, and F. W. Miller, colour changes in solutions of chromium salts, A., ii, 592.

Verley, Albert, action of alkalis on citral preparation of methylheptenone, A., i, 557.

Verneuil, Auguste [Victor Louis]. See Grégoire N. Wyrouboff.

Vèzes, Maurice, a new double platinum salt, A., i, 64.

- platino-platinoso-additive compounds, A., ii, 74.

- atomic weight of nitrogen, A., ii, 572.

Vidal, Raymond, reactions of phospham, A., i, 351.

Vignolo, G., base of hypnoacetin and its derivatives, A., i, 253.

Vignon, Leo, oxycellulose, A., i, 8. - dyeing with substantive dyes, A.,

i, 136. - nitration of cellulose, hydrocellu-

lose and oxycellulose, A., i, 619. formation of furfuraldehyde from

cellulose, oxycellulose and hydrocellulose, A., i, 620.

- estimation of phosphoric acid in superphosphate, A., ii, 639.

Villard, F., and F. Boeuf, amount and composition of the herbage of meadows at different periods, A., ii, 181.

Villavecchia, Vittorio, and Guido Fabris, substances contained in sesamé oil and their relation to the characteristic colour reactions of the oil, A., i, 445.

Villiger, Victor.See Adolf Baeyer.

Vincent, Camille, and Bénédict Delachanal, biological production of levulose from mannitol, A., i, 118.

Vincent, Swale, physiological effects of extracts of suprarenal capsules, A., ii, 176.

physiology of the suprarenal capsules, A., ii, 344.

Vincent, Swale. See also B. Moore.

Vinci, Gaetano, physiological action of eucaine-B [4-benzoyloxy-trans-2:2:6trimethylpiperidine], A., ii, 86.

physiological action of derivatives

of cocaine, A., ii, 242.

Visser, H. L., halogen-substituted derivatives of salicin and its derivatives, A., i, 202.

Visser, L. E. O. de, solidifying points of pure stearic and palmitic acids and of their mixtures, A., i, 560.

Vitali, Carm. See Alberto Peratoner. Voit, Erwin, [and Otto Krummacher],

extraction of fat, A., ii, 175.

Voit, Fritz, behaviour of different sugars after subcutaneous injection in man, A., ii, 344.

Volckening, Gustave J., mechanical arrangement of fat extraction appara-

tus, A., ii, 197.

Vongerichten, Eduard, non-nitrogenous decomposition products of morphine, A., i, 98, 281.

Vorländer, Daniel, action of benzaldehyde on ketones, A., i, 27.

Vorländer, Daniel, and Paul Herrmann, malonic methylanilide, A., i, 633.

Vorländer, Daniel, and Fritz Kalkow, benzylidenepinacolin, A., i, 28.

Vorländer, Daniel, and Rudolf von Schilling, ethereal indoxylates, A., i, 682. Vorländer, Daniel, and F. Wilcke, di-

benzylidenediethyl ketone, A., i, 667. Vorländer, Daniel. See also Herrmann Metzner.

Vreven, S., discrimination of guaiacol and creosote, A., ii, 355.

detection of atropine and hyoscyamine in urine, A., ii, 657.

Vsetečka, Jos. See Hans Rupe.

W.

Wachhausen, decomposition of iodine compounds, A., ii, 254.

Wachs, Curt. See Heinrich Goldschmidt.

Waddell, John, lecture experiments, A., ii, 373.

Wade, E. B. H., new method of determining the vapour pressure of solutions, A., ii, 15.

Wade, John, and Laurence C. Panting, preparation of dry hydrogen cyanide and carbon monoxide, T., 255; P., 1898, 49.

Wadsworth, F. L. O., conditions required for attaining maximum accuracy in the determination of specific heat by the method of mixtures, A., ii, 323.

Wagner, Paul, injurious effect of sodium nitrate, A., ii, 252.

Wahl, André R., rapid valuation of zinc dust, A., ii, 190.

Wahl, André R. See also Arthur George Green.

Wainwright, J. Howard, volumetric estimation of lead, A., ii, 51.

Wald, F., the phase rule and the physical properties of chemical compounds, A., ii, 64.

formation and changes of solids], A., ii, 112.

--- elementary chemical considerations, A., ii, 159.

---- combination and substitution, A., ii, 327.

Walden, Paul, stereoisomeric chlorobromosuccinic acids, A., i, 176.

----- interconversion of optical antipodes, A., i, 178.

— optical behaviour of tannin, A., i, 199.

autoracemisation, A., i, 405.

a new agent for increasing the angle of rotation, A., ii, 149.

Walden, Paul, and O. Lutz, interconversion of optical antipodes, A., i, 127.

Walden, Percy T. See Henry Lord
Wheeler.

Walder, Franz. See Ernst Täuber.

Walker, Claude F., tritration of sodium thiosulphate with iodic acid, A., ii, 139.

Walker, Claude F. See Frank Austin Gooch.

Walker, James, and John S. Lumsden, determination of molecular weights; modification of Landsberger's boiling point method, T., 502; P., 1898, 125.

Walker, James, and John K. Wood, solubility of isomeric substances, T., 618; P., 1898, 158.

preparation of solid ammonium cyanate, P., 1898, 108.

Walker, James Wallace. See Winifred Judson.

Walker, Percy H., application of hydrogen peroxide to quantitative analysis, A., ii, 540.

Wallace, Daniel L., and Edgar Francis Smith, electrolytic estimation of cadmium, A., ii, 310.

Wallace, Daniel L. See also Edgar Francis Smith.

Wallace, George B., and Arthur R. Cushny, intestinal absorption and saline cathartics, A., ii, 442.

Wallach, Otto, absorption of the violet rays of light by unsaturated ketones, A., i, 194.

Wallach, Otto, terpenes and ethereal oils Pulegenic acid and synthetical pulegone, A., i, 484.

terpenes and ethereal oils. Fen-

chone, A., i, 486.

Wallach, Otto, and Walther Borsche, sulphonals of cyclic ketones, A., i, 301.

Wallach, Otto [and J. A. Smythe], terpenes and ethereal oils. Pinocamphone, a new camphor from pinene, A., i, 485.

Wallach, Otto [and D. F. Werner], terpenes and ethereal oils. Cis- and transisomerism in the menthol series, A., i, 485.

Wallbaum, Reinhold. See Adolph Claus.
Waller, A., electrolytic separation of cadmium and zinc, zinc and cobalt, and antimony and tin, A., ii, 257.

Waller, Augustus D., influence of acids and alkalis on the electrotonic currents of medullated nerve, A., ii, 394.

Waller, Elwyn, assay of chrome ore, A., ii, 145.

Wallerstein, Max, changes in fat during germination, A., ii, 248.

Walter, Johann, improvements in the preparation of metallic alloys by electrolysis, A., ii, 26.

Walther, Reinhold, unsaturated hydrocarbons, A., i, 321.

— a new filter flask, A., ii, 507. Walther, Reinhold, and Wilhelm Bretschneider, paramidobenzaldehyde, A.,

Walther, Reinhold, and Oscar Kausch, paramidobenzaldehyde, A., i, 25.

Walther, Reinhold, and Arthur Schlossmann, new method of disinfection, I. and II., A., ii, 349, 530.

Walther, Reinhold. See also O. Zwingenberger.

Waltke, William, estimation of free alkali and alkali carbonate in soaps, with and without the use of alcohol, A., ii, 93.

Wang, Eyvin, estimation of urinary indican, A., ii, 659.

Wang, Eyvin. See also Axel Johannessen.

Ward, Henry A., four new Australian meteorites, A., ii, 342.

Warren, C. H., mineralogical notes [melanotekite: pseudomorphs after phenakite and topaz, &c.], A., ii, 607.

Warren, C. H. See also Henry Lord Wheeler.

Warren, Henry Nepean, electrical energy caused by the direct action of the atmosphere, A., ii, 149.

Washington, Henry S., sölvsbergite and tinguaite from Essex Co., Mass., A., ii, 611.

Washington, Henry S., Jerome (Kansas) meteorite, A., ii, 613.

Wassileeff, estimation of albumin in urine, A., ii, 60.

Watson, Thomas L., weathering of diabase in Virginia, A., ii, 612.

Waveren, Th. van, preparation of meta-, chloro-, bromo-, and iodo-salicylic acids, A., i, 195.

— helicin, A., i, 203. Wdowiszewski, *Henryk*, rapid estimation of phosphorus, A., ii, 454. Weber, Hermann. See Ernst Hintz.

Weber, K., R. Pott, and Bernhard Tollens, compounds of formaldehyde with uric acid, A., i, 66.

Weber, K., and Bernhard Tollens,

formaldehyde or methylene derivatives of certain polyhydric alcohols and acids of the sugar group, A.,

i, 60, 291.

- action of formaldehyde on uric

acid, A., i, 300.

Wedekind, Edgar, oxidation of formazyl compounds derived from acetyl, benzoyl, and methane, A., i, 192.

- replacement of one of the diazogroups in diphenyltetrazochloride by hydrogen, A., i, 308.

methods of formation of paranitrodiphenyltetrazole, A., i, 336.

 generalisations as to melting points among pentacyclic nitrogen compounds, A., i, 452.

 decomposition of 2:5-diphenyltetrazole into Bladin's 2-phenyltetrazole, A., i, 453.

- dimethyl-β-naphthol, A., i, 593.

nitrogen derivatives of santonic

acid, A., i, 596.

Wedekind, Edgar [and Paul Blumenthal], action of diphenyltetrazochloride on acetoacetic acid and benzaldehydephenylhydrazone, A., i, 454. Wedekind, Edgar, and Leo Stauwe, in-

fluence of distance action exerted by substituents on the formation of tetrazolium bases, A., i, 573.

Wedell-Wedellsborg, P. S., validity of Maxwell's equations, A., ii, 61.

Wegelin, F. See Emilio Noelting. Wegner, М. See Johannes

Wegscheider, Rudolf, production of acid ethereal salts from anhydrides, A., i, 30.

-formation of ethereal salts, A., i, 238.

 dimorphism of α-monomethylic hemipinate, A., i, 257.

Wehmer, Carl, fungi which thrive in acids, A., ii, 398.

VOL. LXXIV. 11.

Wehmer, Carl, nutritive value of sodium salts for fungi, A., ii, 398.

- physiological inequality of fumaric and maleic acids. Antiseptic action of maleic acid, A., ii, 398.

two moulds capable of producing citric acid, A., ii, 446

eibull, Mats, gedrite-schist from Dalecarlia, A., ii, 169. — position of bliabergite in the Weibull,

mineral system, A., ii, 439.

Weidel, Hugo, methylphloroglucinol, A., i, 578.

Weidel, Hugo, and Jacques Pollak, nitrosoderivatives of phloroglucinol diethyl ether, A., i, 15.

Weidel, Hugo, and Franz Wenzel, 2:4 - dimethylphoroglucinol, i, 579.

- 1:3:5-triamidotrimethylbenzene and trimethylphloroglucinol, A.,

Weigmann, $H_{\cdot,\cdot}$ and $A_{\cdot,\cdot}$ Backe, decomposition of milk fat during the ripening of cheese, A., ii, 634.

Weinhart, P., electrolytic detection of lead in urine, A., ii, 190.

Weinland, Rudolph F., and J. Alfa, potassium and rubidium fluorosulphates and fluorophosphates, A., ii, 217.

Weinland, Rudolph F., and August Gutmann, reduction of thiosulphates to sulphites in alkaline solution, A., ii, 570.

Weisberg, Julius, solubility of calcium sulphite in water and in sugar solutions, A., ii, 24.

Weiser, J. See Ferenz Tangl.

Weiske, Hugo, length of time during which food remains in the digesting apparatus of rabbits, A., ii, 127.

losses and chemical changes in vegetable foods when kept for a long time at high temperatures, A., ii, 134. Weiske, Hugo. See also A. Wicke.

Weiss, J., formation of sugar from fat in the body, A., ii, 343.

- formation of uric acid, A., ii, 618. Weiss, Otto, the carbohydrate obtained from egg-albumin, A., i, 619.

Weissbach, Hans, ethylic benzeneazocyanacetate, A., i, 366.

Wentzel, M. See Hermann Thoms.

Wenzel, Franz, determination of acetyl groups in organic compounds, A., i**, 2**34.

Wenzel, Franz. See also Hugo Weidel. Werner, Alfred [with Frederick Beddow, Anton Baselli, and Fr. Steinitzer], constitution of inorganic compounds XI., complex cobalt ammonium compounds, A., ii, 223.

erner, Alfred [and in part P. Ferchland, A. Maiborn, W. Schmujlow, and M. Stephani], constitu-Werner, tion of inorganic compounds, VII., the molecular weights of inorganic salts, A., ii, 214.

Werner, Alfred, and H. Grüger, constitution of inorganic compounds: cobalt-

bases, A., ii, 379.

Werner, Alfred, and Alb. Mylius, constitution of inorganic compounds, XII., anhydro-oxycobaltammine and oxycobaltammine salts, A., ii, 334.

Werner, Alfred, and Paul Pfeiffer, constitution of inorganic compounds, XIV., molecular compounds of tin tetrahaloids with tin alkyls, A.,

Werner, Alfred, and Georg Richter, constitution of inorganic compounds, X., ammonio-chromium thiocyanogen

compounds, A., i, 57.
Werner, D. F. See Otto Wallach.

Wernick, W., and Richard Wolffenstein, action of hydrogen peroxide on 1-alkylpiperidine bases, A., i, 536.

Wetter, Alexander. See Friedrich

Kehrmann.

Whatmough, W. H. See Bevan Lean. Wheeler, Henry Lord, bromine derivatives of 2:3-dimethylbutane, A., i, 221.

- cycloamidines: pyrimidine deriva-

tives, A., i, 538.

Wheeler, Henry Lord, and Bayard Barnes, the silver salt of 4-nitro-2-amidobenzoic acid and its behaviour with alkylic and acidyl haloids, A., i, 368.

- the cyclo-amides: 2'-ketobenzomorpholine and 2'-benzoparox-

azine derivatives, A., i, 693.
Wheeler, Henry Lord, T. E. Smith, and C. H. Warren, diacyl anilides, A., i, 88.

Wheeler, Henry Lord, and Percy T. Walden, action of amines on acylimido-ethers: acylamidines, A.,i, 650.

Wheeler, heeler, Henry Lord, Percy T. Walden, and H. F. Metcalf, acyl-

imido-ethers, A., i, 185.

Wheeler, Homer J. See A. L. Winton. Whitaker, Milton C., olivinite and picrotitanite from Magnolia district, A., ii, 236.

Wiborgh, Johan Gustaf, determination of the reducibility of iron ores, A.,

ii, 647.

Wichelhaus, [Karl] Hermann, di-\(\beta\)naphthaquinone oxide, A., i, 33.

Wichrowksi, C. See George W. A. Kahlbaum.

Wicke, A., and Hugo Weiske, effect of increasing amounts of fat in food on the utilisation of the food constituents, A., ii, 127.

Wickhorst, Max, analysis of phosphorbronze, phosphor-copper, phosphor-tin,

&c., A., ii, 46. Widera, Richard, electrolysis of nitroso-a pipecoline and nitrosotetrahydroquinol-

ine, A., i, 686.

Widman, Oskar, and Astrid Cleve, 3-hydroxy-1: 2: 4-triazole and acidylsemicarbazides, A., i, 335.

Wiede, O. Fritz, chromium tetroxide and salts of perchromic acid, A., ii, 28.

- alkali salts of perchromic acid, A., ii, 295.

Wiedemann, [Ernst] Eilhard [Gustav]and Gerhard Carl Schmidt, coloured haloid salts of the alkali metals, A., ii, 291.

Wijs, J. J. A., Hübl's iodine addition process, A., ii, 412, 491, 466.

Wilcke, F. See Daniel Vorländer.

Wilde, Henry, new lines in the spectra of oxygen and thallium, A., ii, 105.

- table of the elements arranged with the atomic weights in multiple proportions, A., i, 113.

- atomic weights of argon and helium, A., ii, 115.

Wildermann, Meyer, a new method of determining freezing points in very dilute solution, P., 1897, 245; discussion, P., 245.

- real and apparent freezing points and the freezing point methods, A., ii, 110.

See Josef Tambor. Wildi, F.

Wiley, Harvey Washington, modified form of ebullioscope, A., ii, 15.

- estimation of potash and phosphoric acid in fodders, A., ii, 49.

effect of humus on the percentage

of nitrogen in oats, A., ii, 88. Wiley, Harvey Washington, and W. D.

Bigelow, experimental determination of the hydrothermal value of a bomb calorimeter, A., ii, 206.

- calories of combustion in oxygen of cereals and cereal products,

calculated from the analytical data, A., ii, 470.

Wiley, Washington, HarveyWilliam H. Krug, comparison of the standard methods for the estimation of starch, A., ii, 490.

Wiley, Harvey Washington. See also

William H. Krug.

Will, [Carl] Wilhelm, and Friedrich Lenze, nitration of carbohydrates, A., i, 227.

Willdenow, Clara, lysuric acid and its salts, A., i, 713.

Willen, Louis, detection and estimation of acetone in urine, A., ii, 196.

Willenz, estimation of copper as iodide A., ii, 259.

Willgerodt, Conrad, iodinium compounds prepared by the action of the iodochlorides on mercury organic compounds, A., i, 420.

Williams, John. See J. Burchmere Harrison.

Williams, Perey, a new carbide of tungsten, A., ii, 594.

Williams, Perey. See also Henri Moissan. Willstätter, Richard, ketones of the tropine group, VIII., constitution of tropine, A., i, 159.

tropic acid, III., constitution of the

decomposition products of atropine and cocaine, A., i, 540.

- ketones of the tropine group, XI.,

tropinepinacone, A., i, 603. - ketones of the tropine group, X.,

benzylidenetropinic acid, A., i, 604. Willstätter, Richard, and Wilhelm Müller, ketones of the tropine group, 1X., the tropylamines, A., i, 492.

Wilson, C. T. R., condensation of water vapour in presence of dust-free air and other gases, A., ii, 372.

Wilson, John. See William Arthur Bone.

Winchell, Newton H., the Fisher meteorite, A., ii, 172.

Windaus, Adolf. See Wilhelm Autenrieth.

Windisch, Richard, action of formaldehyde on germination, A., ii, 40.

Winkler, Clemens, atomic weights of nickel and cobalt, A., ii, 475.

Winogradsky, Sergei, microbiology of the process of nitrification, ii, 621.

Winteler, F., estimation of perchlorate in sodium nitrate, A., ii, 90.

Winterberg, Heinrich, theory of acid poisoning, A., ii, 530.

Winternitz, Hugo, iodised fats in the organism, A., ii, 344.

Winterstein, Ernst, the glucoses formed from chagual gum, A., i, 510.

- a phosphorus compound from plants which yields inosite on decomposition, A., ii, 42.

Winterstein, Ernst. See also Ernst Schulze.

Winton, A. L., and Homer J. Wheeler, Lindo-Gladding method of estimating potash, A., ii, 484.

Wirkner, C. G. von. See Georg W. A. Kahlbaum.

Wislicenus, Wilhelm, copperderivatives of ethylic dicarboxyglutaconate, A., i,241.

Wislicenus, Wilhelm, Karl Goldstein, and Max Münzesheimer, constitution of ethylic oxalolevulinate (ethylic diketopimelate), A., i, 358.

Wislicenus, Wilhelm, and Max Kiesewetter, homologues of ethylic oxal-

acetate, A., i, 240. Wislicenus, Wilhelm, and Max Münzesheimer, formation of carbonic oxide from ethylic oxalacetate and its derivatives (IV.), and ethylic benzyloxalacetate, A., i, 298.

Witt, Otto Nikolaus, and Jens Dedichen, anilineazo-a-naphthol, A., i, 144.

Woge, Paul. See Arthur Rosenheim. Wohl, Alfred, acetals of acraldehyde

and glyceraldehyde, A., i, 555. Wohl, Alfred, and Ernst List, decomposition of galactose, A., i, 168.

Wohltmann, Ferdinand, German East

African soils, A., ii, 251.

— importance of chemical analysis of soils for the laying out of plantations. Soils of the Cameroon, A., ii, 251.

Wolf, C., action of ethylic chlorofumarate on amidoximes, A., i, 695.

Wolff, Tr., preparation of $\beta\gamma$ -diphenylquinoxaline, A., i, 591.

Wolffenstein, Richard. See Erich Bandow, Emil Maass, W. Wernick.

Wolfmann, Julius, solubility of strontium salts, especially of the sulphate, A., ii, 220.

See Carl Bülow. Wolfs, Hans.

Woll. Fritz Wilhelm August. See William Aron Henry.

Wolman, Ludwig, quantitive electrolysis of heavy metals, A., ii, 50.

Wolman, Ludwig. See also Hans von Pechmann.

Wood, John K. See James Walker.

Wood, Percival John. See Arthur George Perkin.

Wood, Thomas Barlow, W. T. Newton Spivey, and Thomas Hill Easterfield, cannabinol, P., 1898, 66, 153.

Woodman, A. G., differentiation of organic matters in waters, A., ii, 542.

Woodman, A.G. See also Henry P. Talbot. Woodman, Durand, variations in the

composition of red lead, A., ii, 220. Woodruff, E. C., colour reactions of nitric and chloric acids, A., ii, 254.

Wood-Smith, R. F., and Cecil Revis, polarimetric estimation of gallotannic acid, A., ii, 653.

Woodworth, Harold E. See Arthur Amos Noyes.

Worstall, R. A., direct nitration of the paraffins, A., i, 346.

Worstall, R. A., and A. W. Burwell, decomposition of heptane and octane at high temperatures, A., i, 101.

Woy, R., estimation of phosphoric acid as phosphomolybdic anhydride, A., ii, 138.

Woy, R. See also Anton Seyda.

Wrampelmeyer, Eduard, estimation of all the volatile fatty acids in butter, A., ii, 57.

Wright, Robert. See E. H. Farr.

Wroblewski, Augustin, soluble starch, A., i, 8.

- chemical behaviour of diastase and occurrence of an araban in ordinary diastase, A., i, 54, 713.

- classification of proteids, i, 287.

what is Osborne's diastase? A.. i, 500.

- chemical nature of the amylolytic ferments, A., i, 500.

chemical nature of diastase: determination of its activity by the use of soluble starch: occurrence of an araban in ordinary diastase, A., i, 713.

- extraction of liquids, A., ii, 183. - application of Glan's spectrophotometer in animal chemistry, A., ii, 415.

Wynkoop, Gillet, qualitative separations with sodium nitrite in absence of phos-

phates, A., ii, 54.

Wynne, William Palmer, and James Bruce, disulphonic acids of toluene, of ortho- and para-toluidine, and of orthoand para-chlorotoluene, T., 730; P., **1898**, 168.

Wyrouboff, Grégoire, and Auguste [Victor Louis] Verneuil, elementary nature of the substance called cerium, A., ii, 222.

 atomic weight of cerium, A., ii, 294.

 separation of thorium from cerite metals, A., ii, 339.

 Idetection and estimation of thiorum], A., ii, 410.

Y.

Yocum, John H., estimation of tannin by

means of hide powder, A., ii, 360.
Young, George, and Henry Annable,
benzoylphenylsemicarbazide, P., 1897,

Young, George, and Ernest Clark, action of ammonia and substituted ammonias on acetylurethane, T., 361; P., 1898, 73.

Young, George, and Benjamin Mitchell Stockwell, formation of oxytriazoles from semicarbazides, T., 368; P., 1898, 73.

Young, Robert Arthur, precipitation of carbohydrates by neutral salts, A., i, 230.

Young, Stewart W., titration of stannous

salts with iodine, A., ii, 192.

— solubility of stannous iodide in water and solutions of hydriodic acid, A., ii, 595.

- iodostannous acid, A., ii, 595.

Young, Stewart W., and Maxwell Adams, action of iodine on solutions of stannous chloride, A., ii, 338.

Young, Stewart W., and R. E. Swain, volumetric estimation of the nitrogroup in organic compounds, A .. ii, 186.

Young, Sydney, the vapour pressures, specific volumes, and critical constants of normal heptane, T., 675; P., **1898**, 165.

- composition of American petroleum, T., 905; P., 1898, 175; discussion, P., 177.

Young, Sydney. See also Francis E. Francis and D. Hamilton Jackson.

Yvon, Paul, preparation of absolute alcohol by means of calcium carbide, A., i, 290.

Z.

Boleslas. Ferdinand Zahorski, See Hurter.

Zaitschek, Arthur, chemical equilibrium between ethylic alcohol and sulphuric acid, A., ii, 19.

Zaloziecki, Roman, dissociation of the salts of petroleum acids and the estimation of free acids in mineral oils, A., ii, 266.

Zanardi, Francesco, silver paraphenolsulphonate, A., i, 430.

Zellner, Julius, volumetric estimation of hydrofluoric acid, A., ii, 307.

Zettel, Ch., a new chromium silicide, A., ii, 520.

Zeynek, Richard von, hæmochromogen, A., i, 720.

Ziegler, J., oil of violets from oil of lemon-grass, A., i, 677.

Zincke, [Ernst Carl] Theodor, nitroketones, hydroxyketones, ketochlorides, and ketobromides, A., i, 70.

— ketochlorides and orthodiketones of

azimidobenzene, A., i, 537.

Zincke, Theodor, and Georg Egly, 2:4tetrachloro-1:3-diketotetrahydronaphthalene, A., i, 439.

Zincke, Theodor, and Albert Rohde, action of ammonia on hexachloroketo-R-pentene (m. p. 28°), A., i, 302.

Zolcinski, J., examination of some cheap black Chinese teas, A., ii, 531.

Zopf, Wilhelm, compounds from lichens, A., i, 89, 489.

Zoso, A. See P. Bonomi da Monte. Zsigmondy, Richard, aqueous solutions of metallic gold, A., ii, 522. **Zsigmondy**, *Richard*, purple of Cassius, A., ii, 599.

Zuntz, Nathan, metabolism during muscular work in dogs, A., ii, 83.

Zwingenberger, O., and Reinhold Walther, isomeric phenyltolylmethenylamidines, A., i, 519.